

Amendments to the Specification

Please amend the specification as follows:

Please replace the Sequence Listing submitted on October 16, 2006 with the new Sequence Listing submitted herewith.

Please delete the first paragraph at page 1, as amended by way of the Preliminary Amendment filed on March 4, 2002, with the following paragraph:

This application is a divisional application of U.S. application serial no. 09/373,432, filed on August 13, 1999, now U.S. 6,459,996, which claims priority to U.S. Provisional Application No. 60/096,452, filed August 13, 1998. The contents of all of which are hereby incorporated by reference.

Please delete the paragraph on page 7, lines 7-12 and replace it with the following paragraph:

Figure 4: Quanta was used to superimpose *E. coli* UDP-galactose 4 epimerase (GalE) (**SEQ ID NO: 1**) and *E. coli* GDP-fucose synthetase (coli_GFS) (**SEQ ID NO: 2**) as shown in figure 3. The two sequences were then aligned based upon the structural alignment and the human GDP-fucose synthetase (human_GFS) (**SEQ ID NO: 3**) amino acid sequence was aligned to this pair. Identical residues are boxed in red, homologous in grey, and residues shared between two of the three proteins are boxed in blue.

Please replace the paragraph beginning at page 21, after “*Data collection and processing*” with the following paragraph:

Diffraction data were collected using a Raxis II detector mounted on an RU200 X-ray generator running at 50 KV, 100 mA, with the MSC/Yale focusing mirrors. All data collections were performed at 18C with exposure times between 8 and 12 minutes per one degree oscillation. These data were reduced with DENZO/SCALEPACK [44] giving unit cell parameters of $a=104.2 \text{ \AA}$ and $c=74.9 \text{ \AA}$ and symmetry P3₂21 or P3₁21. The CCP4 suite of programs [20] were used for all further data processing leading up to heavy atom refinement.

Please replace the paragraph beginning at page 23, after "*Model building and refinement*" with the following paragraph:

The model was built into the experimental maps using QUANTA (Molecular Simulations Inc.). Large pieces of GALE were used to assist with the model building by changing the side chain identities and moving residues and secondary structural elements. The resulting model had no breaks in the backbone and was refined using XPLOR positional, torsion angle dynamics, and B-factor refinement. The final model consists of residues Lys3 to Phe319 with the first and last two residues not visible in the electron density maps. The side chains of Arg36, Asp37, Arg55 and His174 are also disordered and were modeled as alanines in the final structure. The side chains of Arg36 and Asp37 became well ordered upon binding NADP+ or NADPH and were therefore included in those complex models.

Please replace the paragraph beginning at page 23, after "*Obtaining NADP and NADPH bound complexes*" with the following paragraph:

The complex of GFS with NADP+ was obtained by placing the crystals into 4.2M sodium formate, 1 mM NADP+ for 20 hours. The resulting complex was found to be isomorphous with cell parameters $a=104.2 \text{ \AA}$ and $c=75.1 \text{ \AA}$. After rigid body refinement of the protein model in XPLOR [48] clear density was identified for the bound ligand in both 2Fo-Fc and Fo-Fc electron density maps. A model of the complex was built using QUANTA and side chains were adjusted to fit the new electron density. Refinement of the complex was performed using positional and B-factor refinement in XPLOR, giving a final model with statistics shown below.

Please insert the following text at page 24, after "(entry codes 1GFS, 1FXS, and 1BSV)":

```
HEADER      OXIDOREDUCTASE                      17-AUG-98   1GFS
TITLE       GDP-FUCOSE SYNTHETASE FROM E. COLI
COMPND      MOL_ID: 1;
COMPND      2 MOLECULE: GDP-FUCOSE SYNTHETASE;
COMPND      3 CHAIN: A;
COMPND      4 SYNONYM: WCAG, GDP-4-KETO 6-DEOXY-MANNOSE 3,5-EPIMERASE 4-
COMPND      5 REDUCTASE;
COMPND      6 ENGINEERED: YES
SOURCE      MOL_ID: 1;
SOURCE      2 ORGANISM_SCIENTIFIC: ESCHERICHIA COLI;
SOURCE      3 STRAIN: K12;
SOURCE      4 CELLULAR_LOCATION: CYTOPLASM;
```

SOURCE 5 GENE: WCAG;
SOURCE 6 EXPRESSION_SYSTEM: ESCHERICHIA COLI;
SOURCE 7 EXPRESSION_SYSTEM_STRAIN: BL21;
SOURCE 8 EXPRESSION_SYSTEM_CELLULAR_LOCATION: CYTOPLASM;
SOURCE 9 EXPRESSION_SYSTEM_PLASMID: PSEWCAG;
SOURCE 10 EXPRESSION_SYSTEM_GENE: WCAG
KEYWDS EPIMERASE-REDUCTASE, NADP, GDP-FUCOSE, LIPOPOLYSACCHARIDE
KEYWDS 2 BIOSYNTHESIS
EXPDTA X-RAY DIFFRACTION
AUTHOR W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
REVDAT 2 12-MAY-00 IGFS 1 HEADER DBREF
REVDAT 1 17-AUG-99 IGFS 0
JRNL AUTH W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
JRNL TITL GDP-FUCOSE SYNTHETASE FROM ESCHERICHIA COLI:
JRNL TITL 2 STRUCTURE OF A UNIQUE MEMBER OF THE SHORT-CHAIN
JRNL TITL 3 DEHYDROGENASE/REDUCTASE FAMILY THAT CATALYZES TWO
JRNL TITL 4 DISTINCT REACTIONS AT THE SAME ACTIVE SITE.
JRNL REF STRUCTURE V. 6 1601 1998
JRNL REFN ASTM STRUE6 UK ISSN 0969-2126
REMARK 1
REMARK 2
REMARK 2 RESOLUTION. 2.20 ANGSTROMS.
REMARK 3
REMARK 3 REFINEMENT.
REMARK 3 PROGRAM : X-PLOR 3.843
REMARK 3 AUTHORS : BRUNGER
REMARK 3
REMARK 3 DATA USED IN REFINEMENT.
REMARK 3 RESOLUTION RANGE HIGH (ANGSTROMS) : 2.20
REMARK 3 RESOLUTION RANGE LOW (ANGSTROMS) : 14.00
REMARK 3 DATA CUTOFF (SIGMA(F)) : 2.000
REMARK 3 DATA CUTOFF HIGH (ABS(F)) : NULL
REMARK 3 DATA CUTOFF LOW (ABS(F)) : NULL
REMARK 3 COMPLETENESS (WORKING+TEST) (%) : 94.8
REMARK 3 NUMBER OF REFLECTIONS : 22894
REMARK 3
REMARK 3 FIT TO DATA USED IN REFINEMENT.
REMARK 3 CROSS-VALIDATION METHOD : THROUGHOUT
REMARK 3 FREE R VALUE TEST SET SELECTION : RANDOM
REMARK 3 R VALUE (WORKING SET) : 0.171
REMARK 3 FREE R VALUE : 0.214
REMARK 3 FREE R VALUE TEST SET SIZE (%) : 5.000
REMARK 3 FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF FREE R VALUE : NULL
REMARK 3
REMARK 3 FIT IN THE HIGHEST RESOLUTION BIN.
REMARK 3 TOTAL NUMBER OF BINS USED : NULL
REMARK 3 BIN RESOLUTION RANGE HIGH (A) : NULL
REMARK 3 BIN RESOLUTION RANGE LOW (A) : NULL
REMARK 3 BIN COMPLETENESS (WORKING+TEST) (%) : NULL
REMARK 3 REFLECTIONS IN BIN (WORKING SET) : NULL
REMARK 3 BIN R VALUE (WORKING SET) : NULL
REMARK 3 BIN FREE R VALUE : NULL
REMARK 3 BIN FREE R VALUE TEST SET SIZE (%) : NULL
REMARK 3 BIN FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF BIN FREE R VALUE : NULL

REMARK 3
REMARK 3 NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK 3 PROTEIN ATOMS : 2489
REMARK 3 NUCLEIC ACID ATOMS : NULL
REMARK 3 HETEROGEN ATOMS : NULL
REMARK 3 SOLVENT ATOMS : 80
REMARK 3
REMARK 3 B VALUES.
REMARK 3 FROM WILSON PLOT (A**2) : NULL
REMARK 3 MEAN B VALUE (OVERALL, A**2) : NULL
REMARK 3 OVERALL ANISOTROPIC B VALUE.
REMARK 3 B11 (A**2) : NULL
REMARK 3 B22 (A**2) : NULL
REMARK 3 B33 (A**2) : NULL
REMARK 3 B12 (A**2) : NULL
REMARK 3 B13 (A**2) : NULL
REMARK 3 B23 (A**2) : NULL
REMARK 3
REMARK 3 ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM SIGMAA (A) : NULL
REMARK 3 LOW RESOLUTION CUTOFF (A) : NULL
REMARK 3
REMARK 3 CROSS-VALIDATED ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM C-V LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM C-V SIGMAA (A) : NULL
REMARK 3
REMARK 3 RMS DEVIATIONS FROM IDEAL VALUES.
REMARK 3 BOND LENGTHS (A) : 0.008
REMARK 3 BOND ANGLES (DEGREES) : 1.36
REMARK 3 DIHEDRAL ANGLES (DEGREES) : NULL
REMARK 3 IMPROPER ANGLES (DEGREES) : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL MODEL : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL FACTOR RESTRAINTS. RMS SIGMA
REMARK 3 MAIN-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 MAIN-CHAIN ANGLE (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN ANGLE (A**2) : NULL ; NULL
REMARK 3
REMARK 3 NCS MODEL : NULL
REMARK 3
REMARK 3 NCS RESTRAINTS. RMS SIGMA/WEIGHT
REMARK 3 GROUP 1 POSITIONAL (A) : NULL ; NULL
REMARK 3 GROUP 1 B-FACTOR (A**2) : NULL ; NULL
REMARK 3
REMARK 3 PARAMETER FILE 1 : PARHCS DX.PRO
REMARK 3 PARAMETER FILE 2 : NULL
REMARK 3 TOPOLOGY FILE 1 : TOPHCS DX.PRO
REMARK 3 TOPOLOGY FILE 2 : NULL
REMARK 3
REMARK 3 OTHER REFINEMENT REMARKS: NULL
REMARK 4
REMARK 4 1GFS COMPLIES WITH FORMAT V. 3.0, 1-DEC-2006
REMARK 4

REMARK 4 THIS IS THE REMEDIATED VERSION OF THIS PDB ENTRY.
REMARK 4 REMEDIATED DATA FILE REVISION 3.100 (2007-03-17)
REMARK 200
REMARK 200 EXPERIMENTAL DETAILS
REMARK 200 EXPERIMENT TYPE : X-RAY DIFFRACTION
REMARK 200 DATE OF DATA COLLECTION : FEB-1997
REMARK 200 TEMPERATURE (KELVIN) : 291.0
REMARK 200 PH : 7.00
REMARK 200 NUMBER OF CRYSTALS USED : 2
REMARK 200
REMARK 200 SYNCHROTRON (Y/N) : N
REMARK 200 RADIATION SOURCE : ROTATING ANODE
REMARK 200 BEAMLINE : NULL
REMARK 200 X-RAY GENERATOR MODEL : RIGAKU/MSU RU-H2R
REMARK 200 MONOCHROMATIC OR LAUE (M/L) : M
REMARK 200 WAVELENGTH OR RANGE (A) : 1.5418
REMARK 200 MONOCHROMATOR : NI FILTER
REMARK 200 OPTICS : MIRRORS
REMARK 200
REMARK 200 DETECTOR TYPE : IMAGE PLATE AREA DETECTOR
REMARK 200 DETECTOR MANUFACTURER : RIGAKU
REMARK 200 INTENSITY-INTEGRATION SOFTWARE : DENZO
REMARK 200 DATA SCALING SOFTWARE : SCALEPACK
REMARK 200
REMARK 200 NUMBER OF UNIQUE REFLECTIONS : 23163
REMARK 200 RESOLUTION RANGE HIGH (A) : 2.200
REMARK 200 RESOLUTION RANGE LOW (A) : 14.000
REMARK 200 REJECTION CRITERIA (SIGMA(I)) : 0.000
REMARK 200
REMARK 200 OVERALL.
REMARK 200 COMPLETENESS FOR RANGE (%) : 95.9
REMARK 200 DATA REDUNDANCY : 9.100
REMARK 200 R MERGE (I) : 0.05200
REMARK 200 R SYM (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR THE DATA SET : 33.1000
REMARK 200
REMARK 200 IN THE HIGHEST RESOLUTION SHELL.
REMARK 200 HIGHEST RESOLUTION SHELL, RANGE HIGH (A) : 2.20
REMARK 200 HIGHEST RESOLUTION SHELL, RANGE LOW (A) : 2.28
REMARK 200 COMPLETENESS FOR SHELL (%) : 75.8
REMARK 200 DATA REDUNDANCY IN SHELL : NULL
REMARK 200 R MERGE FOR SHELL (I) : NULL
REMARK 200 R SYM FOR SHELL (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR SHELL : 4.500
REMARK 200
REMARK 200 DIFFRACTION PROTOCOL: SINGLE WAVELENGTH
REMARK 200 METHOD USED TO DETERMINE THE STRUCTURE: MIRAS
REMARK 200 SOFTWARE USED: SHARP, X-PLOR 3.843
REMARK 200 STARTING MODEL: NULL
REMARK 200
REMARK 200 REMARK: NULL
REMARK 280
REMARK 280 CRYSTAL
REMARK 280 SOLVENT CONTENT, VS (%) : 62.07
REMARK 280 MATTHEWS COEFFICIENT, VM (ANGSTROMS**3/DA) : 3.24
REMARK 280

```

REMARK 280 CRYSTALLIZATION CONDITIONS: PH 7.00
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY
REMARK 290 SYMMETRY OPERATORS FOR SPACE GROUP: P 32 2 1
REMARK 290
      SYMOP      SYMMETRY
REMARK 290      NNNMMM      OPERATOR
REMARK 290      1555      X, Y, Z
REMARK 290      2555      -Y, X-Y, 2/3+Z
REMARK 290      3555      -X+Y, -X, 1/3+Z
REMARK 290      4555      Y, X, -Z
REMARK 290      5555      X-Y, -Y, 1/3-Z
REMARK 290      6555      -X, -X+Y, 2/3-Z
REMARK 290
      WHERE NNN -> OPERATOR NUMBER
REMARK 290      MMM -> TRANSLATION VECTOR
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY TRANSFORMATIONS
REMARK 290 THE FOLLOWING TRANSFORMATIONS OPERATE ON THE ATOM/HETATM
REMARK 290 RECORDS IN THIS ENTRY TO PRODUCE CRYSTALLOGRAPHICALLY
REMARK 290 RELATED MOLECULES.
REMARK 290 SMTRY1 1 1.000000 0.000000 0.000000 0.00000
REMARK 290 SMTRY2 1 0.000000 1.000000 0.000000 0.00000
REMARK 290 SMTRY3 1 0.000000 0.000000 1.000000 0.00000
REMARK 290 SMTRY1 2 -0.500000 -0.866025 0.000000 0.00000
REMARK 290 SMTRY2 2 0.866025 -0.500000 0.000000 0.00000
REMARK 290 SMTRY3 2 0.000000 0.000000 1.000000 49.93333
REMARK 290 SMTRY1 3 -0.500000 0.866025 0.000000 0.00000
REMARK 290 SMTRY2 3 -0.866025 -0.500000 0.000000 0.00000
REMARK 290 SMTRY3 3 0.000000 0.000000 1.000000 24.96667
REMARK 290 SMTRY1 4 -0.500000 0.866025 0.000000 0.00000
REMARK 290 SMTRY2 4 0.866025 0.500000 0.000000 0.00000
REMARK 290 SMTRY3 4 0.000000 0.000000 -1.000000 0.00000
REMARK 290 SMTRY1 5 1.000000 0.000000 0.000000 0.00000
REMARK 290 SMTRY2 5 0.000000 -1.000000 0.000000 0.00000
REMARK 290 SMTRY3 5 0.000000 0.000000 -1.000000 24.96667
REMARK 290 SMTRY1 6 -0.500000 -0.866025 0.000000 0.00000
REMARK 290 SMTRY2 6 -0.866025 0.500000 0.000000 0.00000
REMARK 290 SMTRY3 6 0.000000 0.000000 -1.000000 49.93333
REMARK 290
REMARK 290 REMARK: NULL
REMARK 300
REMARK 300 BIOMOLECULE: 1
REMARK 300 THIS ENTRY CONTAINS THE CRYSTALLOGRAPHIC ASYMMETRIC UNIT
REMARK 300 WHICH CONSISTS OF 1 CHAIN(S). SEE REMARK 350 FOR
REMARK 300 INFORMATION ON GENERATING THE BIOLOGICAL MOLECULE(S).
REMARK 350
REMARK 350 GENERATING THE BIOMOLECULE
REMARK 350 COORDINATES FOR A COMPLETE MULTIMER REPRESENTING THE KNOWN
REMARK 350 BIOLOGICALLY SIGNIFICANT OLIGOMERIZATION STATE OF THE
REMARK 350 MOLECULE CAN BE GENERATED BY APPLYING BIOMT TRANSFORMATIONS
REMARK 350 GIVEN BELOW. BOTH NON-CRYSTALLOGRAPHIC AND
REMARK 350 CRYSTALLOGRAPHIC OPERATIONS ARE GIVEN.
REMARK 350
REMARK 350 BIOMOLECULE: 1
REMARK 350 APPLY THE FOLLOWING TO CHAINS: A

```

REMARK 350 BIOMT1 1 1.000000 0.000000 0.000000 0.000000
REMARK 350 BIOMT2 1 0.000000 1.000000 0.000000 0.000000
REMARK 350 BIOMT3 1 0.000000 0.000000 1.000000 0.000000
REMARK 350 BIOMT1 2 -0.500000 0.866025 0.000000 0.000000
REMARK 350 BIOMT2 2 0.866025 0.500000 0.000000 0.000000
REMARK 350 BIOMT3 2 0.000000 0.000000 -1.000000 0.000000
REMARK 465
REMARK 465 MISSING RESIDUES
REMARK 465 THE FOLLOWING RESIDUES WERE NOT LOCATED IN THE
REMARK 465 EXPERIMENT. (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 465 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE.)
REMARK 465
REMARK 465 M RES C SSSEQI
REMARK 465 MET A 1
REMARK 465 SER A 2
REMARK 465 ARG A 320
REMARK 465 GLY A 321
REMARK 470
REMARK 470 MISSING ATOM
REMARK 470 THE FOLLOWING RESIDUES HAVE MISSING ATOMS (M=MODEL NUMBER;
REMARK 470 RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE NUMBER;
REMARK 470 I=INSERTION CODE):
REMARK 470 M RES CSSEQI ATOMS
REMARK 470 ARG A 36 CG CD NE CZ NH1 NH2
REMARK 470 ASP A 37 CG OD1 OD2
REMARK 470 ARG A 45 CG CD NE CZ NH1 NH2
REMARK 470 ARG A 55 CG CD NE CZ NH1 NH2
REMARK 470 HIS A 174 CG ND1 CD2 CE1 NE2
REMARK 500
REMARK 500 GEOMETRY AND STEREOCHEMISTRY
REMARK 500 SUBTOPIC: COVALENT BOND LENGTHS
REMARK 500
REMARK 500 THE STEREOCHEMICAL PARAMETERS OF THE FOLLOWING RESIDUES
REMARK 500 HAVE VALUES WHICH DEVIATE FROM EXPECTED VALUES BY MORE
REMARK 500 THAN 6*RMSD (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 500 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE).
REMARK 500
REMARK 500 STANDARD TABLE:
REMARK 500 FORMAT: (10X,I3,1X,2 (A3,1X,A1,I4,A1,1X,A4,3X),F6.3)
REMARK 500
REMARK 500 EXPECTED VALUES: ENGH AND HUBER, 1991
REMARK 500
REMARK 500 M RES CSSEQI ATM1 RES CSSEQI ATM2 DEVIATION
REMARK 500 MET A 162 SD MET A 162 CE -0.084
REMARK 500
REMARK 500 GEOMETRY AND STEREOCHEMISTRY
REMARK 500 SUBTOPIC: COVALENT BOND ANGLES
REMARK 500
REMARK 500 THE STEREOCHEMICAL PARAMETERS OF THE FOLLOWING RESIDUES
REMARK 500 HAVE VALUES WHICH DEVIATE FROM EXPECTED VALUES BY MORE
REMARK 500 THAN 6*RMSD (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 500 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE).
REMARK 500
REMARK 500 STANDARD TABLE:
REMARK 500 FORMAT: (10X,I3,1X,A3,1X,A1,I4,A1,3 (1X,A4,2X),12X,F5.1)
REMARK 500

REMARK 500 EXPECTED VALUES: ENGH AND HUBER, 1991

REMARK 500

REMARK 500 M RES CSSEQI ATM1 ATM2 ATM3

REMARK 500 VAL A 32 N - CA - C ANGL. DEV. = -8.5 DEGREES

REMARK 500 LYS A 65 N - CA - C ANGL. DEV. = -10.2 DEGREES

REMARK 500 ASP A 98 N - CA - C ANGL. DEV. = 10.5 DEGREES

REMARK 500 VAL A 99 N - CA - C ANGL. DEV. = -9.0 DEGREES

REMARK 500 LEU A 240 N - CA - C ANGL. DEV. = -8.9 DEGREES

REMARK 500 SER A 241 N - CA - C ANGL. DEV. = 9.3 DEGREES

REMARK 500 ASP A 286 N - CA - C ANGL. DEV. = -10.6 DEGREES

REMARK 525

REMARK 525 SOLVENT

REMARK 525 THE FOLLOWING SOLVENT MOLECULES LIE FARTHER THAN EXPECTED

REMARK 525 FROM THE PROTEIN OR NUCLEIC ACID MOLECULE AND MAY BE

REMARK 525 ASSOCIATED WITH A SYMMETRY RELATED MOLECULE (M=MODEL

REMARK 525 NUMBER; RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE

REMARK 525 NUMBER; I=INSERTION CODE):

REMARK 525

REMARK 525 M RES CSSEQI

REMARK 525 HOH 20 DISTANCE = 5.47 ANGSTROMS

REMARK 525 HOH 27 DISTANCE = 6.07 ANGSTROMS

REMARK 525 HOH 59 DISTANCE = 5.04 ANGSTROMS

REMARK 525 HOH 76 DISTANCE = 5.01 ANGSTROMS

DBREF 1GFS A 1 321 UNP P32055 FCL_ECOLI 1 321

SEQRES 1 A 321 MET SER LYS GLN ARG VAL PHE ILE ALA GLY HIS ARG GLY

SEQRES 2 A 321 MET VAL GLY SER ALA ILE ARG ARG GLN LEU GLU GLN ARG

SEQRES 3 A 321 GLY ASP VAL GLU LEU VAL LEU ARG THR ARG ASP GLU LEU

SEQRES 4 A 321 ASN LEU LEU ASP SER ARG ALA VAL HIS ASP PHE PHE ALA

SEQRES 5 A 321 SER GLU ARG ILE ASP GLN VAL TYR LEU ALA ALA ALA LYS

SEQRES 6 A 321 VAL GLY GLY ILE VAL ALA ASN ASN THR TYR PRO ALA ASP

SEQRES 7 A 321 PHE ILE TYR GLN ASN MET MET ILE GLU SER ASN ILE ILE

SEQRES 8 A 321 HIS ALA ALA HIS GLN ASN ASP VAL ASN LYS LEU LEU PHE

SEQRES 9 A 321 LEU GLY SER SER CYS ILE TYR PRO LYS LEU ALA LYS GLN

SEQRES 10 A 321 PRO MET ALA GLU SER GLU LEU LEU GLN GLY THR LEU GLU

SEQRES 11 A 321 PRO THR ASN GLU PRO TYR ALA ILE ALA LYS ILE ALA GLY

SEQRES 12 A 321 ILE LYS LEU CYS GLU SER TYR ASN ARG GLN TYR GLY ARG

SEQRES 13 A 321 ASP TYR ARG SER VAL MET PRO THR ASN LEU TYR GLY PRO

SEQRES 14 A 321 HIS ASP ASN PHE HIS PRO SER ASN SER HIS VAL ILE PRO

SEQRES 15 A 321 ALA LEU LEU ARG ARG PHE HIS GLU ALA THR ALA GLN ASN

SEQRES 16 A 321 ALA PRO ASP VAL VAL VAL TRP GLY SER GLY THR PRO MET

SEQRES 17 A 321 ARG GLU PHE LEU HIS VAL ASP ASP MET ALA ALA ALA SER

SEQRES 18 A 321 ILE HIS VAL MET GLU LEU ALA HIS GLU VAL TRP LEU GLU

SEQRES 19 A 321 ASN THR GLN PRO MET LEU SER HIS ILE ASN VAL GLY THR

SEQRES 20 A 321 GLY VAL ASP CYS THR ILE ARG GLU LEU ALA GLN THR ILE

SEQRES 21 A 321 ALA LYS VAL VAL GLY TYR LYS GLY ARG VAL VAL PHE ASP

SEQRES 22 A 321 ALA SER LYS PRO ASP GLY THR PRO ARG LYS LEU LEU ASP

SEQRES 23 A 321 VAL THR ARG LEU HIS GLN LEU GLY TRP TYR HIS GLU ILE

SEQRES 24 A 321 SER LEU GLU ALA GLY LEU ALA SER THR TYR GLN TRP PHE

SEQRES 25 A 321 LEU GLU ASN GLN ASP ARG PHE ARG GLY

FORMUL 2 HOH *80(H2 O)

HELIX 1 1 MET A 14 LEU A 23 1 10

HELIX 2 2 SER A 44 SER A 53 1 10

HELIX 3 3 ILE A 69 THR A 74 1 6

HELIX 4 4 PRO A 76 ASN A 97 1 22

HELIX 5 5 SER A 108 ILE A 110 5 3

HELIX 6 6 GLU A 121 GLU A 123 5 3

HELIX	7	7	PRO A	131	TYR A	154	5															24
HELIX	8	8	VAL A	180	ALA A	193	1															14
HELIX	9	9	VAL A	214	GLU A	226	1															13
HELIX	10	10	HIS A	229	ASN A	235	1															7
HELIX	11	11	ILE A	253	VAL A	264	1															12
HELIX	12	12	THR A	288	GLN A	292	1															5
HELIX	13	13	LEU A	301	ASN A	315	1															15
SHEET	1	A	6 VAL A	29	VAL A	32	0															
SHEET	2	A	6 GLN A	4	ALA A	9	1	N	GLN A	4	O	GLU A	30									
SHEET	3	A	6 GLN A	58	LEU A	61	1	N	GLN A	58	O	PHE A	7									
SHEET	4	A	6 LYS A	101	LEU A	105	1	N	LYS A	101	O	VAL A	59									
SHEET	5	A	6 ASP A	157	PRO A	163	1	N	ASP A	157	O	LEU A	102									
SHEET	6	A	6 ILE A	243	VAL A	245	1	N	ILE A	243	O	MET A	162									
SHEET	1	B	2 ASN A	165	TYR A	167	0															
SHEET	2	B	2 PHE A	211	HIS A	213	1	N	LEU A	212	O	ASN A	165									
SHEET	1	C	2 ASP A	198	TRP A	202	0															
SHEET	2	C	2 ARG A	269	ASP A	273	1	N	ARG A	269	O	VAL A	199									
CISPFP	1	GLN A	117	PRO A	118		0		-0.01													
CRYST1	104.200	104.200		74.900	90.00	90.00	120.00	F	32	2	1											6
ORIGX1		1.000000		0.000000		0.000000			0.00000													
ORIGX2		0.000000		1.000000		0.000000			0.00000													
ORIGX3		0.000000		0.000000		1.000000			0.00000													
SCALE1		0.009597		0.005541		0.000000			0.00000													
SCALE2		0.000000		0.011082		0.000000			0.00000													
SCALE3		0.000000		0.000000		0.013351			0.00000													
ATOM	1	N	LYS A	3		8.638	27.135		31.412		1.00	63.69										N
ATOM	2	CA	LYS A	3		10.030	26.762		31.005		1.00	63.70										C
ATOM	3	C	LYS A	3		10.303	26.932		29.499		1.00	61.20										O
ATOM	4	O	LYS A	3		9.823	26.153		28.666		1.00	62.34										C
ATOM	5	CB	LYS A	3		10.346	25.326		31.425		1.00	64.19										C
ATOM	6	CG	LYS A	3		11.727	24.876		30.987		1.00	67.25										C
ATOM	7	CD	LYS A	3		12.029	23.465		31.428		1.00	69.90										C
ATOM	8	CE	LYS A	3		12.180	23.385		32.930		1.00	71.80										N
ATOM	9	NZ	LYS A	3		12.644	22.036		33.349		1.00	74.38										C
ATOM	10	N	GLN A	4		11.128	27.925		29.178		1.00	55.75										N
ATOM	11	CA	GLN A	4		11.511	28.256		27.809		1.00	48.96										C
ATOM	12	C	GLN A	4		12.167	27.114		27.033		1.00	44.63										C
ATOM	13	O	GLN A	4		13.183	26.574		27.463		1.00	44.81										O
ATOM	14	CB	GLN A	4		12.477	29.437		27.848		1.00	50.16										C
ATOM	15	CG	GLN A	4		12.032	30.632		27.042		1.00	59.37										C
ATOM	16	CD	GLN A	4		10.678	31.145		27.464		1.00	59.21										C
ATOM	17	OE1	GLN A	4		9.836	31.461		26.627		1.00	60.76										O
ATOM	18	NE2	GLN A	4		10.455	31.225		28.770		1.00	63.49										N
ATOM	19	N	ARG A	5		11.579	26.735		25.902		1.00	39.05										N
ATOM	20	CA	ARG A	5		12.150	25.683		25.061		1.00	38.52										C
ATOM	21	C	ARG A	5		13.005	26.343		23.972		1.00	38.10										C
ATOM	22	O	ARG A	5		12.485	27.013		23.074		1.00	35.18										O
ATOM	23	CB	ARG A	5		11.057	24.802		24.457		1.00	40.70										C
ATOM	24	CG	ARG A	5		10.475	23.809		25.448		1.00	43.17										C
ATOM	25	CD	ARG A	5		9.263	23.067		24.887		1.00	47.94										C
ATOM	26	NE	ARG A	5		9.537	22.290		23.672		1.00	49.82										N
ATOM	27	CZ	ARG A	5		10.174	21.117		23.634		1.00	50.55										C
ATOM	28	NH1	ARG A	5		10.633	20.558		24.747		1.00	48.77										N
ATOM	29	NH2	ARG A	5		10.308	20.473		22.480		1.00	47.62										N
ATOM	30	N	VAL A	6		14.321	26.151		24.078		1.00	35.15										N
ATOM	31	CA	VAL A	6		15.287	26.752		23.164		1.00	32.66										N

ATOM	32	C	VAL	A	6	15.959	25.813	22.163	1.00	33.57	C
ATOM	33	O	VAL	A	6	16.476	24.758	22.530	1.00	34.23	O
ATOM	34	CB	VAL	A	6	16.383	27.474	23.966	1.00	29.88	C
ATOM	35	CG1	VAL	A	6	17.384	28.131	23.041	1.00	27.61	C
ATOM	36	CG2	VAL	A	6	15.750	28.508	24.882	1.00	31.72	C
ATOM	37	N	PHE	A	7	15.934	26.207	20.891	1.00	31.96	N
ATOM	38	CA	PHE	A	7	16.578	25.441	19.827	1.00	30.72	C
ATOM	39	C	PHE	A	7	17.858	26.156	19.450	1.00	28.83	C
ATOM	40	O	PHE	A	7	17.829	27.336	19.120	1.00	29.46	O
ATOM	41	CB	PHE	A	7	15.701	25.355	18.574	1.00	27.48	C
ATOM	42	CG	PHE	A	7	16.390	24.723	17.378	1.00	27.78	C
ATOM	43	CD1	PHE	A	7	17.127	23.545	17.511	1.00	26.89	C
ATOM	44	CD2	PHE	A	7	16.266	25.286	16.108	1.00	25.21	C
ATOM	45	CE1	PHE	A	7	17.721	22.931	16.397	1.00	24.47	C
ATOM	46	CE2	PHE	A	7	16.854	24.682	14.992	1.00	27.28	C
ATOM	47	CZ	PHE	A	7	17.582	23.502	15.137	1.00	25.91	C
ATOM	48	N	ILE	A	8	18.978	25.449	19.548	1.00	27.27	N
ATOM	49	CA	ILE	A	8	20.261	26.004	19.159	1.00	26.85	C
ATOM	50	C	ILE	A	8	20.664	25.231	17.920	1.00	25.72	C
ATOM	51	O	ILE	A	8	20.927	24.030	17.996	1.00	28.54	O
ATOM	52	CB	ILE	A	8	21.339	25.824	20.236	1.00	28.61	C
ATOM	53	CG1	ILE	A	8	20.924	26.528	21.531	1.00	27.20	C
ATOM	54	CG2	ILE	A	8	22.656	26.412	19.740	1.00	30.46	C
ATOM	55	CD1	ILE	A	8	21.841	26.255	22.693	1.00	25.47	C
ATOM	56	N	ALA	A	9	20.563	25.888	16.766	1.00	26.91	N
ATOM	57	CA	ALA	A	9	20.932	25.285	15.490	1.00	26.06	C
ATOM	58	C	ALA	A	9	22.455	25.247	15.454	1.00	28.04	C
ATOM	59	O	ALA	A	9	23.101	26.226	15.825	1.00	31.13	O
ATOM	60	CB	ALA	A	9	20.402	26.121	14.334	1.00	24.74	C
ATOM	61	N	GLY	A	10	23.025	24.117	15.041	1.00	26.12	N
ATOM	62	CA	GLY	A	10	24.471	23.993	14.990	1.00	24.64	C
ATOM	63	C	GLY	A	10	25.111	24.033	16.365	1.00	27.50	C
ATOM	64	O	GLY	A	10	26.094	24.739	16.569	1.00	29.10	O
ATOM	65	N	HIS	A	11	24.575	23.253	17.301	1.00	27.97	N
ATOM	66	CA	HIS	A	11	25.087	23.218	18.674	1.00	29.42	C
ATOM	67	C	HIS	A	11	26.460	22.553	18.841	1.00	31.84	C
ATOM	68	O	HIS	A	11	27.048	22.635	19.917	1.00	33.18	O
ATOM	69	CB	HIS	A	11	24.073	22.541	19.604	1.00	29.13	C
ATOM	70	CG	HIS	A	11	23.772	21.127	19.222	1.00	29.64	C
ATOM	71	ND1	HIS	A	11	24.236	20.048	19.942	1.00	32.30	N
ATOM	72	CD2	HIS	A	11	23.139	20.616	18.141	1.00	28.85	C
ATOM	73	CE1	HIS	A	11	23.911	18.932	19.314	1.00	31.82	C
ATOM	74	NE2	HIS	A	11	23.245	19.250	18.218	1.00	33.11	N
ATOM	75	N	ARG	A	12	26.950	21.874	17.804	1.00	33.76	N
ATOM	76	CA	ARG	A	12	28.260	21.212	17.863	1.00	36.95	C
ATOM	77	C	ARG	A	12	29.391	22.135	17.399	1.00	36.39	C
ATOM	78	O	ARG	A	12	30.560	21.871	17.676	1.00	39.06	O
ATOM	79	CB	ARG	A	12	28.277	19.923	17.024	1.00	41.58	C
ATOM	80	CG	ARG	A	12	27.392	18.791	17.534	1.00	52.37	C
ATOM	81	CD	ARG	A	12	28.027	18.059	18.706	1.00	67.26	C
ATOM	82	NE	ARG	A	12	27.026	17.385	19.539	1.00	81.37	N
ATOM	83	CZ	ARG	A	12	26.512	16.178	19.289	1.00	88.55	C
ATOM	84	NH1	ARG	A	12	26.918	15.481	18.226	1.00	88.92	N
ATOM	85	NH2	ARG	A	12	25.596	15.661	20.113	1.00	89.14	N
ATOM	86	N	GLY	A	13	29.049	23.201	16.677	1.00	32.93	N
ATOM	87	CA	GLY	A	13	30.062	24.133	16.212	1.00	27.83	C

ATOM	88	C	GLY	A	13	30.656	24.881	17.389	1.00	29.13	C
ATOM	89	O	GLY	A	13	30.199	24.718	18.519	1.00	30.32	O
ATOM	90	N	MET	A	14	31.653	25.721	17.123	1.00	30.53	N
ATOM	91	CA	MET	A	14	32.325	26.489	18.164	1.00	29.74	C
ATOM	92	C	MET	A	14	31.411	27.434	18.955	1.00	31.04	C
ATOM	93	O	MET	A	14	31.404	27.401	20.194	1.00	29.51	O
ATOM	94	CB	MET	A	14	33.520	27.260	17.580	1.00	28.97	C
ATOM	95	CG	MET	A	14	34.300	28.032	18.643	1.00	33.10	C
ATOM	96	SD	MET	A	14	35.783	28.899	18.083	1.00	37.82	S
ATOM	97	CE	MET	A	14	35.166	29.755	16.680	1.00	33.36	C
ATOM	98	N	VAL	A	15	30.671	28.295	18.254	1.00	32.83	N
ATOM	99	CA	VAL	A	15	29.765	29.233	18.932	1.00	34.63	C
ATOM	100	C	VAL	A	15	28.514	28.541	19.464	1.00	31.98	C
ATOM	101	O	VAL	A	15	28.062	28.849	20.569	1.00	32.10	O
ATOM	102	CB	VAL	A	15	29.331	30.425	18.028	1.00	35.96	C
ATOM	103	CG1	VAL	A	15	30.443	31.439	17.926	1.00	39.96	C
ATOM	104	CG2	VAL	A	15	28.958	29.935	16.652	1.00	39.12	C
ATOM	105	N	GLY	A	16	27.962	27.619	18.673	1.00	28.03	N
ATOM	106	CA	GLY	A	16	26.775	26.896	19.084	1.00	25.66	C
ATOM	107	C	GLY	A	16	26.998	26.179	20.399	1.00	28.28	C
ATOM	108	O	GLY	A	16	26.206	26.332	21.331	1.00	25.01	O
ATOM	109	N	SER	A	17	28.103	25.434	20.486	1.00	29.42	N
ATOM	110	CA	SER	A	17	28.447	24.679	21.692	1.00	29.07	C
ATOM	111	C	SER	A	17	28.710	25.568	22.905	1.00	27.94	C
ATOM	112	O	SER	A	17	28.412	25.183	24.037	1.00	28.82	O
ATOM	113	CB	SER	A	17	29.637	23.749	21.431	1.00	27.99	C
ATOM	114	OG	SER	A	17	30.827	24.475	21.214	1.00	35.45	O
ATOM	115	N	ALA	A	18	29.253	26.761	22.665	1.00	27.14	N
ATOM	116	CA	ALA	A	18	29.525	27.703	23.744	1.00	25.48	C
ATOM	117	C	ALA	A	18	28.216	28.202	24.330	1.00	28.55	C
ATOM	118	O	ALA	A	18	28.116	28.396	25.539	1.00	33.37	O
ATOM	119	CB	ALA	A	18	30.352	28.874	23.243	1.00	24.37	C
ATOM	120	N	ILE	A	19	27.224	28.444	23.467	1.00	29.59	N
ATOM	121	CA	ILE	A	19	25.904	28.909	23.907	1.00	28.30	C
ATOM	122	C	ILE	A	19	25.221	27.775	24.678	1.00	27.99	C
ATOM	123	O	ILE	A	19	24.645	28.003	25.741	1.00	27.68	O
ATOM	124	CB	ILE	A	19	25.024	29.387	22.705	1.00	27.11	C
ATOM	125	CG1	ILE	A	19	25.584	30.701	22.147	1.00	26.95	C
ATOM	126	CG2	ILE	A	19	23.558	29.593	23.133	1.00	23.47	C
ATOM	127	CD1	ILE	A	19	24.944	31.133	20.837	1.00	28.67	C
ATOM	128	N	ARG	A	20	25.350	26.552	24.167	1.00	29.60	N
ATOM	129	CA	ARG	A	20	24.769	25.385	24.808	1.00	33.02	C
ATOM	130	C	ARG	A	20	25.358	25.188	26.205	1.00	36.45	C
ATOM	131	O	ARG	A	20	24.617	25.038	27.174	1.00	39.89	O
ATOM	132	CB	ARG	A	20	24.975	24.140	23.951	1.00	32.65	C
ATOM	133	CG	ARG	A	20	24.330	22.910	24.536	1.00	37.53	C
ATOM	134	CD	ARG	A	20	25.340	22.048	25.262	1.00	44.67	C
ATOM	135	NE	ARG	A	20	25.863	21.010	24.382	1.00	51.97	N
ATOM	136	CZ	ARG	A	20	25.325	19.796	24.254	1.00	57.93	C
ATOM	137	NH1	ARG	A	20	24.254	19.459	24.964	1.00	56.61	N
ATOM	138	NH2	ARG	A	20	25.819	18.930	23.370	1.00	59.30	N
ATOM	139	N	ARG	A	21	26.683	25.258	26.321	1.00	37.02	N
ATOM	140	CA	ARG	A	21	27.348	25.095	27.614	1.00	35.98	C
ATOM	141	C	ARG	A	21	26.784	26.018	28.683	1.00	36.94	C
ATOM	142	O	ARG	A	21	26.590	25.606	29.826	1.00	37.25	O
ATOM	143	CB	ARG	A	21	28.857	25.329	27.493	1.00	33.18	C

ATOM	144	CG	ARG	A	21	29.652	24.084	27.159	1.00	32.74	C
ATOM	145	CD	ARG	A	21	31.124	24.417	27.004	1.00	33.70	C
ATOM	146	NE	ARG	A	21	31.501	24.602	25.601	1.00	40.07	N
ATOM	147	CZ	ARG	A	21	32.183	25.644	25.140	1.00	37.51	C
ATOM	148	NH1	ARG	A	21	32.562	26.602	25.973	1.00	41.99	N
ATOM	149	NH2	ARG	A	21	32.508	25.719	23.852	1.00	47.55	N
ATOM	150	N	GLN	A	22	26.495	27.257	28.304	1.00	38.54	N
ATOM	151	CA	GLN	A	22	25.965	28.227	29.251	1.00	42.06	C
ATOM	152	C	GLN	A	22	24.483	28.132	29.571	1.00	43.56	C
ATOM	153	O	GLN	A	22	24.067	28.550	30.656	1.00	44.96	O
ATOM	154	CB	GLN	A	22	26.300	29.644	28.816	1.00	43.53	C
ATOM	155	CG	GLN	A	22	27.432	30.225	29.604	1.00	49.02	C
ATOM	156	CD	GLN	A	22	27.827	31.577	29.101	1.00	51.28	C
ATOM	157	OE1	GLN	A	22	28.853	31.726	28.429	1.00	54.83	O
ATOM	158	NE2	GLN	A	22	27.016	32.581	29.410	1.00	53.38	N
ATOM	159	N	LEU	A	23	23.686	27.627	28.630	1.00	42.24	N
ATOM	160	CA	LEU	A	23	22.247	27.498	28.856	1.00	45.31	C
ATOM	161	C	LEU	A	23	21.929	26.205	29.595	1.00	48.09	C
ATOM	162	O	LEU	A	23	20.913	26.097	30.285	1.00	49.11	O
ATOM	163	CB	LEU	A	23	21.459	27.571	27.543	1.00	38.67	C
ATOM	164	CG	LEU	A	23	21.417	28.917	26.810	1.00	38.41	C
ATOM	165	CD1	LEU	A	23	20.543	28.779	25.581	1.00	33.70	C
ATOM	166	CD2	LEU	A	23	20.893	30.028	27.706	1.00	34.23	C
ATOM	167	N	GLU	A	24	22.812	25.228	29.453	1.00	50.02	N
ATOM	168	CA	GLU	A	24	22.648	23.953	30.119	1.00	55.08	C
ATOM	169	C	GLU	A	24	22.766	24.171	31.623	1.00	58.31	C
ATOM	170	O	GLU	A	24	22.203	23.417	32.412	1.00	60.07	O
ATOM	171	CB	GLU	A	24	23.741	23.010	29.660	1.00	56.46	C
ATOM	172	CG	GLU	A	24	23.284	21.598	29.457	1.00	62.85	C
ATOM	173	CD	GLU	A	24	24.188	20.858	28.494	1.00	68.54	C
ATOM	174	OE1	GLU	A	24	25.434	20.984	28.611	1.00	68.44	O
ATOM	175	OE2	GLU	A	24	23.646	20.168	27.601	1.00	71.01	O
ATOM	176	N	GLN	A	25	23.480	25.230	32.002	1.00	62.78	N
ATOM	177	CA	GLN	A	25	23.708	25.591	33.401	1.00	66.52	C
ATOM	178	C	GLN	A	25	22.584	26.446	34.017	1.00	68.64	C
ATOM	179	O	GLN	A	25	22.841	27.435	34.713	1.00	69.85	O
ATOM	180	CB	GLN	A	25	25.067	26.294	33.535	1.00	68.27	C
ATOM	181	CG	GLN	A	25	26.230	25.457	32.999	1.00	75.90	C
ATOM	182	CD	GLN	A	25	27.576	26.174	33.052	1.00	80.72	C
ATOM	183	OE1	GLN	A	25	28.381	25.943	33.960	1.00	83.61	O
ATOM	184	NE2	GLN	A	25	27.837	27.026	32.059	1.00	81.04	N
ATOM	185	N	ARG	A	26	21.342	26.084	33.703	1.00	68.37	N
ATOM	186	CA	ARG	A	26	20.148	26.753	34.225	1.00	68.33	C
ATOM	187	C	ARG	A	26	18.887	25.974	33.854	1.00	69.03	C
ATOM	188	O	ARG	A	26	18.695	25.567	32.702	1.00	68.90	O
ATOM	189	CB	ARG	A	26	20.062	28.232	33.812	1.00	66.09	C
ATOM	190	CG	ARG	A	26	20.688	28.591	32.482	1.00	61.10	C
ATOM	191	CD	ARG	A	26	20.697	30.093	32.295	1.00	54.67	C
ATOM	192	NE	ARG	A	26	19.376	30.591	31.935	1.00	49.99	N
ATOM	193	CZ	ARG	A	26	19.156	31.731	31.285	1.00	48.55	C
ATOM	194	NH1	ARG	A	26	20.169	32.512	30.929	1.00	46.71	N
ATOM	195	NH2	ARG	A	26	17.924	32.058	30.931	1.00	45.62	N
ATOM	196	N	GLY	A	27	18.054	25.742	34.865	1.00	69.57	N
ATOM	197	CA	GLY	A	27	16.836	24.970	34.698	1.00	68.44	C
ATOM	198	C	GLY	A	27	15.594	25.667	34.189	1.00	68.23	C
ATOM	199	O	GLY	A	27	14.550	25.015	34.049	1.00	67.27	O

ATOM	200	N	ASP	A	28	15.677	26.976	33.947	1.00	66.57	N
ATOM	201	CA	ASP	A	28	14.526	27.723	33.428	1.00	64.96	C
ATOM	202	C	ASP	A	28	14.480	27.641	31.902	1.00	62.04	C
ATOM	203	O	ASP	A	28	13.654	28.287	31.246	1.00	62.38	O
ATOM	204	CB	ASP	A	28	14.551	29.190	33.898	1.00	65.86	C
ATOM	205	CG	ASP	A	28	15.742	29.973	33.364	1.00	64.56	C
ATOM	206	OD1	ASP	A	28	16.836	29.389	33.199	1.00	66.57	O
ATOM	207	OD2	ASP	A	28	15.581	31.190	33.131	1.00	64.68	O
ATOM	208	N	VAL	A	29	15.354	26.796	31.360	1.00	57.04	N
ATOM	209	CA	VAL	A	29	15.480	26.588	29.929	1.00	52.45	C
ATOM	210	C	VAL	A	29	15.607	25.103	29.624	1.00	49.25	C
ATOM	211	O	VAL	A	29	16.343	24.383	30.295	1.00	51.07	O
ATOM	212	CB	VAL	A	29	16.747	27.313	29.393	1.00	52.99	C
ATOM	213	CG1	VAL	A	29	17.004	26.954	27.935	1.00	50.80	C
ATOM	214	CG2	VAL	A	29	16.607	28.826	29.567	1.00	48.36	C
ATOM	215	N	GLU	A	30	14.891	24.654	28.604	1.00	46.94	N
ATOM	216	CA	GLU	A	30	14.951	23.262	28.187	1.00	47.71	C
ATOM	217	C	GLU	A	30	15.441	23.272	26.745	1.00	45.06	C
ATOM	218	O	GLU	A	30	14.782	23.830	25.869	1.00	46.43	O
ATOM	219	CB	GLU	A	30	13.568	22.626	28.263	1.00	54.26	C
ATOM	220	CG	GLU	A	30	13.593	21.106	28.209	1.00	64.02	C
ATOM	221	CD	GLU	A	30	12.299	20.513	27.669	1.00	70.53	C
ATOM	222	OE1	GLU	A	30	11.205	21.056	27.972	1.00	74.04	O
ATOM	223	OE2	GLU	A	30	12.387	19.505	26.928	1.00	73.01	O
ATOM	224	N	LEU	A	31	16.582	22.636	26.499	1.00	40.76	N
ATOM	225	CA	LEU	A	31	17.186	22.612	25.166	1.00	38.48	C
ATOM	226	C	LEU	A	31	16.707	21.543	24.187	1.00	37.80	C
ATOM	227	O	LEU	A	31	16.619	20.369	24.521	1.00	39.58	O
ATOM	228	CB	LEU	A	31	18.710	22.522	25.289	1.00	37.82	C
ATOM	229	CG	LEU	A	31	19.434	23.609	26.082	1.00	35.92	C
ATOM	230	CD1	LEU	A	31	20.875	23.218	26.220	1.00	40.39	C
ATOM	231	CD2	LEU	A	31	19.317	24.952	25.398	1.00	37.04	C
ATOM	232	N	VAL	A	32	16.410	21.969	22.964	1.00	37.61	N
ATOM	233	CA	VAL	A	32	15.983	21.065	21.901	1.00	36.80	C
ATOM	234	C	VAL	A	32	17.160	21.108	20.933	1.00	39.39	C
ATOM	235	O	VAL	A	32	17.487	22.166	20.397	1.00	41.93	O
ATOM	236	CB	VAL	A	32	14.699	21.575	21.204	1.00	36.86	C
ATOM	237	CG1	VAL	A	32	14.282	20.624	20.086	1.00	30.23	C
ATOM	238	CG2	VAL	A	32	13.575	21.741	22.228	1.00	31.98	C
ATOM	239	N	LEU	A	33	17.837	19.977	20.768	1.00	39.48	N
ATOM	240	CA	LEU	A	33	19.011	19.904	19.903	1.00	36.25	C
ATOM	241	C	LEU	A	33	18.898	18.785	18.881	1.00	38.55	C
ATOM	242	O	LEU	A	33	18.383	17.703	19.179	1.00	39.14	O
ATOM	243	CB	LEU	A	33	20.268	19.694	20.754	1.00	34.99	C
ATOM	244	CG	LEU	A	33	20.485	20.638	21.945	1.00	34.65	C
ATOM	245	CD1	LEU	A	33	21.741	20.219	22.683	1.00	32.95	C
ATOM	246	CD2	LEU	A	33	20.586	22.098	21.494	1.00	32.49	C
ATOM	247	N	ARG	A	34	19.398	19.046	17.679	1.00	38.68	N
ATOM	248	CA	ARG	A	34	19.356	18.074	16.601	1.00	40.14	C
ATOM	249	C	ARG	A	34	20.712	18.083	15.931	1.00	43.00	C
ATOM	250	O	ARG	A	34	21.301	19.144	15.775	1.00	45.35	O
ATOM	251	CB	ARG	A	34	18.288	18.484	15.591	1.00	41.19	C
ATOM	252	CG	ARG	A	34	17.129	17.524	15.456	1.00	44.68	C
ATOM	253	CD	ARG	A	34	16.708	17.011	16.798	1.00	46.21	C
ATOM	254	NE	ARG	A	34	15.287	16.711	16.855	1.00	46.21	N
ATOM	255	CZ	ARG	A	34	14.566	16.795	17.967	1.00	49.07	C

ATOM	256	NH1	ARG	A	34	15.140	17.161	19.109	1.00	48.00	N
ATOM	257	NH2	ARG	A	34	13.262	16.565	17.930	1.00	49.48	N
ATOM	258	N	THR	A	35	21.243	16.908	15.604	1.00	44.95	N
ATOM	259	CA	THR	A	35	22.537	16.836	14.923	1.00	47.44	C
ATOM	260	C	THR	A	35	22.288	16.977	13.423	1.00	49.58	C
ATOM	261	O	THR	A	35	21.150	16.829	12.968	1.00	48.67	O
ATOM	262	CB	THR	A	35	23.292	15.497	15.189	1.00	46.23	C
ATOM	263	OG1	THR	A	35	22.553	14.390	14.642	1.00	46.62	O
ATOM	264	CG2	THR	A	35	23.528	15.299	16.683	1.00	41.97	C
ATOM	265	N	ARG	A	36	23.344	17.270	12.662	1.00	51.19	N
ATOM	266	CA	ARG	A	36	23.230	17.425	11.212	1.00	51.67	C
ATOM	267	C	ARG	A	36	22.659	16.159	10.586	1.00	50.62	C
ATOM	268	O	ARG	A	36	22.014	16.210	9.536	1.00	52.39	O
ATOM	269	CB	ARG	A	36	24.589	17.756	10.603	1.00	52.88	C
ATOM	270	N	ASP	A	37	22.893	15.027	11.245	1.00	51.21	N
ATOM	271	CA	ASP	A	37	22.392	13.742	10.774	1.00	51.44	C
ATOM	272	C	ASP	A	37	20.904	13.612	11.112	1.00	50.79	C
ATOM	273	O	ASP	A	37	20.139	13.052	10.326	1.00	53.29	O
ATOM	274	CB	ASP	A	37	23.194	12.593	11.397	1.00	54.47	C
ATOM	275	N	GLU	A	38	20.495	14.143	12.266	1.00	47.78	N
ATOM	276	CA	GLU	A	38	19.092	14.091	12.688	1.00	46.26	C
ATOM	277	C	GLU	A	38	18.207	15.099	11.945	1.00	44.99	C
ATOM	278	O	GLU	A	38	17.034	14.839	11.695	1.00	43.56	O
ATOM	279	CB	GLU	A	38	18.958	14.366	14.184	1.00	48.88	C
ATOM	280	CG	GLU	A	38	19.650	13.390	15.099	1.00	56.44	C
ATOM	281	CD	GLU	A	38	19.438	13.743	16.569	1.00	62.40	C
ATOM	282	OE1	GLU	A	38	18.400	13.335	17.134	1.00	66.81	O
ATOM	283	OE2	GLU	A	38	20.295	14.438	17.162	1.00	62.97	O
ATOM	284	N	LEU	A	39	18.760	16.267	11.638	1.00	42.52	N
ATOM	285	CA	LEU	A	39	18.012	17.310	10.947	1.00	38.39	C
ATOM	286	C	LEU	A	39	18.873	18.016	9.917	1.00	37.75	C
ATOM	287	O	LEU	A	39	19.836	18.711	10.260	1.00	37.24	O
ATOM	288	CB	LEU	A	39	17.470	18.338	11.949	1.00	36.50	C
ATOM	289	CG	LEU	A	39	16.698	19.540	11.385	1.00	35.31	C
ATOM	290	CD1	LEU	A	39	15.411	19.082	10.735	1.00	32.83	C
ATOM	291	CD2	LEU	A	39	16.401	20.537	12.491	1.00	32.93	C
ATOM	292	N	ASN	A	40	18.523	17.823	8.651	1.00	38.34	N
ATOM	293	CA	ASN	A	40	19.239	18.453	7.557	1.00	36.52	C
ATOM	294	C	ASN	A	40	18.724	19.885	7.395	1.00	33.47	C
ATOM	295	O	ASN	A	40	17.626	20.105	6.882	1.00	29.28	O
ATOM	296	CB	ASN	A	40	19.042	17.665	6.261	1.00	37.46	C
ATOM	297	CG	ASN	A	40	19.859	18.229	5.106	1.00	41.58	C
ATOM	298	OD1	ASN	A	40	20.772	19.040	5.302	1.00	41.28	O
ATOM	299	ND2	ASN	A	40	19.528	17.808	3.895	1.00	42.51	N
ATOM	300	N	LEU	A	41	19.541	20.848	7.821	1.00	30.23	N
ATOM	301	CA	LEU	A	41	19.186	22.257	7.746	1.00	29.10	C
ATOM	302	C	LEU	A	41	19.000	22.805	6.338	1.00	29.52	C
ATOM	303	O	LEU	A	41	18.344	23.824	6.163	1.00	27.99	O
ATOM	304	CB	LEU	A	41	20.191	23.107	8.519	1.00	26.30	C
ATOM	305	CG	LEU	A	41	20.205	22.855	10.027	1.00	27.35	C
ATOM	306	CD1	LEU	A	41	21.100	23.862	10.720	1.00	26.87	C
ATOM	307	CD2	LEU	A	41	18.797	22.961	10.578	1.00	27.66	C
ATOM	308	N	LEU	A	42	19.563	22.137	5.333	1.00	32.20	N
ATOM	309	CA	LEU	A	42	19.410	22.590	3.946	1.00	34.55	C
ATOM	310	C	LEU	A	42	18.058	22.175	3.361	1.00	35.50	C
ATOM	311	O	LEU	A	42	17.641	22.674	2.315	1.00	37.16	O

ATOM	312	CB	LEU	A	42	20.532	22.041	3.067	1.00	32.08	C
ATOM	313	CG	LEU	A	42	21.949	22.451	3.459	1.00	39.02	C
ATOM	314	CD1	LEU	A	42	22.926	21.931	2.418	1.00	41.28	C
ATOM	315	CD2	LEU	A	42	22.047	23.965	3.554	1.00	39.26	C
ATOM	316	N	ASP	A	43	17.387	21.254	4.045	1.00	36.52	N
ATOM	317	CA	ASP	A	43	16.089	20.740	3.620	1.00	37.75	C
ATOM	318	C	ASP	A	43	14.942	21.569	4.218	1.00	36.46	C
ATOM	319	O	ASP	A	43	14.664	21.480	5.417	1.00	34.50	O
ATOM	320	CB	ASP	A	43	15.975	19.273	4.061	1.00	39.78	C
ATOM	321	CG	ASP	A	43	14.819	18.526	3.398	1.00	41.33	C
ATOM	322	OD1	ASP	A	43	13.970	19.132	2.706	1.00	43.53	O
ATOM	323	OD2	ASP	A	43	14.770	17.295	3.580	1.00	45.01	O
ATOM	324	N	SER	A	44	14.266	22.342	3.366	1.00	36.33	N
ATOM	325	CA	SER	A	44	13.138	23.188	3.782	1.00	38.00	C
ATOM	326	C	SER	A	44	12.052	22.392	4.499	1.00	35.58	C
ATOM	327	O	SER	A	44	11.659	22.749	5.606	1.00	36.68	O
ATOM	328	CB	SER	A	44	12.501	23.884	2.572	1.00	38.92	C
ATOM	329	OG	SER	A	44	13.479	24.470	1.734	1.00	48.46	O
ATOM	330	N	ARG	A	45	11.567	21.329	3.850	1.00	33.51	N
ATOM	331	CA	ARG	A	45	10.511	20.473	4.399	1.00	34.32	C
ATOM	332	C	ARG	A	45	10.909	19.882	5.746	1.00	33.06	C
ATOM	333	O	ARG	A	45	10.122	19.910	6.690	1.00	35.03	O
ATOM	334	CB	ARG	A	45	10.138	19.355	3.399	1.00	33.08	C
ATOM	335	N	ALA	A	46	12.142	19.394	5.848	1.00	31.22	N
ATOM	336	CA	ALA	A	46	12.626	18.825	7.101	1.00	30.44	C
ATOM	337	C	ALA	A	46	12.599	19.861	8.229	1.00	31.44	C
ATOM	338	O	ALA	A	46	12.125	19.571	9.334	1.00	32.23	O
ATOM	339	CB	ALA	A	46	14.025	18.281	6.924	1.00	31.62	C
ATOM	340	N	VAL	A	47	13.081	21.072	7.936	1.00	29.54	N
ATOM	341	CA	VAL	A	47	13.115	22.154	8.917	1.00	27.16	C
ATOM	342	C	VAL	A	47	11.701	22.577	9.320	1.00	28.86	C
ATOM	343	O	VAL	A	47	11.433	22.785	10.502	1.00	28.12	O
ATOM	344	CB	VAL	A	47	13.917	23.379	8.396	1.00	24.67	C
ATOM	345	CG1	VAL	A	47	14.000	24.469	9.458	1.00	23.42	C
ATOM	346	CG2	VAL	A	47	15.307	22.951	7.999	1.00	19.37	C
ATOM	347	N	HIS	A	48	10.792	22.694	8.351	1.00	31.64	N
ATOM	348	CA	HIS	A	48	9.414	23.082	8.663	1.00	35.83	C
ATOM	349	C	HIS	A	48	8.733	21.998	9.495	1.00	35.96	C
ATOM	350	O	HIS	A	48	8.064	22.297	10.482	1.00	35.43	O
ATOM	351	CB	HIS	A	48	8.618	23.408	7.391	1.00	38.28	C
ATOM	352	CG	HIS	A	48	8.926	24.764	6.818	1.00	50.27	C
ATOM	353	ND1	HIS	A	48	10.096	25.046	6.140	1.00	53.21	N
ATOM	354	CD2	HIS	A	48	8.224	25.924	6.845	1.00	51.29	C
ATOM	355	CE1	HIS	A	48	10.103	26.317	5.777	1.00	51.07	C
ATOM	356	NE2	HIS	A	48	8.978	26.872	6.193	1.00	50.00	N
ATOM	357	N	ASP	A	49	8.975	20.737	9.140	1.00	38.30	N
ATOM	358	CA	ASP	A	49	8.407	19.614	9.874	1.00	38.86	C
ATOM	359	C	ASP	A	49	8.851	19.639	11.323	1.00	38.89	C
ATOM	360	O	ASP	A	49	8.056	19.373	12.224	1.00	40.59	O
ATOM	361	CB	ASP	A	49	8.828	18.292	9.247	1.00	42.49	C
ATOM	362	CG	ASP	A	49	7.981	17.918	8.047	1.00	50.21	C
ATOM	363	OD1	ASP	A	49	7.082	18.710	7.669	1.00	50.35	O
ATOM	364	OD2	ASP	A	49	8.217	16.822	7.481	1.00	53.08	O
ATOM	365	N	PHE	A	50	10.127	19.954	11.531	1.00	35.97	N
ATOM	366	CA	PHE	A	50	10.709	20.030	12.865	1.00	34.02	C
ATOM	367	C	PHE	A	50	10.049	21.118	13.714	1.00	35.18	C

ATOM	368	O	PHE	A	50	9.714	20.893	14.877	1.00	38.29	O
ATOM	369	CB	PHE	A	50	12.219	20.283	12.761	1.00	30.83	C
ATOM	370	CG	PHE	A	50	12.851	20.722	14.047	1.00	30.52	C
ATOM	371	CD1	PHE	A	50	13.162	19.799	15.038	1.00	31.61	C
ATOM	372	CD2	PHE	A	50	13.117	22.068	14.281	1.00	32.48	C
ATOM	373	CE1	PHE	A	50	13.732	20.212	16.253	1.00	32.15	C
ATOM	374	CE2	PHE	A	50	13.684	22.490	15.490	1.00	32.18	C
ATOM	375	CZ	PHE	A	50	13.992	21.560	16.476	1.00	31.47	C
ATOM	376	N	PHE	A	51	9.888	22.305	13.142	1.00	37.07	N
ATOM	377	CA	PHE	A	51	9.274	23.417	13.858	1.00	36.16	C
ATOM	378	C	PHE	A	51	7.784	23.170	14.128	1.00	38.74	C
ATOM	379	O	PHE	A	51	7.220	23.693	15.101	1.00	38.01	O
ATOM	380	CB	PHE	A	51	9.492	24.725	13.090	1.00	32.36	C
ATOM	381	CG	PHE	A	51	10.795	25.409	13.412	1.00	29.69	C
ATOM	382	CD1	PHE	A	51	10.927	26.177	14.561	1.00	29.87	C
ATOM	383	CD2	PHE	A	51	11.893	25.288	12.565	1.00	31.86	C
ATOM	384	CE1	PHE	A	51	12.138	26.820	14.866	1.00	32.30	C
ATOM	385	CE2	PHE	A	51	13.112	25.932	12.864	1.00	32.42	C
ATOM	386	CZ	PHE	A	51	13.230	26.697	14.014	1.00	25.70	C
ATOM	387	N	ALA	A	52	7.158	22.371	13.266	1.00	39.97	N
ATOM	388	CA	ALA	A	52	5.745	22.028	13.411	1.00	41.53	C
ATOM	389	C	ALA	A	52	5.563	21.008	14.539	1.00	44.62	C
ATOM	390	O	ALA	A	52	4.649	21.141	15.351	1.00	45.89	O
ATOM	391	CB	ALA	A	52	5.202	21.466	12.103	1.00	38.20	C
ATOM	392	N	SER	A	53	6.459	20.019	14.601	1.00	46.42	N
ATOM	393	CA	SER	A	53	6.418	18.960	15.616	1.00	45.72	C
ATOM	394	C	SER	A	53	6.849	19.405	17.004	1.00	47.16	C
ATOM	395	O	SER	A	53	6.238	19.004	17.987	1.00	49.71	O
ATOM	396	CB	SER	A	53	7.288	17.782	15.192	1.00	45.45	C
ATOM	397	OG	SER	A	53	6.980	17.394	13.868	1.00	53.05	O
ATOM	398	N	GLU	A	54	7.932	20.178	17.091	1.00	46.86	N
ATOM	399	CA	GLU	A	54	8.437	20.662	18.376	1.00	46.84	C
ATOM	400	C	GLU	A	54	7.795	21.977	18.768	1.00	47.50	C
ATOM	401	O	GLU	A	54	7.248	22.684	17.925	1.00	51.96	O
ATOM	402	CB	GLU	A	54	9.949	20.849	18.324	1.00	48.68	C
ATOM	403	CG	GLU	A	54	10.724	19.587	18.019	1.00	53.13	C
ATOM	404	CD	GLU	A	54	10.444	18.468	19.007	1.00	60.46	C
ATOM	405	OE1	GLU	A	54	10.399	18.721	20.234	1.00	57.16	O
ATOM	406	OE2	GLU	A	54	10.262	17.322	18.546	1.00	66.12	O
ATOM	407	N	ARG	A	55	7.863	22.313	20.048	1.00	46.85	N
ATOM	408	CA	ARG	A	55	7.280	23.567	20.505	1.00	49.02	C
ATOM	409	C	ARG	A	55	8.405	24.508	20.939	1.00	48.90	C
ATOM	410	O	ARG	A	55	8.730	24.604	22.123	1.00	53.40	O
ATOM	411	CB	ARG	A	55	6.292	23.314	21.649	1.00	50.58	C
ATOM	412	N	ILE	A	56	8.984	25.209	19.966	1.00	44.99	N
ATOM	413	CA	ILE	A	56	10.100	26.126	20.202	1.00	38.13	C
ATOM	414	C	ILE	A	56	9.670	27.529	20.621	1.00	34.31	C
ATOM	415	O	ILE	A	56	8.745	28.101	20.055	1.00	36.35	O
ATOM	416	CB	ILE	A	56	10.991	26.232	18.931	1.00	35.61	C
ATOM	417	CG1	ILE	A	56	11.369	24.834	18.426	1.00	35.46	C
ATOM	418	CG2	ILE	A	56	12.240	27.036	19.221	1.00	33.34	C
ATOM	419	CD1	ILE	A	56	12.076	23.987	19.448	1.00	33.67	C
ATOM	420	N	ASP	A	57	10.357	28.082	21.611	1.00	32.47	N
ATOM	421	CA	ASP	A	57	10.068	29.431	22.092	1.00	32.79	C
ATOM	422	C	ASP	A	57	11.131	30.411	21.605	1.00	33.07	C
ATOM	423	O	ASP	A	57	10.832	31.569	21.330	1.00	31.43	O

ATOM	424	CB	ASP	A	57	10.009	29.462	23.624	1.00	36.91	C
ATOM	425	CG	ASP	A	57	8.894	28.592	24.183	1.00	39.26	C
ATOM	426	OD1	ASP	A	57	7.712	28.887	23.906	1.00	47.27	O
ATOM	427	OD2	ASP	A	57	9.193	27.606	24.884	1.00	40.90	O
ATOM	428	N	GLN	A	58	12.375	29.940	21.512	1.00	31.78	N
ATOM	429	CA	GLN	A	58	13.500	30.765	21.071	1.00	28.04	C
ATOM	430	C	GLN	A	58	14.429	29.995	20.148	1.00	27.13	C
ATOM	431	O	GLN	A	58	14.527	28.770	20.238	1.00	25.86	O
ATOM	432	CB	GLN	A	58	14.312	31.237	22.269	1.00	29.78	C
ATOM	433	CG	GLN	A	58	13.572	32.123	23.240	1.00	31.73	C
ATOM	434	CD	GLN	A	58	14.419	32.464	24.440	1.00	35.81	C
ATOM	435	OE1	GLN	A	58	15.628	32.228	24.449	1.00	40.84	O
ATOM	436	NE2	GLN	A	58	13.795	33.023	25.462	1.00	37.26	N
ATOM	437	N	VAL	A	59	15.091	30.716	19.245	1.00	24.01	N
ATOM	438	CA	VAL	A	59	16.036	30.099	18.320	1.00	21.93	C
ATOM	439	C	VAL	A	59	17.366	30.859	18.272	1.00	23.38	C
ATOM	440	O	VAL	A	59	17.396	32.089	18.135	1.00	21.63	O
ATOM	441	CB	VAL	A	59	15.490	30.016	16.875	1.00	17.31	C
ATOM	442	CG1	VAL	A	59	16.567	29.490	15.939	1.00	16.78	C
ATOM	443	CG2	VAL	A	59	14.284	29.102	16.804	1.00	18.50	C
ATOM	444	N	TYR	A	60	18.457	30.125	18.483	1.00	23.89	N
ATOM	445	CA	TYR	A	60	19.805	30.684	18.383	1.00	20.82	C
ATOM	446	C	TYR	A	60	20.325	30.105	17.069	1.00	19.95	C
ATOM	447	O	TYR	A	60	20.594	28.908	16.969	1.00	17.96	O
ATOM	448	CB	TYR	A	60	20.686	30.249	19.555	1.00	21.24	C
ATOM	449	CG	TYR	A	60	20.468	31.047	20.821	1.00	21.26	C
ATOM	450	CD1	TYR	A	60	19.495	30.666	21.750	1.00	26.71	C
ATOM	451	CD2	TYR	A	60	21.243	32.172	21.106	1.00	22.27	C
ATOM	452	CE1	TYR	A	60	19.290	31.396	22.946	1.00	25.66	C
ATOM	453	CE2	TYR	A	60	21.051	32.907	22.295	1.00	24.50	C
ATOM	454	CZ	TYR	A	60	20.070	32.507	23.207	1.00	25.26	C
ATOM	455	OH	TYR	A	60	19.858	33.223	24.363	1.00	25.38	O
ATOM	456	N	LEU	A	61	20.353	30.937	16.034	1.00	20.46	N
ATOM	457	CA	LEU	A	61	20.801	30.500	14.720	1.00	22.94	C
ATOM	458	C	LEU	A	61	22.323	30.605	14.639	1.00	21.21	C
ATOM	459	O	LEU	A	61	22.879	31.611	14.191	1.00	19.44	O
ATOM	460	CB	LEU	A	61	20.068	31.311	13.629	1.00	22.58	C
ATOM	461	CG	LEU	A	61	20.352	31.155	12.126	1.00	27.44	C
ATOM	462	CD1	LEU	A	61	20.798	29.760	11.759	1.00	29.14	C
ATOM	463	CD2	LEU	A	61	19.129	31.557	11.324	1.00	23.03	C
ATOM	464	N	ALA	A	62	22.981	29.558	15.131	1.00	20.78	N
ATOM	465	CA	ALA	A	62	24.439	29.491	15.158	1.00	22.32	C
ATOM	466	C	ALA	A	62	25.008	28.541	14.112	1.00	22.99	C
ATOM	467	O	ALA	A	62	26.208	28.335	14.054	1.00	28.02	O
ATOM	468	CB	ALA	A	62	24.924	29.095	16.549	1.00	16.86	C
ATOM	469	N	ALA	A	63	24.149	27.942	13.299	1.00	24.22	N
ATOM	470	CA	ALA	A	63	24.618	27.030	12.268	1.00	26.70	C
ATOM	471	C	ALA	A	63	25.088	27.849	11.077	1.00	29.99	C
ATOM	472	O	ALA	A	63	24.420	28.809	10.672	1.00	32.35	O
ATOM	473	CB	ALA	A	63	23.509	26.082	11.845	1.00	20.68	C
ATOM	474	N	ALA	A	64	26.229	27.453	10.513	1.00	28.73	N
ATOM	475	CA	ALA	A	64	26.815	28.136	9.365	1.00	28.35	C
ATOM	476	C	ALA	A	64	27.903	27.287	8.724	1.00	28.85	C
ATOM	477	O	ALA	A	64	28.439	26.374	9.345	1.00	31.39	O
ATOM	478	CB	ALA	A	64	27.412	29.491	9.798	1.00	21.63	C
ATOM	479	N	LYS	A	65	28.197	27.578	7.464	1.00	28.86	N

ATOM	480	CA	LYS	A	65	29.265	26.911	6.736	1.00	28.57	C
ATOM	481	C	LYS	A	65	30.399	27.936	6.874	1.00	29.46	C
ATOM	482	O	LYS	A	65	30.346	29.013	6.283	1.00	29.87	O
ATOM	483	CB	LYS	A	65	28.852	26.722	5.276	1.00	30.04	C
ATOM	484	CG	LYS	A	65	29.972	26.397	4.306	1.00	32.70	C
ATOM	485	CD	LYS	A	65	30.449	24.989	4.456	1.00	35.74	C
ATOM	486	CE	LYS	A	65	31.365	24.620	3.313	1.00	37.17	C
ATOM	487	NZ	LYS	A	65	31.739	23.186	3.409	1.00	42.92	N
ATOM	488	N	VAL	A	66	31.349	27.642	7.765	1.00	31.78	N
ATOM	489	CA	VAL	A	66	32.496	28.518	8.044	1.00	28.32	C
ATOM	490	C	VAL	A	66	33.836	27.881	7.639	1.00	29.15	C
ATOM	491	O	VAL	A	66	33.949	26.662	7.495	1.00	28.25	O
ATOM	492	CB	VAL	A	66	32.568	28.857	9.543	1.00	27.61	C
ATOM	493	CG1	VAL	A	66	31.324	29.604	9.979	1.00	25.46	C
ATOM	494	CG2	VAL	A	66	32.700	27.579	10.343	1.00	29.97	C
ATOM	495	N	GLY	A	67	34.858	28.710	7.471	1.00	27.21	N
ATOM	496	CA	GLY	A	67	36.155	28.192	7.087	1.00	27.65	C
ATOM	497	C	GLY	A	67	37.206	29.276	6.971	1.00	29.05	C
ATOM	498	O	GLY	A	67	36.928	30.461	7.202	1.00	29.48	O
ATOM	499	N	GLY	A	68	38.422	28.866	6.620	1.00	27.78	N
ATOM	500	CA	GLY	A	68	39.504	29.813	6.474	1.00	24.32	C
ATOM	501	C	GLY	A	68	39.628	30.369	5.071	1.00	24.11	C
ATOM	502	O	GLY	A	68	38.774	30.154	4.207	1.00	24.87	O
ATOM	503	N	ILE	A	69	40.726	31.085	4.868	1.00	25.85	N
ATOM	504	CA	ILE	A	69	41.087	31.733	3.616	1.00	26.01	C
ATOM	505	C	ILE	A	69	41.059	30.786	2.420	1.00	24.51	C
ATOM	506	O	ILE	A	69	40.480	31.108	1.385	1.00	23.62	O
ATOM	507	CB	ILE	A	69	42.468	32.406	3.787	1.00	30.92	C
ATOM	508	CG1	ILE	A	69	42.295	33.666	4.630	1.00	34.71	C
ATOM	509	CG2	ILE	A	69	43.102	32.744	2.461	1.00	33.29	C
ATOM	510	CD1	ILE	A	69	43.594	34.282	5.076	1.00	44.69	C
ATOM	511	N	VAL	A	70	41.655	29.608	2.578	1.00	24.85	N
ATOM	512	CA	VAL	A	70	41.682	28.619	1.506	1.00	24.94	C
ATOM	513	C	VAL	A	70	40.268	28.116	1.188	1.00	25.06	C
ATOM	514	O	VAL	A	70	39.845	28.152	0.031	1.00	24.93	O
ATOM	515	CB	VAL	A	70	42.652	27.417	1.820	1.00	23.27	C
ATOM	516	CG1	VAL	A	70	42.550	26.337	0.738	1.00	19.99	C
ATOM	517	CG2	VAL	A	70	44.098	27.912	1.888	1.00	19.31	C
ATOM	518	N	ALA	A	71	39.518	27.724	2.215	1.00	21.50	N
ATOM	519	CA	ALA	A	71	38.165	27.215	2.006	1.00	22.13	C
ATOM	520	C	ALA	A	71	37.230	28.219	1.326	1.00	21.39	C
ATOM	521	O	ALA	A	71	36.528	27.864	0.380	1.00	23.27	O
ATOM	522	CB	ALA	A	71	37.567	26.726	3.326	1.00	20.98	C
ATOM	523	N	ASN	A	72	37.239	29.469	1.783	1.00	21.80	N
ATOM	524	CA	ASN	A	72	36.378	30.498	1.197	1.00	23.46	C
ATOM	525	C	ASN	A	72	36.667	30.811	-0.265	1.00	24.70	C
ATOM	526	O	ASN	A	72	35.762	31.210	-0.997	1.00	26.93	O
ATOM	527	CB	ASN	A	72	36.429	31.791	2.008	1.00	25.35	C
ATOM	528	CG	ASN	A	72	35.501	31.763	3.205	1.00	27.71	C
ATOM	529	OD1	ASN	A	72	35.916	31.422	4.317	1.00	27.32	O
ATOM	530	ND2	ASN	A	72	34.235	32.109	2.983	1.00	22.83	N
ATOM	531	N	ASN	A	73	37.928	30.673	-0.676	1.00	21.45	N
ATOM	532	CA	ASN	A	73	38.313	30.927	-2.063	1.00	21.72	C
ATOM	533	C	ASN	A	73	38.203	29.673	-2.917	1.00	21.77	C
ATOM	534	O	ASN	A	73	38.120	29.760	-4.136	1.00	24.02	O
ATOM	535	CB	ASN	A	73	39.751	31.447	-2.150	1.00	21.46	C

ATOM	536	CG	ASN	A	73	39.864	32.930	-1.870	1.00	23.22	C
ATOM	537	OD1	ASN	A	73	39.263	33.759	-2.562	1.00	25.88	O
ATOM	538	ND2	ASN	A	73	40.660	33.278	-0.866	1.00	23.69	N
ATOM	539	N	THR	A	74	38.240	28.509	-2.278	1.00	21.03	N
ATOM	540	CA	THR	A	74	38.162	27.246	-2.989	1.00	20.74	C
ATOM	541	C	THR	A	74	36.729	26.762	-3.210	1.00	22.90	C
ATOM	542	O	THR	A	74	36.409	26.230	-4.274	1.00	19.55	O
ATOM	543	CB	THR	A	74	38.999	26.171	-2.276	1.00	23.57	C
ATOM	544	OG1	THR	A	74	40.346	26.646	-2.162	1.00	21.16	O
ATOM	545	CG2	THR	A	74	38.998	24.854	-3.069	1.00	21.26	C
ATOM	546	N	TYR	A	75	35.855	26.980	-2.229	1.00	20.96	N
ATOM	547	CA	TYR	A	75	34.462	26.556	-2.367	1.00	21.11	C
ATOM	548	C	TYR	A	75	33.503	27.735	-2.217	1.00	20.71	C
ATOM	549	O	TYR	A	75	32.592	27.678	-1.408	1.00	21.27	O
ATOM	550	CB	TYR	A	75	34.120	25.517	-1.301	1.00	21.71	C
ATOM	551	CG	TYR	A	75	35.156	24.437	-1.125	1.00	26.72	C
ATOM	552	CD1	TYR	A	75	35.182	23.324	-1.968	1.00	27.65	C
ATOM	553	CD2	TYR	A	75	36.120	24.531	-0.118	1.00	28.34	C
ATOM	554	CE1	TYR	A	75	36.145	22.325	-1.815	1.00	32.86	C
ATOM	555	CE2	TYR	A	75	37.089	23.544	0.044	1.00	30.84	C
ATOM	556	CZ	TYR	A	75	37.096	22.444	-0.807	1.00	35.47	C
ATOM	557	OH	TYR	A	75	38.057	21.471	-0.660	1.00	39.98	O
ATOM	558	N	PRO	A	76	33.670	28.802	-3.017	1.00	18.90	N
ATOM	559	CA	PRO	A	76	32.760	29.946	-2.879	1.00	18.51	C
ATOM	560	C	PRO	A	76	31.257	29.639	-3.018	1.00	20.26	C
ATOM	561	O	PRO	A	76	30.451	30.142	-2.229	1.00	22.12	O
ATOM	562	CB	PRO	A	76	33.277	30.928	-3.939	1.00	18.14	C
ATOM	563	CG	PRO	A	76	33.924	30.034	-4.961	1.00	19.03	C
ATOM	564	CD	PRO	A	76	34.645	29.032	-4.097	1.00	16.40	C
ATOM	565	N	ALA	A	77	30.881	28.805	-3.988	1.00	20.99	N
ATOM	566	CA	ALA	A	77	29.478	28.437	-4.189	1.00	19.31	C
ATOM	567	C	ALA	A	77	28.864	27.748	-2.965	1.00	21.24	C
ATOM	568	O	ALA	A	77	27.740	28.049	-2.578	1.00	21.45	O
ATOM	569	CB	ALA	A	77	29.343	27.556	-5.392	1.00	17.40	C
ATOM	570	N	ASP	A	78	29.603	26.826	-2.351	1.00	23.42	N
ATOM	571	CA	ASP	A	78	29.111	26.111	-1.173	1.00	22.41	C
ATOM	572	C	ASP	A	78	28.892	27.063	-0.008	1.00	22.34	C
ATOM	573	O	ASP	A	78	27.932	26.920	0.742	1.00	23.86	O
ATOM	574	CB	ASP	A	78	30.093	25.015	-0.733	1.00	24.46	C
ATOM	575	CG	ASP	A	78	30.320	23.941	-1.799	1.00	26.39	C
ATOM	576	OD1	ASP	A	78	29.645	23.918	-2.855	1.00	27.59	O
ATOM	577	OD2	ASP	A	78	31.207	23.105	-1.572	1.00	32.24	O
ATOM	578	N	PHE	A	79	29.779	28.044	0.135	1.00	22.66	N
ATOM	579	CA	PHE	A	79	29.680	29.010	1.223	1.00	24.09	C
ATOM	580	C	PHE	A	79	28.503	29.960	1.112	1.00	23.02	C
ATOM	581	O	PHE	A	79	27.847	30.241	2.116	1.00	24.00	O
ATOM	582	CB	PHE	A	79	30.974	29.797	1.382	1.00	24.78	C
ATOM	583	CG	PHE	A	79	32.022	29.073	2.173	1.00	27.62	C
ATOM	584	CD1	PHE	A	79	32.842	28.127	1.572	1.00	25.69	C
ATOM	585	CD2	PHE	A	79	32.197	29.344	3.525	1.00	28.71	C
ATOM	586	CE1	PHE	A	79	33.820	27.462	2.306	1.00	28.22	C
ATOM	587	CE2	PHE	A	79	33.177	28.682	4.267	1.00	28.29	C
ATOM	588	CZ	PHE	A	79	33.989	27.741	3.656	1.00	25.69	C
ATOM	589	N	ILE	A	80	28.234	30.466	-0.090	1.00	18.41	N
ATOM	590	CA	ILE	A	80	27.101	31.369	-0.254	1.00	18.98	C
ATOM	591	C	ILE	A	80	25.776	30.603	-0.258	1.00	17.84	C

ATOM	592	O	ILE	A	80	24.859	30.941	0.485	1.00	18.53	O
ATOM	593	CB	ILE	A	80	27.229	32.319	-1.507	1.00	17.70	C
ATOM	594	CG1	ILE	A	80	26.044	33.287	-1.533	1.00	15.75	C
ATOM	595	CG2	ILE	A	80	27.313	31.535	-2.821	1.00	10.37	C
ATOM	596	CD1	ILE	A	80	26.218	34.461	-2.473	1.00	17.66	C
ATOM	597	N	TYR	A	81	25.710	29.519	-1.027	1.00	19.40	N
ATOM	598	CA	TYR	A	81	24.495	28.721	-1.111	1.00	19.48	C
ATOM	599	C	TYR	A	81	24.047	28.094	0.215	1.00	20.05	C
ATOM	600	O	TYR	A	81	22.895	28.239	0.626	1.00	21.48	O
ATOM	601	CB	TYR	A	81	24.646	27.631	-2.169	1.00	19.25	C
ATOM	602	CG	TYR	A	81	23.469	26.677	-2.190	1.00	26.38	C
ATOM	603	CD1	TYR	A	81	22.286	27.015	-2.862	1.00	25.34	C
ATOM	604	CD2	TYR	A	81	23.511	25.458	-1.492	1.00	21.53	C
ATOM	605	CE1	TYR	A	81	21.176	26.168	-2.833	1.00	24.00	C
ATOM	606	CE2	TYR	A	81	22.408	24.610	-1.461	1.00	22.64	C
ATOM	607	CZ	TYR	A	81	21.247	24.974	-2.131	1.00	24.22	C
ATOM	608	OH	TYR	A	81	20.142	24.158	-2.092	1.00	27.95	O
ATOM	609	N	GLN	A	82	24.946	27.391	0.885	1.00	18.83	N
ATOM	610	CA	GLN	A	82	24.579	26.743	2.128	1.00	19.55	C
ATOM	611	C	GLN	A	82	24.179	27.695	3.227	1.00	20.61	C
ATOM	612	O	GLN	A	82	23.269	27.404	3.988	1.00	23.95	O
ATOM	613	CB	GLN	A	82	25.690	25.814	2.602	1.00	21.91	C
ATOM	614	CG	GLN	A	82	25.762	24.540	1.808	1.00	23.95	C
ATOM	615	CD	GLN	A	82	26.957	23.700	2.173	1.00	25.68	C
ATOM	616	OE1	GLN	A	82	27.532	23.030	1.322	1.00	32.27	O
ATOM	617	NE2	GLN	A	82	27.352	23.740	3.437	1.00	26.29	N
ATOM	618	N	ASN	A	83	24.884	28.811	3.346	1.00	20.43	N
ATOM	619	CA	ASN	A	83	24.547	29.779	4.371	1.00	20.70	C
ATOM	620	C	ASN	A	83	23.214	30.446	4.050	1.00	21.75	C
ATOM	621	O	ASN	A	83	22.404	30.673	4.952	1.00	23.26	O
ATOM	622	CB	ASN	A	83	25.669	30.794	4.570	1.00	20.97	C
ATOM	623	CG	ASN	A	83	26.840	30.213	5.371	1.00	27.66	C
ATOM	624	OD1	ASN	A	83	26.693	29.881	6.545	1.00	26.41	O
ATOM	625	ND2	ASN	A	83	27.993	30.056	4.724	1.00	28.22	N
ATOM	626	N	MET	A	84	22.952	30.695	2.764	1.00	21.60	N
ATOM	627	CA	MET	A	84	21.680	31.302	2.381	1.00	21.97	C
ATOM	628	C	MET	A	84	20.519	30.363	2.686	1.00	21.10	C
ATOM	629	O	MET	A	84	19.509	30.798	3.226	1.00	20.39	O
ATOM	630	CB	MET	A	84	21.668	31.695	0.903	1.00	21.32	C
ATOM	631	CG	MET	A	84	22.221	33.090	0.587	1.00	20.30	C
ATOM	632	SD	MET	A	84	22.294	33.350	-1.233	1.00	24.15	S
ATOM	633	CE	MET	A	84	20.557	33.462	-1.657	1.00	20.11	C
ATOM	634	N	MET	A	85	20.672	29.084	2.352	1.00	21.09	N
ATOM	635	CA	MET	A	85	19.619	28.092	2.611	1.00	23.41	C
ATOM	636	C	MET	A	85	19.361	27.888	4.095	1.00	22.84	C
ATOM	637	O	MET	A	85	18.209	27.891	4.504	1.00	23.52	O
ATOM	638	CB	MET	A	85	19.912	26.739	1.965	1.00	23.63	C
ATOM	639	CG	MET	A	85	19.721	26.720	0.468	1.00	32.64	C
ATOM	640	SD	MET	A	85	18.081	27.235	-0.095	1.00	39.52	S
ATOM	641	CE	MET	A	85	17.091	25.881	0.515	1.00	30.12	C
ATOM	642	N	ILE	A	86	20.416	27.719	4.896	1.00	21.87	N
ATOM	643	CA	ILE	A	86	20.274	27.526	6.353	1.00	21.86	C
ATOM	644	C	ILE	A	86	19.532	28.719	6.991	1.00	22.93	C
ATOM	645	O	ILE	A	86	18.597	28.529	7.774	1.00	21.91	O
ATOM	646	CB	ILE	A	86	21.660	27.343	7.052	1.00	22.20	C
ATOM	647	CG1	ILE	A	86	22.331	26.054	6.582	1.00	20.74	C

ATOM	648	CG2	ILE	A	86	21.502	27.271	8.569	1.00	18.63	C
ATOM	649	CD1	ILE	A	86	23.777	25.922	7.063	1.00	22.13	C
ATOM	650	N	GLU	A	87	19.943	29.938	6.636	1.00	21.80	N
ATOM	651	CA	GLU	A	87	19.302	31.154	7.151	1.00	23.48	C
ATOM	652	C	GLU	A	87	17.817	31.231	6.794	1.00	23.01	C
ATOM	653	O	GLU	A	87	16.977	31.385	7.675	1.00	24.77	O
ATOM	654	CB	GLU	A	87	19.992	32.391	6.589	1.00	21.15	C
ATOM	655	CG	GLU	A	87	21.259	32.750	7.297	1.00	23.77	C
ATOM	656	CD	GLU	A	87	22.202	33.542	6.422	1.00	23.44	C
ATOM	657	OE1	GLU	A	87	21.745	34.167	5.438	1.00	20.50	O
ATOM	658	OE2	GLU	A	87	23.417	33.504	6.706	1.00	28.19	O
ATOM	659	N	SER	A	88	17.521	31.107	5.496	1.00	25.79	N
ATOM	660	CA	SER	A	88	16.164	31.160	4.938	1.00	24.76	C
ATOM	661	C	SER	A	88	15.226	30.110	5.499	1.00	25.71	C
ATOM	662	O	SER	A	88	14.080	30.413	5.829	1.00	25.35	O
ATOM	663	CB	SER	A	88	16.212	30.988	3.420	1.00	25.59	C
ATOM	664	OG	SER	A	88	16.910	32.058	2.829	1.00	29.95	O
ATOM	665	N	ASN	A	89	15.705	28.870	5.571	1.00	24.49	N
ATOM	666	CA	ASN	A	89	14.916	27.753	6.088	1.00	25.30	C
ATOM	667	C	ASN	A	89	14.487	27.962	7.534	1.00	25.06	C
ATOM	668	O	ASN	A	89	13.303	27.928	7.840	1.00	25.30	O
ATOM	669	CB	ASN	A	89	15.693	26.438	5.961	1.00	22.06	C
ATOM	670	CG	ASN	A	89	15.752	25.930	4.534	1.00	24.21	C
ATOM	671	OD1	ASN	A	89	16.524	25.025	4.219	1.00	27.34	O
ATOM	672	ND2	ASN	A	89	14.924	26.500	3.664	1.00	23.31	N
ATOM	673	N	ILE	A	90	15.460	28.203	8.407	1.00	26.23	N
ATOM	674	CA	ILE	A	90	15.201	28.419	9.826	1.00	26.62	C
ATOM	675	C	ILE	A	90	14.351	29.656	10.103	1.00	24.72	C
ATOM	676	O	ILE	A	90	13.337	29.570	10.790	1.00	26.06	O
ATOM	677	CB	ILE	A	90	16.528	28.476	10.635	1.00	24.11	C
ATOM	678	CG1	ILE	A	90	17.212	27.104	10.572	1.00	25.62	C
ATOM	679	CG2	ILE	A	90	16.264	28.891	12.078	1.00	21.05	C
ATOM	680	CD1	ILE	A	90	18.523	27.005	11.318	1.00	24.81	C
ATOM	681	N	ILE	A	91	14.749	30.799	9.556	1.00	24.73	N
ATOM	682	CA	ILE	A	91	14.004	32.039	9.777	1.00	23.15	C
ATOM	683	C	ILE	A	91	12.553	31.977	9.291	1.00	23.62	C
ATOM	684	O	ILE	A	91	11.645	32.424	9.988	1.00	23.03	O
ATOM	685	CB	ILE	A	91	14.751	33.254	9.183	1.00	19.75	C
ATOM	686	CG1	ILE	A	91	16.033	33.498	9.976	1.00	16.64	C
ATOM	687	CG2	ILE	A	91	13.882	34.495	9.222	1.00	19.98	C
ATOM	688	CD1	ILE	A	91	16.906	34.608	9.421	1.00	17.13	C
ATOM	689	N	HIS	A	92	12.329	31.392	8.119	1.00	23.77	N
ATOM	690	CA	HIS	A	92	10.975	31.278	7.585	1.00	23.91	C
ATOM	691	C	HIS	A	92	10.151	30.235	8.344	1.00	25.62	C
ATOM	692	O	HIS	A	92	8.987	30.476	8.655	1.00	26.83	O
ATOM	693	CB	HIS	A	92	10.995	30.927	6.102	1.00	22.99	C
ATOM	694	CG	HIS	A	92	9.662	31.070	5.436	1.00	27.47	C
ATOM	695	ND1	HIS	A	92	9.011	30.015	4.832	1.00	26.88	N
ATOM	696	CD2	HIS	A	92	8.856	32.148	5.282	1.00	25.84	C
ATOM	697	CE1	HIS	A	92	7.864	30.438	4.331	1.00	26.81	C
ATOM	698	NE2	HIS	A	92	7.746	31.728	4.591	1.00	30.26	N
ATOM	699	N	ALA	A	93	10.741	29.071	8.616	1.00	24.22	N
ATOM	700	CA	ALA	A	93	10.046	28.016	9.358	1.00	23.43	C
ATOM	701	C	ALA	A	93	9.685	28.508	10.748	1.00	25.27	C
ATOM	702	O	ALA	A	93	8.629	28.167	11.274	1.00	29.50	O
ATOM	703	CB	ALA	A	93	10.906	26.787	9.470	1.00	18.41	C

ATOM	704	N	ALA	A	94	10.572	29.301	11.347	1.00	24.57	N
ATOM	705	CA	ALA	A	94	10.333	29.841	12.678	1.00	24.51	C
ATOM	706	C	ALA	A	94	9.090	30.714	12.655	1.00	26.61	C
ATOM	707	O	ALA	A	94	8.182	30.526	13.458	1.00	31.53	O
ATOM	708	CB	ALA	A	94	11.545	30.644	13.166	1.00	18.87	C
ATOM	709	N	HIS	A	95	9.020	31.623	11.689	1.00	27.32	N
ATOM	710	CA	HIS	A	95	7.880	32.517	11.578	1.00	25.48	C
ATOM	711	C	HIS	A	95	6.591	31.760	11.300	1.00	24.07	C
ATOM	712	O	HIS	A	95	5.562	32.064	11.895	1.00	24.98	O
ATOM	713	CB	HIS	A	95	8.093	33.554	10.485	1.00	20.05	C
ATOM	714	CG	HIS	A	95	6.853	34.327	10.165	1.00	25.10	C
ATOM	715	ND1	HIS	A	95	6.100	34.093	9.032	1.00	27.73	N
ATOM	716	CD2	HIS	A	95	6.191	35.278	10.865	1.00	19.55	C
ATOM	717	CE1	HIS	A	95	5.028	34.864	9.051	1.00	23.37	C
ATOM	718	NE2	HIS	A	95	5.060	35.592	10.153	1.00	23.51	N
ATOM	719	N	GLN	A	96	6.652	30.808	10.374	1.00	23.71	N
ATOM	720	CA	GLN	A	96	5.497	29.987	10.008	1.00	28.30	C
ATOM	721	C	GLN	A	96	4.920	29.240	11.199	1.00	29.03	C
ATOM	722	O	GLN	A	96	3.750	28.880	11.196	1.00	33.97	O
ATOM	723	CB	GLN	A	96	5.893	28.943	8.969	1.00	30.65	C
ATOM	724	CG	GLN	A	96	6.278	29.474	7.633	1.00	41.03	C
ATOM	725	CD	GLN	A	96	5.088	29.798	6.765	1.00	47.85	C
ATOM	726	OE1	GLN	A	96	4.523	30.898	6.847	1.00	52.60	O
ATOM	727	NE2	GLN	A	96	4.710	28.851	5.902	1.00	46.62	N
ATOM	728	N	ASN	A	97	5.756	28.964	12.202	1.00	27.87	N
ATOM	729	CA	ASN	A	97	5.330	28.219	13.388	1.00	27.23	C
ATOM	730	C	ASN	A	97	5.291	29.030	14.676	1.00	27.97	C
ATOM	731	O	ASN	A	97	5.416	28.499	15.783	1.00	31.31	O
ATOM	732	CB	ASN	A	97	6.188	26.961	13.541	1.00	24.97	C
ATOM	733	CG	ASN	A	97	5.945	25.966	12.422	1.00	31.23	C
ATOM	734	OD1	ASN	A	97	6.678	25.939	11.430	1.00	35.80	O
ATOM	735	ND2	ASN	A	97	4.884	25.181	12.547	1.00	30.89	N
ATOM	736	N	ASP	A	98	5.093	30.330	14.516	1.00	30.60	N
ATOM	737	CA	ASP	A	98	4.997	31.251	15.636	1.00	34.56	C
ATOM	738	C	ASP	A	98	6.119	31.410	16.631	1.00	34.83	C
ATOM	739	O	ASP	A	98	5.858	31.768	17.773	1.00	37.00	O
ATOM	740	CB	ASP	A	98	3.670	31.073	16.372	1.00	42.60	C
ATOM	741	CG	ASP	A	98	2.507	31.683	15.617	1.00	49.29	C
ATOM	742	OD1	ASP	A	98	2.562	32.910	15.341	1.00	55.67	O
ATOM	743	OD2	ASP	A	98	1.562	30.936	15.286	1.00	57.67	O
ATOM	744	N	VAL	A	99	7.356	31.151	16.204	1.00	33.38	N
ATOM	745	CA	VAL	A	99	8.492	31.368	17.087	1.00	28.21	C
ATOM	746	C	VAL	A	99	8.752	32.871	16.919	1.00	27.85	C
ATOM	747	O	VAL	A	99	9.090	33.342	15.824	1.00	28.51	O
ATOM	748	CB	VAL	A	99	9.736	30.576	16.672	1.00	29.62	C
ATOM	749	CG1	VAL	A	99	10.838	30.774	17.699	1.00	26.80	C
ATOM	750	CG2	VAL	A	99	9.400	29.110	16.499	1.00	30.83	C
ATOM	751	N	ASN	A	100	8.537	33.630	17.985	1.00	24.40	N
ATOM	752	CA	ASN	A	100	8.707	35.073	17.924	1.00	25.38	C
ATOM	753	C	ASN	A	100	10.125	35.577	18.208	1.00	26.01	C
ATOM	754	O	ASN	A	100	10.494	36.678	17.781	1.00	26.31	O
ATOM	755	CB	ASN	A	100	7.713	35.749	18.869	1.00	22.78	C
ATOM	756	CG	ASN	A	100	7.384	37.150	18.441	1.00	23.65	C
ATOM	757	OD1	ASN	A	100	6.840	37.361	17.357	1.00	26.63	O
ATOM	758	ND2	ASN	A	100	7.748	38.124	19.260	1.00	22.16	N
ATOM	759	N	LYS	A	101	10.907	34.775	18.930	1.00	24.59	N

ATOM	760	CA	LYS	A	101	12.272	35.157	19.291	1.00	27.58	C
ATOM	761	C	LYS	A	101	13.348	34.367	18.567	1.00	25.12	C
ATOM	762	O	LYS	A	101	13.324	33.141	18.523	1.00	24.26	O
ATOM	763	CB	LYS	A	101	12.488	35.018	20.798	1.00	25.44	C
ATOM	764	CG	LYS	A	101	12.020	36.194	21.616	1.00	24.49	C
ATOM	765	CD	LYS	A	101	12.599	36.066	23.008	1.00	26.85	C
ATOM	766	CE	LYS	A	101	12.971	37.409	23.586	1.00	28.02	C
ATOM	767	NZ	LYS	A	101	13.940	38.154	22.745	1.00	28.99	N
ATOM	768	N	LEU	A	102	14.331	35.084	18.044	1.00	24.26	N
ATOM	769	CA	LEU	A	102	15.423	34.442	17.332	1.00	22.79	C
ATOM	770	C	LEU	A	102	16.649	35.334	17.378	1.00	22.92	C
ATOM	771	O	LEU	A	102	16.525	36.562	17.420	1.00	20.27	O
ATOM	772	CB	LEU	A	102	15.009	34.137	15.884	1.00	21.89	C
ATOM	773	CG	LEU	A	102	15.956	33.443	14.894	1.00	23.80	C
ATOM	774	CD1	LEU	A	102	15.156	32.613	13.903	1.00	20.74	C
ATOM	775	CD2	LEU	A	102	16.818	34.457	14.169	1.00	19.60	C
ATOM	776	N	LEU	A	103	17.818	34.707	17.513	1.00	20.09	N
ATOM	777	CA	LEU	A	103	19.075	35.438	17.518	1.00	19.90	C
ATOM	778	C	LEU	A	103	19.950	34.876	16.403	1.00	20.69	C
ATOM	779	O	LEU	A	103	20.236	33.679	16.361	1.00	19.79	O
ATOM	780	CB	LEU	A	103	19.813	35.311	18.848	1.00	22.09	C
ATOM	781	CG	LEU	A	103	21.070	36.184	18.836	1.00	19.35	C
ATOM	782	CD1	LEU	A	103	20.684	37.626	19.161	1.00	17.91	C
ATOM	783	CD2	LEU	A	103	22.074	35.667	19.833	1.00	20.28	C
ATOM	784	N	PHE	A	104	20.327	35.746	15.474	1.00	19.27	N
ATOM	785	CA	PHE	A	104	21.164	35.369	14.347	1.00	21.13	C
ATOM	786	C	PHE	A	104	22.614	35.782	14.628	1.00	22.17	C
ATOM	787	O	PHE	A	104	22.881	36.938	14.966	1.00	22.36	O
ATOM	788	CB	PHE	A	104	20.635	36.045	13.071	1.00	19.61	C
ATOM	789	CG	PHE	A	104	21.501	35.838	11.864	1.00	21.08	C
ATOM	790	CD1	PHE	A	104	21.678	34.569	11.327	1.00	22.45	C
ATOM	791	CD2	PHE	A	104	22.152	36.920	11.268	1.00	22.15	C
ATOM	792	CE1	PHE	A	104	22.492	34.376	10.211	1.00	21.84	C
ATOM	793	CE2	PHE	A	104	22.965	36.739	10.153	1.00	19.34	C
ATOM	794	CZ	PHE	A	104	23.135	35.465	9.626	1.00	20.01	C
ATOM	795	N	LEU	A	105	23.529	34.815	14.560	1.00	24.95	N
ATOM	796	CA	LEU	A	105	24.947	35.077	14.785	1.00	24.08	C
ATOM	797	C	LEU	A	105	25.615	35.288	13.454	1.00	23.94	C
ATOM	798	O	LEU	A	105	25.662	34.387	12.618	1.00	24.97	O
ATOM	799	CB	LEU	A	105	25.617	33.931	15.532	1.00	25.82	C
ATOM	800	CG	LEU	A	105	25.259	33.904	17.013	1.00	32.42	C
ATOM	801	CD1	LEU	A	105	24.000	33.077	17.222	1.00	34.59	C
ATOM	802	CD2	LEU	A	105	26.408	33.320	17.810	1.00	39.53	C
ATOM	803	N	GLY	A	106	26.081	36.507	13.238	1.00	24.52	N
ATOM	804	CA	GLY	A	106	26.729	36.823	11.987	1.00	28.38	C
ATOM	805	C	GLY	A	106	28.231	36.642	12.051	1.00	31.04	C
ATOM	806	O	GLY	A	106	28.729	35.674	12.629	1.00	31.93	O
ATOM	807	N	SER	A	107	28.945	37.614	11.491	1.00	33.31	N
ATOM	808	CA	SER	A	107	30.398	37.610	11.437	1.00	34.34	C
ATOM	809	C	SER	A	107	30.922	39.026	11.234	1.00	34.11	C
ATOM	810	O	SER	A	107	30.187	39.946	10.894	1.00	36.15	O
ATOM	811	CB	SER	A	107	30.875	36.715	10.288	1.00	33.89	C
ATOM	812	OG	SER	A	107	32.282	36.747	10.171	1.00	42.44	O
ATOM	813	N	SER	A	108	32.221	39.174	11.417	1.00	39.10	N
ATOM	814	CA	SER	A	108	32.900	40.445	11.272	1.00	39.74	C
ATOM	815	C	SER	A	108	33.242	40.737	9.800	1.00	40.29	C

ATOM	816	O	SER A 108	33.494	41.886	9.424	1.00	39.37	O
ATOM	817	CB	SER A 108	34.183	40.379	12.096	1.00	41.29	C
ATOM	818	OG	SER A 108	34.636	41.671	12.405	1.00	48.91	O
ATOM	819	N	CYS A 109	33.247	39.684	8.981	1.00	39.93	N
ATOM	820	CA	CYS A 109	33.572	39.755	7.554	1.00	37.55	C
ATOM	821	C	CYS A 109	32.605	40.592	6.748	1.00	35.15	C
ATOM	822	O	CYS A 109	32.905	40.967	5.620	1.00	40.63	O
ATOM	823	CB	CYS A 109	33.563	38.352	6.955	1.00	42.94	C
ATOM	824	SG	CYS A 109	34.457	37.166	7.928	1.00	53.93	S
ATOM	825	N	ILE A 110	31.425	40.832	7.299	1.00	31.38	N
ATOM	826	CA	ILE A 110	30.395	41.604	6.612	1.00	29.42	C
ATOM	827	C	ILE A 110	30.752	43.076	6.393	1.00	25.36	C
ATOM	828	O	ILE A 110	30.086	43.764	5.628	1.00	26.86	O
ATOM	829	CB	ILE A 110	29.041	41.565	7.386	1.00	33.31	C
ATOM	830	CG1	ILE A 110	29.162	42.364	8.697	1.00	38.51	C
ATOM	831	CG2	ILE A 110	28.627	40.127	7.672	1.00	29.58	C
ATOM	832	CD1	ILE A 110	27.837	42.813	9.315	1.00	38.77	C
ATOM	833	N	TYR A 111	31.760	43.582	7.090	1.00	21.85	N
ATOM	834	CA	TYR A 111	32.109	44.986	6.939	1.00	20.03	C
ATOM	835	C	TYR A 111	32.999	45.277	5.750	1.00	22.43	C
ATOM	836	O	TYR A 111	33.749	44.411	5.305	1.00	20.86	O
ATOM	837	CB	TYR A 111	32.715	45.527	8.228	1.00	15.08	C
ATOM	838	CG	TYR A 111	31.673	45.688	9.290	1.00	17.60	C
ATOM	839	CD1	TYR A 111	30.623	46.607	9.134	1.00	20.30	C
ATOM	840	CD2	TYR A 111	31.700	44.907	10.433	1.00	18.94	C
ATOM	841	CE1	TYR A 111	29.623	46.739	10.102	1.00	16.41	C
ATOM	842	CE2	TYR A 111	30.709	45.029	11.414	1.00	22.50	C
ATOM	843	CZ	TYR A 111	29.677	45.945	11.245	1.00	20.99	C
ATOM	844	OH	TYR A 111	28.740	46.078	12.246	1.00	22.59	O
ATOM	845	N	PRO A 112	32.895	46.497	5.193	1.00	23.64	N
ATOM	846	CA	PRO A 112	33.703	46.906	4.041	1.00	23.42	C
ATOM	847	C	PRO A 112	35.180	46.693	4.356	1.00	25.37	C
ATOM	848	O	PRO A 112	35.591	46.816	5.505	1.00	24.92	O
ATOM	849	CB	PRO A 112	33.382	48.387	3.918	1.00	21.66	C
ATOM	850	CG	PRO A 112	31.972	48.467	4.414	1.00	27.17	C
ATOM	851	CD	PRO A 112	32.004	47.589	5.622	1.00	25.03	C
ATOM	852	N	LYS A 113	35.960	46.330	3.344	1.00	28.77	N
ATOM	853	CA	LYS A 113	37.392	46.098	3.512	1.00	33.94	C
ATOM	854	C	LYS A 113	38.099	47.351	4.071	1.00	35.82	C
ATOM	855	O	LYS A 113	38.917	47.267	4.999	1.00	35.60	O
ATOM	856	CB	LYS A 113	38.000	45.701	2.164	1.00	36.30	C
ATOM	857	CG	LYS A 113	39.470	45.376	2.227	1.00	45.37	C
ATOM	858	CD	LYS A 113	40.091	45.338	0.839	1.00	54.03	C
ATOM	859	CE	LYS A 113	41.606	45.132	0.946	1.00	56.48	C
ATOM	860	NZ	LYS A 113	42.287	45.217	-0.378	1.00	59.58	N
ATOM	861	N	LEU A 114	37.733	48.511	3.529	1.00	37.76	N
ATOM	862	CA	LEU A 114	38.315	49.788	3.935	1.00	39.22	C
ATOM	863	C	LEU A 114	37.414	50.622	4.842	1.00	37.04	C
ATOM	864	O	LEU A 114	37.354	51.839	4.714	1.00	41.23	O
ATOM	865	CB	LEU A 114	38.696	50.597	2.693	1.00	39.94	C
ATOM	866	CG	LEU A 114	39.706	49.884	1.792	1.00	45.05	C
ATOM	867	CD1	LEU A 114	39.901	50.688	0.528	1.00	45.75	C
ATOM	868	CD2	LEU A 114	41.034	49.663	2.524	1.00	40.39	C
ATOM	869	N	ALA A 115	36.741	49.970	5.779	1.00	35.28	N
ATOM	870	CA	ALA A 115	35.857	50.659	6.704	1.00	33.09	C
ATOM	871	C	ALA A 115	36.613	51.598	7.662	1.00	35.11	C

ATOM	872	O	ALA	A	115	37.822	51.473	7.855	1.00	34.89	O
ATOM	873	CB	ALA	A	115	35.052	49.638	7.492	1.00	31.08	C
ATOM	874	N	LYS	A	116	35.888	52.560	8.226	1.00	36.33	N
ATOM	875	CA	LYS	A	116	36.429	53.523	9.179	1.00	35.52	C
ATOM	876	C	LYS	A	116	36.601	52.744	10.480	1.00	32.90	C
ATOM	877	O	LYS	A	116	35.722	51.961	10.838	1.00	32.39	O
ATOM	878	CB	LYS	A	116	35.417	54.661	9.372	1.00	42.56	C
ATOM	879	CG	LYS	A	116	35.831	55.754	10.353	1.00	54.48	C
ATOM	880	CD	LYS	A	116	34.605	56.562	10.799	1.00	64.13	C
ATOM	881	CE	LYS	A	116	34.956	57.655	11.814	1.00	69.67	C
ATOM	882	NZ	LYS	A	116	35.652	58.833	11.194	1.00	73.03	N
ATOM	883	N	GLN	A	117	37.721	52.952	11.175	1.00	29.00	N
ATOM	884	CA	GLN	A	117	38.012	52.242	12.428	1.00	26.52	C
ATOM	885	C	GLN	A	117	37.918	53.135	13.671	1.00	27.16	C
ATOM	886	O	GLN	A	117	38.391	54.265	13.662	1.00	32.28	O
ATOM	887	CB	GLN	A	117	39.419	51.630	12.371	1.00	24.33	C
ATOM	888	CG	GLN	A	117	39.689	50.728	11.180	1.00	19.77	C
ATOM	889	CD	GLN	A	117	38.842	49.479	11.197	1.00	22.38	C
ATOM	890	OE1	GLN	A	117	38.534	48.929	12.262	1.00	23.93	O
ATOM	891	NE2	GLN	A	117	38.455	49.018	10.013	1.00	21.03	N
ATOM	892	N	PRO	A	118	37.284	52.648	14.750	1.00	26.44	N
ATOM	893	CA	PRO	A	118	36.656	51.325	14.875	1.00	28.65	C
ATOM	894	C	PRO	A	118	35.358	51.288	14.066	1.00	26.51	C
ATOM	895	O	PRO	A	118	34.771	52.334	13.786	1.00	24.82	O
ATOM	896	CB	PRO	A	118	36.418	51.196	16.384	1.00	26.96	C
ATOM	897	CG	PRO	A	118	36.227	52.620	16.815	1.00	26.14	C
ATOM	898	CD	PRO	A	118	37.309	53.336	16.050	1.00	25.13	C
ATOM	899	N	MET	A	119	34.942	50.091	13.665	1.00	26.63	N
ATOM	900	CA	MET	A	119	33.749	49.919	12.844	1.00	23.21	C
ATOM	901	C	MET	A	119	32.423	49.884	13.585	1.00	24.45	C
ATOM	902	O	MET	A	119	32.122	48.931	14.310	1.00	24.24	O
ATOM	903	CB	MET	A	119	33.889	48.668	11.988	1.00	21.81	C
ATOM	904	CG	MET	A	119	35.163	48.642	11.187	1.00	22.20	C
ATOM	905	SD	MET	A	119	35.268	47.217	10.106	1.00	27.33	S
ATOM	906	CE	MET	A	119	35.589	45.888	11.303	1.00	19.94	C
ATOM	907	N	ALA	A	120	31.627	50.932	13.395	1.00	22.55	N
ATOM	908	CA	ALA	A	120	30.315	51.003	14.015	1.00	23.74	C
ATOM	909	C	ALA	A	120	29.368	50.216	13.107	1.00	23.58	C
ATOM	910	O	ALA	A	120	29.697	49.932	11.950	1.00	20.35	O
ATOM	911	CB	ALA	A	120	29.864	52.453	14.141	1.00	21.01	C
ATOM	912	N	GLU	A	121	28.209	49.848	13.648	1.00	22.80	N
ATOM	913	CA	GLU	A	121	27.207	49.081	12.920	1.00	19.02	C
ATOM	914	C	GLU	A	121	26.786	49.706	11.599	1.00	20.31	C
ATOM	915	O	GLU	A	121	26.491	48.998	10.619	1.00	22.22	O
ATOM	916	CB	GLU	A	121	25.987	48.857	13.806	1.00	17.19	C
ATOM	917	CG	GLU	A	121	26.207	47.824	14.907	1.00	20.42	C
ATOM	918	CD	GLU	A	121	26.826	48.376	16.195	1.00	22.19	C
ATOM	919	OE1	GLU	A	121	27.281	49.541	16.236	1.00	22.90	O
ATOM	920	OE2	GLU	A	121	26.849	47.627	17.192	1.00	24.76	O
ATOM	921	N	SER	A	122	26.811	51.034	11.565	1.00	19.68	N
ATOM	922	CA	SER	A	122	26.427	51.815	10.387	1.00	22.94	C
ATOM	923	C	SER	A	122	27.431	51.737	9.242	1.00	24.18	C
ATOM	924	O	SER	A	122	27.248	52.354	8.192	1.00	28.79	O
ATOM	925	CB	SER	A	122	26.230	53.278	10.784	1.00	24.75	C
ATOM	926	OG	SER	A	122	27.409	53.785	11.388	1.00	27.14	O
ATOM	927	N	GLU	A	123	28.489	50.970	9.445	1.00	24.97	N

ATOM	928	CA	GLU	A	123	29.514	50.802	8.439	1.00	22.55	C
ATOM	929	C	GLU	A	123	29.078	49.708	7.452	1.00	24.69	C
ATOM	930	O	GLU	A	123	29.671	49.529	6.378	1.00	20.59	O
ATOM	931	CB	GLU	A	123	30.807	50.423	9.141	1.00	27.06	C
ATOM	932	CG	GLU	A	123	32.038	50.922	8.458	1.00	35.87	C
ATOM	933	CD	GLU	A	123	32.101	52.431	8.375	1.00	33.11	C
ATOM	934	OE1	GLU	A	123	31.851	53.098	9.395	1.00	35.45	O
ATOM	935	OE2	GLU	A	123	32.423	52.945	7.285	1.00	38.10	O
ATOM	936	N	LEU	A	124	28.013	48.998	7.817	1.00	24.39	N
ATOM	937	CA	LEU	A	124	27.478	47.932	6.990	1.00	25.61	C
ATOM	938	C	LEU	A	124	27.066	48.450	5.621	1.00	26.76	C
ATOM	939	O	LEU	A	124	26.404	49.477	5.526	1.00	26.07	O
ATOM	940	CB	LEU	A	124	26.267	47.298	7.663	1.00	26.76	C
ATOM	941	CG	LEU	A	124	25.764	46.056	6.934	1.00	27.57	C
ATOM	942	CD1	LEU	A	124	26.816	44.977	7.062	1.00	30.81	C
ATOM	943	CD2	LEU	A	124	24.459	45.584	7.515	1.00	30.71	C
ATOM	944	N	LEU	A	125	27.484	47.742	4.571	1.00	26.51	N
ATOM	945	CA	LEU	A	125	27.160	48.086	3.189	1.00	28.73	C
ATOM	946	C	LEU	A	125	27.717	49.424	2.680	1.00	31.00	C
ATOM	947	O	LEU	A	125	27.284	49.919	1.638	1.00	33.72	O
ATOM	948	CB	LEU	A	125	25.634	48.017	2.968	1.00	23.17	C
ATOM	949	CG	LEU	A	125	24.978	46.630	2.979	1.00	23.91	C
ATOM	950	CD1	LEU	A	125	23.471	46.742	3.054	1.00	26.25	C
ATOM	951	CD2	LEU	A	125	25.362	45.864	1.733	1.00	25.69	C
ATOM	952	N	GLN	A	126	28.719	49.967	3.369	1.00	33.38	N
ATOM	953	CA	GLN	A	126	29.328	51.251	2.994	1.00	33.38	C
ATOM	954	C	GLN	A	126	30.495	51.190	2.011	1.00	35.24	C
ATOM	955	O	GLN	A	126	31.095	52.215	1.690	1.00	42.89	O
ATOM	956	CB	GLN	A	126	29.816	51.973	4.244	1.00	35.51	C
ATOM	957	CG	GLN	A	126	28.728	52.369	5.185	1.00	41.05	C
ATOM	958	CD	GLN	A	126	27.961	53.556	4.687	1.00	46.67	C
ATOM	959	OE1	GLN	A	126	27.751	53.718	3.482	1.00	47.42	O
ATOM	960	NE2	GLN	A	126	27.548	54.415	5.610	1.00	51.29	N
ATOM	961	N	GLY	A	127	30.842	50.003	1.544	1.00	31.57	N
ATOM	962	CA	GLY	A	127	31.955	49.902	0.632	1.00	27.05	C
ATOM	963	C	GLY	A	127	32.162	48.465	0.237	1.00	28.42	C
ATOM	964	O	GLY	A	127	31.510	47.561	0.757	1.00	29.17	O
ATOM	965	N	THR	A	128	33.115	48.246	-0.653	1.00	30.18	N
ATOM	966	CA	THR	A	128	33.368	46.907	-1.145	1.00	32.00	C
ATOM	967	C	THR	A	128	33.940	45.949	-0.102	1.00	30.18	C
ATOM	968	O	THR	A	128	34.695	46.342	0.796	1.00	30.42	O
ATOM	969	CB	THR	A	128	34.230	46.923	-2.456	1.00	33.85	C
ATOM	970	OG1	THR	A	128	35.589	47.227	-2.143	1.00	39.54	O
ATOM	971	CG2	THR	A	128	33.702	47.974	-3.437	1.00	32.70	C
ATOM	972	N	LEU	A	129	33.528	44.692	-0.230	1.00	26.65	N
ATOM	973	CA	LEU	A	129	33.945	43.617	0.650	1.00	26.74	C
ATOM	974	C	LEU	A	129	35.306	43.021	0.272	1.00	25.84	C
ATOM	975	O	LEU	A	129	35.778	43.179	-0.856	1.00	25.80	O
ATOM	976	CB	LEU	A	129	32.887	42.506	0.620	1.00	24.20	C
ATOM	977	CG	LEU	A	129	31.479	42.903	1.067	1.00	27.12	C
ATOM	978	CD1	LEU	A	129	30.448	41.853	0.667	1.00	25.07	C
ATOM	979	CD2	LEU	A	129	31.487	43.123	2.568	1.00	23.65	C
ATOM	980	N	GLU	A	130	35.924	42.357	1.249	1.00	25.34	N
ATOM	981	CA	GLU	A	130	37.186	41.654	1.082	1.00	25.63	C
ATOM	982	C	GLU	A	130	36.841	40.497	0.125	1.00	23.70	C
ATOM	983	O	GLU	A	130	35.941	39.699	0.398	1.00	22.32	O

ATOM	984	CB	GLU A 130	37.647	41.146	2.462	1.00	31.61	C
ATOM	985	CG	GLU A 130	38.807	40.145	2.473	1.00	44.51	C
ATOM	986	CD	GLU A 130	40.024	40.615	1.681	1.00	50.88	C
ATOM	987	OE1	GLU A 130	40.546	41.718	1.997	1.00	51.87	O
ATOM	988	OE2	GLU A 130	40.446	39.873	0.747	1.00	47.74	O
ATOM	989	N	PRO A 131	37.514	40.429	-1.038	1.00	24.95	N
ATOM	990	CA	PRO A 131	37.256	39.375	-2.029	1.00	23.16	C
ATOM	991	C	PRO A 131	37.182	37.957	-1.467	1.00	23.75	C
ATOM	992	O	PRO A 131	36.271	37.196	-1.804	1.00	23.62	O
ATOM	993	CB	PRO A 131	38.421	39.538	-3.006	1.00	24.87	C
ATOM	994	CG	PRO A 131	38.670	41.015	-2.977	1.00	24.99	C
ATOM	995	CD	PRO A 131	38.608	41.312	-1.487	1.00	25.33	C
ATOM	996	N	THR A 132	38.133	37.613	-0.602	1.00	22.79	N
ATOM	997	CA	THR A 132	38.183	36.290	0.003	1.00	24.22	C
ATOM	998	C	THR A 132	36.881	35.902	0.682	1.00	25.53	C
ATOM	999	O	THR A 132	36.403	34.780	0.514	1.00	27.30	O
ATOM	1000	CB	THR A 132	39.315	36.188	1.032	1.00	25.39	C
ATOM	1001	OG1	THR A 132	40.574	36.289	0.357	1.00	32.02	O
ATOM	1002	CG2	THR A 132	39.247	34.852	1.788	1.00	25.21	C
ATOM	1003	N	ASN A 133	36.283	36.859	1.387	1.00	25.39	N
ATOM	1004	CA	ASN A 133	35.052	36.621	2.130	1.00	25.48	C
ATOM	1005	C	ASN A 133	33.760	37.046	1.466	1.00	22.73	C
ATOM	1006	O	ASN A 133	32.689	36.844	2.033	1.00	21.09	O
ATOM	1007	CB	ASN A 133	35.153	37.302	3.490	1.00	29.44	C
ATOM	1008	CG	ASN A 133	36.339	36.815	4.280	1.00	37.28	C
ATOM	1009	OD1	ASN A 133	36.501	35.603	4.496	1.00	39.13	C
ATOM	1010	ND2	ASN A 133	37.209	37.743	4.677	1.00	36.26	N
ATOM	1011	N	GLU A 134	33.844	37.580	0.255	1.00	20.34	N
ATOM	1012	CA	GLU A 134	32.658	38.058	-0.417	1.00	19.34	C
ATOM	1013	C	GLU A 134	31.421	37.144	-0.432	1.00	22.68	C
ATOM	1014	O	GLU A 134	30.357	37.566	0.005	1.00	24.36	O
ATOM	1015	CB	GLU A 134	32.993	38.574	-1.810	1.00	20.84	C
ATOM	1016	CG	GLU A 134	31.778	39.149	-2.490	1.00	23.80	C
ATOM	1017	CD	GLU A 134	32.107	39.915	-3.733	1.00	23.82	C
ATOM	1018	OE1	GLU A 134	32.521	41.085	-3.604	1.00	25.93	O
ATOM	1019	OE2	GLU A 134	31.938	39.354	-4.835	1.00	23.35	O
ATOM	1020	N	PRO A 135	31.535	35.884	-0.907	1.00	23.47	N
ATOM	1021	CA	PRO A 135	30.343	35.017	-0.920	1.00	22.85	C
ATOM	1022	C	PRO A 135	29.732	34.786	0.471	1.00	21.96	C
ATOM	1023	O	PRO A 135	28.518	34.901	0.664	1.00	23.69	O
ATOM	1024	CB	PRO A 135	30.873	33.712	-1.530	1.00	20.98	C
ATOM	1025	CG	PRO A 135	31.946	34.195	-2.444	1.00	21.71	C
ATOM	1026	CD	PRO A 135	32.662	35.229	-1.596	1.00	22.19	C
ATOM	1027	N	TYR A 136	30.577	34.464	1.437	1.00	19.36	N
ATOM	1028	CA	TYR A 136	30.122	34.231	2.803	1.00	21.14	C
ATOM	1029	C	TYR A 136	29.485	35.502	3.391	1.00	21.26	C
ATOM	1030	O	TYR A 136	28.419	35.441	4.007	1.00	22.03	O
ATOM	1031	CB	TYR A 136	31.308	33.769	3.657	1.00	21.13	C
ATOM	1032	CG	TYR A 136	31.065	33.687	5.146	1.00	23.59	C
ATOM	1033	CD1	TYR A 136	30.300	32.654	5.697	1.00	25.30	C
ATOM	1034	CD2	TYR A 136	31.644	34.614	6.013	1.00	24.68	C
ATOM	1035	CE1	TYR A 136	30.123	32.545	7.074	1.00	24.34	C
ATOM	1036	CE2	TYR A 136	31.470	34.512	7.387	1.00	27.94	C
ATOM	1037	CZ	TYR A 136	30.710	33.475	7.909	1.00	27.12	C
ATOM	1038	OH	TYR A 136	30.534	33.376	9.271	1.00	36.62	O
ATOM	1039	N	ALA A 137	30.134	36.644	3.175	1.00	17.67	N

ATOM	1040	CA	ALA	A	137	29.649	37.926	3.675	1.00	18.15	C
ATOM	1041	C	ALA	A	137	28.276	38.292	3.115	1.00	17.90	C
ATOM	1042	O	ALA	A	137	27.419	38.797	3.836	1.00	19.04	O
ATOM	1043	CB	ALA	A	137	30.647	39.024	3.351	1.00	21.17	C
ATOM	1044	N	ILE	A	138	28.065	38.045	1.832	1.00	16.53	N
ATOM	1045	CA	ILE	A	138	26.783	38.365	1.219	1.00	18.71	C
ATOM	1046	C	ILE	A	138	25.679	37.538	1.858	1.00	18.63	C
ATOM	1047	O	ILE	A	138	24.589	38.045	2.111	1.00	16.14	O
ATOM	1048	CB	ILE	A	138	26.815	38.129	-0.302	1.00	19.32	C
ATOM	1049	CG1	ILE	A	138	27.774	39.127	-0.954	1.00	21.58	C
ATOM	1050	CG2	ILE	A	138	25.415	38.233	-0.892	1.00	20.45	C
ATOM	1051	CD1	ILE	A	138	27.332	40.566	-0.856	1.00	23.61	C
ATOM	1052	N	ALA	A	139	25.975	36.271	2.130	1.00	17.91	N
ATOM	1053	CA	ALA	A	139	25.003	35.380	2.758	1.00	18.66	C
ATOM	1054	C	ALA	A	139	24.645	35.881	4.166	1.00	20.07	C
ATOM	1055	O	ALA	A	139	23.468	35.906	4.541	1.00	20.04	O
ATOM	1056	CB	ALA	A	139	25.551	33.945	2.820	1.00	16.98	C
ATOM	1057	N	LYS	A	140	25.659	36.309	4.921	1.00	16.68	N
ATOM	1058	CA	LYS	A	140	25.456	36.809	6.280	1.00	17.51	C
ATOM	1059	C	LYS	A	140	24.615	38.089	6.304	1.00	19.38	C
ATOM	1060	O	LYS	A	140	23.726	38.243	7.143	1.00	19.61	O
ATOM	1061	CB	LYS	A	140	26.803	37.024	6.996	1.00	17.19	C
ATOM	1062	CG	LYS	A	140	27.493	35.740	7.412	1.00	19.70	C
ATOM	1063	CD	LYS	A	140	26.552	34.948	8.311	1.00	27.77	C
ATOM	1064	CE	LYS	A	140	27.172	33.694	8.863	1.00	29.96	C
ATOM	1065	NZ	LYS	A	140	26.335	33.184	9.977	1.00	30.18	N
ATOM	1066	N	ILE	A	141	24.914	39.012	5.395	1.00	17.86	N
ATOM	1067	CA	ILE	A	141	24.170	40.253	5.302	1.00	18.34	C
ATOM	1068	C	ILE	A	141	22.712	39.926	4.960	1.00	19.01	C
ATOM	1069	O	ILE	A	141	21.802	40.492	5.565	1.00	18.79	O
ATOM	1070	CB	ILE	A	141	24.803	41.203	4.253	1.00	18.17	C
ATOM	1071	CG1	ILE	A	141	26.121	41.753	4.790	1.00	15.45	C
ATOM	1072	CG2	ILE	A	141	23.860	42.351	3.906	1.00	18.08	C
ATOM	1073	CD1	ILE	A	141	26.979	42.400	3.725	1.00	15.85	C
ATOM	1074	N	ALA	A	142	22.492	38.984	4.040	1.00	15.30	N
ATOM	1075	CA	ALA	A	142	21.132	38.589	3.663	1.00	16.12	C
ATOM	1076	C	ALA	A	142	20.401	38.037	4.886	1.00	17.04	C
ATOM	1077	O	ALA	A	142	19.191	38.211	5.008	1.00	17.95	O
ATOM	1078	CB	ALA	A	142	21.157	37.544	2.558	1.00	17.22	C
ATOM	1079	N	GLY	A	143	21.143	37.369	5.779	1.00	17.48	N
ATOM	1080	CA	GLY	A	143	20.575	36.822	7.007	1.00	13.52	C
ATOM	1081	C	GLY	A	143	20.062	37.933	7.911	1.00	18.27	C
ATOM	1082	O	GLY	A	143	18.969	37.834	8.468	1.00	17.07	O
ATOM	1083	N	ILE	A	144	20.844	39.006	8.038	1.00	19.38	N
ATOM	1084	CA	ILE	A	144	20.464	40.155	8.856	1.00	19.31	C
ATOM	1085	C	ILE	A	144	19.228	40.834	8.268	1.00	18.59	C
ATOM	1086	O	ILE	A	144	18.310	41.191	8.999	1.00	21.56	O
ATOM	1087	CB	ILE	A	144	21.603	41.221	8.944	1.00	17.98	C
ATOM	1088	CG1	ILE	A	144	22.803	40.673	9.720	1.00	13.98	C
ATOM	1089	CG2	ILE	A	144	21.099	42.500	9.638	1.00	14.21	C
ATOM	1090	CD1	ILE	A	144	24.023	41.565	9.603	1.00	13.94	C
ATOM	1091	N	LYS	A	145	19.200	40.995	6.950	1.00	17.01	N
ATOM	1092	CA	LYS	A	145	18.080	41.651	6.289	1.00	16.57	C
ATOM	1093	C	LYS	A	145	16.794	40.829	6.317	1.00	16.80	C
ATOM	1094	O	LYS	A	145	15.699	41.378	6.223	1.00	18.88	O
ATOM	1095	CB	LYS	A	145	18.468	42.065	4.868	1.00	16.04	C

ATOM	1096	CG	LYS	A	145	19.620	43.051	4.839	1.00	14.82	C
ATOM	1097	CD	LYS	A	145	19.300	44.276	5.665	1.00	16.49	C
ATOM	1098	CE	LYS	A	145	20.464	45.240	5.783	1.00	14.44	C
ATOM	1099	NZ	LYS	A	145	20.071	46.371	6.669	1.00	16.91	N
ATOM	1100	N	LEU	A	146	16.925	39.512	6.411	1.00	17.72	N
ATOM	1101	CA	LEU	A	146	15.762	38.637	6.515	1.00	18.09	C
ATOM	1102	C	LEU	A	146	15.130	38.935	7.873	1.00	18.98	C
ATOM	1103	O	LEU	A	146	13.930	39.152	7.973	1.00	20.75	O
ATOM	1104	CB	LEU	A	146	16.179	37.170	6.463	1.00	16.75	C
ATOM	1105	CG	LEU	A	146	16.263	36.496	5.099	1.00	18.85	C
ATOM	1106	CD1	LEU	A	146	17.003	35.178	5.235	1.00	18.16	C
ATOM	1107	CD2	LEU	A	146	14.871	36.267	4.552	1.00	17.81	C
ATOM	1108	N	CYS	A	147	15.963	38.966	8.911	1.00	18.95	N
ATOM	1109	CA	CYS	A	147	15.510	39.252	10.269	1.00	19.17	C
ATOM	1110	C	CYS	A	147	14.762	40.578	10.336	1.00	17.87	C
ATOM	1111	O	CYS	A	147	13.644	40.637	10.848	1.00	23.95	O
ATOM	1112	CB	CYS	A	147	16.699	39.293	11.248	1.00	19.14	C
ATOM	1113	SG	CYS	A	147	17.415	37.689	11.667	1.00	20.97	S
ATOM	1114	N	GLU	A	148	15.384	41.635	9.816	1.00	17.99	N
ATOM	1115	CA	GLU	A	148	14.794	42.979	9.816	1.00	18.37	C
ATOM	1116	C	GLU	A	148	13.474	43.010	9.050	1.00	17.39	C
ATOM	1117	O	GLU	A	148	12.510	43.602	9.507	1.00	21.13	O
ATOM	1118	CB	GLU	A	148	15.788	44.017	9.250	1.00	14.57	C
ATOM	1119	CG	GLU	A	148	17.070	44.148	10.092	1.00	13.52	C
ATOM	1120	CD	GLU	A	148	18.106	45.127	9.551	1.00	14.62	C
ATOM	1121	OE1	GLU	A	148	18.015	45.579	8.389	1.00	16.51	O
ATOM	1122	OE2	GLU	A	148	19.031	45.456	10.319	1.00	20.79	O
ATOM	1123	N	SER	A	149	13.422	42.299	7.929	1.00	19.34	N
ATOM	1124	CA	SER	A	149	12.227	42.243	7.090	1.00	19.00	C
ATOM	1125	C	SER	A	149	11.059	41.528	7.765	1.00	19.17	C
ATOM	1126	O	SER	A	149	9.914	41.917	7.558	1.00	18.26	O
ATOM	1127	CB	SER	A	149	12.551	41.604	5.734	1.00	17.15	C
ATOM	1128	OG	SER	A	149	13.489	42.402	5.024	1.00	14.19	O
ATOM	1129	N	TYR	A	150	11.345	40.481	8.549	1.00	19.29	N
ATOM	1130	CA	TYR	A	150	10.304	39.746	9.274	1.00	17.60	C
ATOM	1131	C	TYR	A	150	9.865	40.564	10.475	1.00	18.45	C
ATOM	1132	O	TYR	A	150	8.710	40.489	10.876	1.00	20.88	O
ATOM	1133	CB	TYR	A	150	10.767	38.347	9.708	1.00	15.76	C
ATOM	1134	CG	TYR	A	150	10.648	37.310	8.606	1.00	17.89	C
ATOM	1135	CD1	TYR	A	150	11.600	37.234	7.580	1.00	18.65	C
ATOM	1136	CD2	TYR	A	150	9.545	36.460	8.537	1.00	20.61	C
ATOM	1137	CE1	TYR	A	150	11.450	36.344	6.511	1.00	17.41	C
ATOM	1138	CE2	TYR	A	150	9.388	35.556	7.465	1.00	19.44	C
ATOM	1139	CZ	TYR	A	150	10.339	35.512	6.462	1.00	19.61	C
ATOM	1140	OH	TYR	A	150	10.180	34.651	5.402	1.00	20.59	O
ATOM	1141	N	ASN	A	151	10.786	41.341	11.042	1.00	16.10	N
ATOM	1142	CA	ASN	A	151	10.461	42.208	12.170	1.00	19.90	C
ATOM	1143	C	ASN	A	151	9.515	43.315	11.699	1.00	19.24	C
ATOM	1144	O	ASN	A	151	8.536	43.627	12.364	1.00	21.47	O
ATOM	1145	CB	ASN	A	151	11.710	42.865	12.753	1.00	16.62	C
ATOM	1146	CG	ASN	A	151	12.620	41.889	13.469	1.00	18.87	C
ATOM	1147	OD1	ASN	A	151	13.751	42.235	13.788	1.00	28.21	O
ATOM	1148	ND2	ASN	A	151	12.150	40.681	13.716	1.00	14.64	N
ATOM	1149	N	ARG	A	152	9.850	43.932	10.568	1.00	22.05	N
ATOM	1150	CA	ARG	A	152	9.044	44.999	9.978	1.00	21.37	C
ATOM	1151	C	ARG	A	152	7.664	44.514	9.510	1.00	21.48	C

ATOM	1152	O	ARG A 152	6.641	45.029	9.957	1.00	22.70	O
ATOM	1153	CB	ARG A 152	9.802	45.651	8.814	1.00	18.06	C
ATOM	1154	CG	ARG A 152	10.973	46.514	9.264	1.00	16.68	C
ATOM	1155	CD	ARG A 152	11.790	47.030	8.091	1.00	16.80	C
ATOM	1156	NE	ARG A 152	11.055	48.004	7.295	1.00	20.16	N
ATOM	1157	CZ	ARG A 152	11.068	48.060	5.966	1.00	23.08	C
ATOM	1158	NH1	ARG A 152	11.778	47.189	5.257	1.00	25.34	N
ATOM	1159	NH2	ARG A 152	10.391	49.013	5.335	1.00	23.87	N
ATOM	1160	N	GLN A 153	7.638	43.485	8.666	1.00	20.73	N
ATOM	1161	CA	GLN A 153	6.383	42.960	8.138	1.00	20.79	C
ATOM	1162	C	GLN A 153	5.502	42.227	9.132	1.00	20.73	C
ATOM	1163	O	GLN A 153	4.328	42.525	9.233	1.00	21.63	O
ATOM	1164	CB	GLN A 153	6.620	42.039	6.931	1.00	16.56	C
ATOM	1165	CG	GLN A 153	5.316	41.569	6.258	1.00	16.97	C
ATOM	1166	CD	GLN A 153	5.518	40.772	4.962	1.00	16.59	C
ATOM	1167	OE1	GLN A 153	4.642	40.017	4.543	1.00	22.43	O
ATOM	1168	NE2	GLN A 153	6.653	40.948	4.327	1.00	10.42	N
ATOM	1169	N	TYR A 154	6.066	41.286	9.879	1.00	21.85	N
ATOM	1170	CA	TYR A 154	5.267	40.475	10.793	1.00	21.16	C
ATOM	1171	C	TYR A 154	5.318	40.813	12.271	1.00	20.36	C
ATOM	1172	O	TYR A 154	4.645	40.172	13.075	1.00	23.44	O
ATOM	1173	CB	TYR A 154	5.588	38.986	10.572	1.00	19.13	C
ATOM	1174	CG	TYR A 154	5.303	38.492	9.152	1.00	27.03	C
ATOM	1175	CD1	TYR A 154	3.983	38.330	8.693	1.00	24.58	C
ATOM	1176	CD2	TYR A 154	6.344	38.185	8.266	1.00	22.83	C
ATOM	1177	CE1	TYR A 154	3.710	37.880	7.398	1.00	23.56	C
ATOM	1178	CE2	TYR A 154	6.075	37.727	6.963	1.00	25.09	C
ATOM	1179	CZ	TYR A 154	4.755	37.583	6.538	1.00	27.11	C
ATOM	1180	OH	TYR A 154	4.475	37.170	5.248	1.00	29.14	O
ATOM	1181	N	GLY A 155	6.080	41.833	12.630	1.00	18.48	N
ATOM	1182	CA	GLY A 155	6.179	42.205	14.025	1.00	21.43	C
ATOM	1183	C	GLY A 155	6.946	41.180	14.831	1.00	22.37	C
ATOM	1184	O	GLY A 155	6.659	40.971	16.003	1.00	25.67	O
ATOM	1185	N	ARG A 156	7.909	40.518	14.198	1.00	23.34	N
ATOM	1186	CA	ARG A 156	8.737	39.527	14.884	1.00	21.88	C
ATOM	1187	C	ARG A 156	9.835	40.187	15.741	1.00	20.20	C
ATOM	1188	O	ARG A 156	10.028	41.406	15.707	1.00	18.48	O
ATOM	1189	CB	ARG A 156	9.367	38.579	13.870	1.00	18.88	C
ATOM	1190	CG	ARG A 156	8.384	37.648	13.212	1.00	18.28	C
ATOM	1191	CD	ARG A 156	7.802	36.741	14.247	1.00	20.89	C
ATOM	1192	NE	ARG A 156	6.837	35.804	13.689	1.00	22.13	N
ATOM	1193	CZ	ARG A 156	5.832	35.262	14.378	1.00	23.70	C
ATOM	1194	NH1	ARG A 156	5.643	35.574	15.653	1.00	24.16	N
ATOM	1195	NH2	ARG A 156	5.054	34.350	13.815	1.00	24.72	N
ATOM	1196	N	ASP A 157	10.549	39.361	16.500	1.00	18.58	N
ATOM	1197	CA	ASP A 157	11.622	39.826	17.370	1.00	21.97	C
ATOM	1198	C	ASP A 157	12.884	39.013	17.031	1.00	23.76	C
ATOM	1199	O	ASP A 157	13.377	38.214	17.840	1.00	22.02	O
ATOM	1200	CB	ASP A 157	11.212	39.633	18.839	1.00	22.26	C
ATOM	1201	CG	ASP A 157	12.189	40.262	19.817	1.00	26.19	C
ATOM	1202	OD1	ASP A 157	13.061	41.054	19.405	1.00	28.35	O
ATOM	1203	OD2	ASP A 157	12.087	39.960	21.017	1.00	27.13	O
ATOM	1204	N	TYR A 158	13.369	39.207	15.805	1.00	22.30	N
ATOM	1205	CA	TYR A 158	14.545	38.518	15.297	1.00	16.86	C
ATOM	1206	C	TYR A 158	15.749	39.435	15.379	1.00	18.55	C
ATOM	1207	O	TYR A 158	15.909	40.354	14.581	1.00	18.27	O

ATOM	1208	CB	TYR	A	158	14.293	38.064	13.865	1.00	18.34	C
ATOM	1209	CG	TYR	A	158	13.192	37.029	13.741	1.00	18.16	C
ATOM	1210	CD1	TYR	A	158	12.571	36.495	14.879	1.00	20.51	C
ATOM	1211	CD2	TYR	A	158	12.777	36.575	12.491	1.00	17.28	C
ATOM	1212	CE1	TYR	A	158	11.566	35.534	14.773	1.00	21.29	C
ATOM	1213	CE2	TYR	A	158	11.772	35.613	12.371	1.00	19.99	C
ATOM	1214	CZ	TYR	A	158	11.175	35.094	13.516	1.00	22.91	C
ATOM	1215	OH	TYR	A	158	10.215	34.109	13.403	1.00	23.41	O
ATOM	1216	N	ARG	A	159	16.578	39.180	16.385	1.00	19.91	N
ATOM	1217	CA	ARG	A	159	17.768	39.965	16.667	1.00	18.07	C
ATOM	1218	C	ARG	A	159	19.025	39.335	16.057	1.00	18.83	C
ATOM	1219	O	ARG	A	159	19.022	38.163	15.693	1.00	16.97	O
ATOM	1220	CB	ARG	A	159	17.905	40.108	18.184	1.00	18.99	C
ATOM	1221	CG	ARG	A	159	16.600	40.525	18.838	1.00	19.47	C
ATOM	1222	CD	ARG	A	159	16.711	40.725	20.340	1.00	22.83	C
ATOM	1223	NE	ARG	A	159	15.398	40.997	20.927	1.00	25.17	N
ATOM	1224	CZ	ARG	A	159	15.197	41.413	22.175	1.00	32.49	C
ATOM	1225	NH1	ARG	A	159	16.227	41.618	22.993	1.00	32.08	N
ATOM	1226	NH2	ARG	A	159	13.961	41.607	22.614	1.00	26.27	N
ATOM	1227	N	SER	A	160	20.090	40.125	15.935	1.00	19.50	N
ATOM	1228	CA	SER	A	160	21.328	39.639	15.342	1.00	21.76	C
ATOM	1229	C	SER	A	160	22.555	40.294	15.957	1.00	23.15	C
ATOM	1230	O	SER	A	160	22.528	41.468	16.341	1.00	26.23	O
ATOM	1231	CB	SER	A	160	21.299	39.855	13.821	1.00	20.64	C
ATOM	1232	OG	SER	A	160	21.117	41.217	13.512	1.00	23.32	O
ATOM	1233	N	VAL	A	161	23.621	39.511	16.088	1.00	23.62	N
ATOM	1234	CA	VAL	A	161	24.874	39.994	16.667	1.00	23.43	C
ATOM	1235	C	VAL	A	161	26.043	39.656	15.739	1.00	23.75	C
ATOM	1236	O	VAL	A	161	26.073	38.567	15.161	1.00	21.57	O
ATOM	1237	CB	VAL	A	161	25.127	39.387	18.094	1.00	20.11	C
ATOM	1238	CG1	VAL	A	161	24.158	39.973	19.109	1.00	14.22	C
ATOM	1239	CG2	VAL	A	161	24.998	37.865	18.074	1.00	19.26	C
ATOM	1240	N	MET	A	162	26.956	40.617	15.551	1.00	25.91	N
ATOM	1241	CA	MET	A	162	28.142	40.431	14.698	1.00	26.79	C
ATOM	1242	C	MET	A	162	29.383	40.387	15.572	1.00	25.14	C
ATOM	1243	O	MET	A	162	29.836	41.406	16.088	1.00	23.88	O
ATOM	1244	CB	MET	A	162	28.306	41.554	13.663	1.00	29.36	C
ATOM	1245	CG	MET	A	162	27.114	41.757	12.727	1.00	41.15	C
ATOM	1246	SD	MET	A	162	26.273	40.237	12.115	1.00	47.49	S
ATOM	1247	CE	MET	A	162	27.173	39.939	10.695	1.00	55.04	C
ATOM	1248	N	PRO	A	163	29.949	39.193	15.752	1.00	25.96	N
ATOM	1249	CA	PRO	A	163	31.148	39.010	16.571	1.00	26.89	C
ATOM	1250	C	PRO	A	163	32.420	39.398	15.822	1.00	25.38	C
ATOM	1251	O	PRO	A	163	32.465	39.325	14.596	1.00	25.56	O
ATOM	1252	CB	PRO	A	163	31.157	37.497	16.849	1.00	23.11	C
ATOM	1253	CG	PRO	A	163	29.867	36.956	16.205	1.00	33.13	C
ATOM	1254	CD	PRO	A	163	29.534	37.925	15.134	1.00	27.16	C
ATOM	1255	N	THR	A	164	33.444	39.797	16.575	1.00	25.26	N
ATOM	1256	CA	THR	A	164	34.762	40.127	16.016	1.00	25.72	C
ATOM	1257	C	THR	A	164	35.474	38.758	15.893	1.00	25.86	C
ATOM	1258	O	THR	A	164	34.796	37.724	15.929	1.00	24.09	O
ATOM	1259	CB	THR	A	164	35.548	41.076	16.981	1.00	24.48	C
ATOM	1260	OG1	THR	A	164	36.831	41.386	16.426	1.00	22.96	O
ATOM	1261	CG2	THR	A	164	35.712	40.450	18.370	1.00	14.06	C
ATOM	1262	N	ASN	A	165	36.805	38.730	15.750	1.00	22.75	N
ATOM	1263	CA	ASN	A	165	37.523	37.451	15.664	1.00	20.46	C

ATOM	1264	C	ASN	A	165	37.327	36.664	16.955	1.00	20.50	C
ATOM	1265	O	ASN	A	165	37.514	37.187	18.044	1.00	22.04	O
ATOM	1266	CB	ASN	A	165	39.013	37.668	15.449	1.00	21.07	C
ATOM	1267	CG	ASN	A	165	39.303	38.416	14.184	1.00	27.32	C
ATOM	1268	OD1	ASN	A	165	38.911	37.989	13.096	1.00	30.55	O
ATOM	1269	ND2	ASN	A	165	39.981	39.557	14.310	1.00	28.79	N
ATOM	1270	N	LEU	A	166	36.944	35.403	16.821	1.00	21.91	N
ATOM	1271	CA	LEU	A	166	36.702	34.551	17.970	1.00	23.81	C
ATOM	1272	C	LEU	A	166	37.755	33.489	18.125	1.00	24.20	C
ATOM	1273	O	LEU	A	166	38.439	33.136	17.177	1.00	26.50	O
ATOM	1274	CB	LEU	A	166	35.361	33.835	17.822	1.00	22.98	C
ATOM	1275	CG	LEU	A	166	34.096	34.668	17.686	1.00	23.88	C
ATOM	1276	CD1	LEU	A	166	32.922	33.721	17.592	1.00	21.80	C
ATOM	1277	CD2	LEU	A	166	33.944	35.613	18.871	1.00	19.47	C
ATOM	1278	N	TYR	A	167	37.835	32.938	19.326	1.00	23.82	N
ATOM	1279	CA	TYR	A	167	38.766	31.861	19.599	1.00	23.16	C
ATOM	1280	C	TYR	A	167	38.276	31.157	20.854	1.00	22.14	C
ATOM	1281	O	TYR	A	167	37.419	31.673	21.567	1.00	20.63	O
ATOM	1282	CB	TYR	A	167	40.196	32.399	19.786	1.00	21.91	C
ATOM	1283	CG	TYR	A	167	40.425	33.155	21.083	1.00	22.67	C
ATOM	1284	CD1	TYR	A	167	40.060	34.499	21.212	1.00	21.12	C
ATOM	1285	CD2	TYR	A	167	41.018	32.520	22.184	1.00	21.84	C
ATOM	1286	CE1	TYR	A	167	40.283	35.191	22.411	1.00	23.41	C
ATOM	1287	CE2	TYR	A	167	41.241	33.197	23.377	1.00	20.48	C
ATOM	1288	CZ	TYR	A	167	40.874	34.527	23.484	1.00	23.13	C
ATOM	1289	OH	TYR	A	167	41.106	35.188	24.664	1.00	26.17	O
ATOM	1290	N	GLY	A	168	38.809	29.973	21.116	1.00	22.51	N
ATOM	1291	CA	GLY	A	168	38.413	29.246	22.304	1.00	22.22	C
ATOM	1292	C	GLY	A	168	38.288	27.768	22.015	1.00	23.94	C
ATOM	1293	O	GLY	A	168	38.749	27.301	20.973	1.00	21.69	O
ATOM	1294	N	PRO	A	169	37.722	26.993	22.952	1.00	25.73	N
ATOM	1295	CA	PRO	A	169	37.561	25.553	22.735	1.00	27.29	C
ATOM	1296	C	PRO	A	169	36.636	25.235	21.558	1.00	30.16	C
ATOM	1297	O	PRO	A	169	35.716	25.998	21.248	1.00	30.60	O
ATOM	1298	CB	PRO	A	169	36.981	25.068	24.066	1.00	28.91	C
ATOM	1299	CG	PRO	A	169	36.396	26.302	24.692	1.00	28.86	C
ATOM	1300	CD	PRO	A	169	37.386	27.358	24.338	1.00	24.95	C
ATOM	1301	N	HIS	A	170	36.908	24.111	20.900	1.00	30.48	N
ATOM	1302	CA	HIS	A	170	36.132	23.635	19.757	1.00	33.27	C
ATOM	1303	C	HIS	A	170	36.394	24.372	18.483	1.00	32.50	C
ATOM	1304	O	HIS	A	170	35.670	24.213	17.500	1.00	35.70	O
ATOM	1305	CB	HIS	A	170	34.637	23.568	20.064	1.00	32.59	C
ATOM	1306	CG	HIS	A	170	34.321	22.575	21.126	1.00	37.11	C
ATOM	1307	ND1	HIS	A	170	34.210	21.224	20.857	1.00	38.96	N
ATOM	1308	CD2	HIS	A	170	34.225	22.700	22.469	1.00	39.73	C
ATOM	1309	CE1	HIS	A	170	34.072	20.567	22.002	1.00	41.36	C
ATOM	1310	NE2	HIS	A	170	34.079	21.446	22.990	1.00	38.88	N
ATOM	1311	N	ASP	A	171	37.451	25.170	18.497	1.00	32.94	N
ATOM	1312	CA	ASP	A	171	37.851	25.904	17.315	1.00	32.31	C
ATOM	1313	C	ASP	A	171	38.518	24.853	16.432	1.00	34.67	C
ATOM	1314	O	ASP	A	171	38.732	23.705	16.848	1.00	34.74	O
ATOM	1315	CB	ASP	A	171	38.853	27.007	17.685	1.00	29.11	C
ATOM	1316	CG	ASP	A	171	38.975	28.090	16.620	1.00	27.98	C
ATOM	1317	OD1	ASP	A	171	38.573	27.891	15.452	1.00	31.30	O
ATOM	1318	OD2	ASP	A	171	39.490	29.171	16.964	1.00	31.79	O
ATOM	1319	N	ASN	A	172	38.820	25.250	15.208	1.00	37.54	N

ATOM	1320	CA	ASN	A	172	39.464	24.382	14.248	1.00	40.57	C
ATOM	1321	C	ASN	A	172	40.982	24.489	14.422	1.00	43.13	C
ATOM	1322	O	ASN	A	172	41.615	25.403	13.886	1.00	43.13	O
ATOM	1323	CB	ASN	A	172	39.042	24.820	12.848	1.00	42.69	C
ATOM	1324	CG	ASN	A	172	39.710	24.021	11.753	1.00	45.60	C
ATOM	1325	OD1	ASN	A	172	40.460	23.074	12.015	1.00	45.68	O
ATOM	1326	ND2	ASN	A	172	39.448	24.411	10.506	1.00	45.39	N
ATOM	1327	N	PHE	A	173	41.561	23.570	15.191	1.00	45.69	N
ATOM	1328	CA	PHE	A	173	43.002	23.585	15.424	1.00	48.04	C
ATOM	1329	C	PHE	A	173	43.803	22.842	14.374	1.00	54.64	C
ATOM	1330	O	PHE	A	173	45.030	22.801	14.450	1.00	55.57	O
ATOM	1331	CB	PHE	A	173	43.339	23.069	16.814	1.00	39.40	C
ATOM	1332	CG	PHE	A	173	43.021	24.043	17.896	1.00	38.63	C
ATOM	1333	CD1	PHE	A	173	41.758	24.070	18.475	1.00	37.90	C
ATOM	1334	CD2	PHE	A	173	43.975	24.958	18.321	1.00	35.44	C
ATOM	1335	CE1	PHE	A	173	41.448	24.993	19.461	1.00	35.31	C
ATOM	1336	CE2	PHE	A	173	43.672	25.882	19.302	1.00	34.35	C
ATOM	1337	CZ	PHE	A	173	42.406	25.900	19.873	1.00	34.16	C
ATOM	1338	N	HIS	A	174	43.104	22.285	13.383	1.00	62.23	N
ATOM	1339	CA	HIS	A	174	43.740	21.559	12.285	1.00	65.73	C
ATOM	1340	C	HIS	A	174	44.747	22.495	11.603	1.00	69.87	C
ATOM	1341	O	HIS	A	174	44.625	23.728	11.678	1.00	68.58	O
ATOM	1342	CB	HIS	A	174	42.681	21.063	11.279	1.00	61.11	C
ATOM	1343	N	PRO	A	175	45.791	21.916	10.981	1.00	74.50	N
ATOM	1344	CA	PRO	A	175	46.850	22.655	10.279	1.00	74.82	C
ATOM	1345	C	PRO	A	175	46.325	23.481	9.111	1.00	75.18	C
ATOM	1346	O	PRO	A	175	46.947	24.460	8.696	1.00	77.75	O
ATOM	1347	CB	PRO	A	175	47.769	21.537	9.789	1.00	77.12	C
ATOM	1348	CG	PRO	A	175	46.817	20.367	9.608	1.00	78.25	C
ATOM	1349	CD	PRO	A	175	46.010	20.460	10.870	1.00	75.04	C
ATOM	1350	N	SER	A	176	45.165	23.084	8.604	1.00	75.10	N
ATOM	1351	CA	SER	A	176	44.527	23.751	7.479	1.00	75.72	C
ATOM	1352	C	SER	A	176	43.883	25.104	7.842	1.00	75.78	C
ATOM	1353	O	SER	A	176	43.696	25.953	6.959	1.00	75.47	O
ATOM	1354	CB	SER	A	176	43.469	22.823	6.879	1.00	76.11	C
ATOM	1355	OG	SER	A	176	43.936	21.484	6.842	1.00	77.64	O
ATOM	1356	N	ASN	A	177	43.551	25.302	9.125	1.00	72.94	N
ATOM	1357	CA	ASN	A	177	42.909	26.544	9.580	1.00	69.12	C
ATOM	1358	C	ASN	A	177	43.813	27.764	9.532	1.00	65.94	C
ATOM	1359	O	ASN	A	177	44.891	27.780	10.144	1.00	65.45	O
ATOM	1360	CB	ASN	A	177	42.336	26.406	10.997	1.00	71.16	C
ATOM	1361	CG	ASN	A	177	41.472	27.609	11.401	1.00	71.66	C
ATOM	1362	OD1	ASN	A	177	41.049	28.397	10.548	1.00	73.31	C
ATOM	1363	ND2	ASN	A	177	41.199	27.744	12.697	1.00	67.25	N
ATOM	1364	N	SER	A	178	43.317	28.806	8.860	1.00	61.37	N
ATOM	1365	CA	SER	A	178	44.045	30.061	8.684	1.00	56.06	C
ATOM	1366	C	SER	A	178	43.887	31.098	9.808	1.00	54.27	C
ATOM	1367	O	SER	A	178	44.649	32.072	9.848	1.00	55.12	O
ATOM	1368	CB	SER	A	178	43.701	30.703	7.326	1.00	52.63	C
ATOM	1369	OG	SER	A	178	42.422	31.308	7.338	1.00	46.99	O
ATOM	1370	N	HIS	A	179	42.913	30.911	10.705	1.00	48.10	N
ATOM	1371	CA	HIS	A	179	42.720	31.868	11.795	1.00	42.80	C
ATOM	1372	C	HIS	A	179	43.964	31.900	12.674	1.00	37.82	C
ATOM	1373	O	HIS	A	179	44.507	30.866	13.073	1.00	33.48	O
ATOM	1374	CB	HIS	A	179	41.422	31.594	12.559	1.00	46.48	C
ATOM	1375	CG	HIS	A	179	40.199	31.773	11.712	1.00	51.98	C

ATOM	1376	ND1	HIS	A	179	39.234	30.797	11.577	1.00	57.89	N
ATOM	1377	CD2	HIS	A	179	39.838	32.774	10.873	1.00	52.35	C
ATOM	1378	CE1	HIS	A	179	38.342	31.186	10.682	1.00	56.31	C
ATOM	1379	NE2	HIS	A	179	38.686	32.383	10.240	1.00	52.76	N
ATOM	1380	N	VAL	A	180	44.470	33.112	12.852	1.00	32.00	N
ATOM	1381	CA	VAL	A	180	45.691	33.368	13.579	1.00	32.18	C
ATOM	1382	C	VAL	A	180	45.869	32.723	14.958	1.00	28.84	C
ATOM	1383	O	VAL	A	180	46.915	32.122	15.208	1.00	30.55	O
ATOM	1384	CB	VAL	A	180	46.007	34.898	13.586	1.00	33.53	C
ATOM	1385	CG1	VAL	A	180	45.111	35.639	14.548	1.00	30.46	C
ATOM	1386	CG2	VAL	A	180	47.468	35.139	13.893	1.00	37.25	C
ATOM	1387	N	ILE	A	181	44.870	32.800	15.836	1.00	25.22	N
ATOM	1388	CA	ILE	A	181	45.022	32.200	17.165	1.00	23.61	C
ATOM	1389	C	ILE	A	181	45.219	30.666	17.161	1.00	24.19	C
ATOM	1390	O	ILE	A	181	46.229	30.181	17.668	1.00	23.46	O
ATOM	1391	CB	ILE	A	181	43.935	32.682	18.146	1.00	19.90	C
ATOM	1392	CG1	ILE	A	181	44.168	34.165	18.440	1.00	19.23	C
ATOM	1393	CG2	ILE	A	181	43.969	31.876	19.445	1.00	17.91	C
ATOM	1394	CD1	ILE	A	181	43.142	34.791	19.337	1.00	20.39	C
ATOM	1395	N	PRO	A	182	44.275	29.888	16.592	1.00	22.56	N
ATOM	1396	CA	PRO	A	182	44.485	28.435	16.583	1.00	22.55	C
ATOM	1397	C	PRO	A	182	45.710	28.011	15.767	1.00	23.61	C
ATOM	1398	O	PRO	A	182	46.362	27.020	16.100	1.00	22.98	O
ATOM	1399	CB	PRO	A	182	43.182	27.894	15.983	1.00	21.26	C
ATOM	1400	CG	PRO	A	182	42.619	29.051	15.235	1.00	22.20	C
ATOM	1401	CD	PRO	A	182	42.908	30.206	16.149	1.00	24.10	C
ATOM	1402	N	ALA	A	183	46.021	28.760	14.708	1.00	21.58	N
ATOM	1403	CA	ALA	A	183	47.184	28.462	13.872	1.00	24.53	C
ATOM	1404	C	ALA	A	183	48.470	28.681	14.667	1.00	25.64	C
ATOM	1405	O	ALA	A	183	49.384	27.850	14.630	1.00	27.30	O
ATOM	1406	CB	ALA	A	183	47.196	29.335	12.620	1.00	24.35	C
ATOM	1407	N	LEU	A	184	48.551	29.809	15.368	1.00	24.99	N
ATOM	1408	CA	LEU	A	184	49.734	30.101	16.167	1.00	25.37	C
ATOM	1409	C	LEU	A	184	49.852	29.214	17.415	1.00	25.99	C
ATOM	1410	O	LEU	A	184	50.960	28.834	17.792	1.00	27.56	O
ATOM	1411	CB	LEU	A	184	49.810	31.585	16.528	1.00	22.23	C
ATOM	1412	CG	LEU	A	184	50.182	32.511	15.363	1.00	25.96	C
ATOM	1413	CD1	LEU	A	184	50.392	33.928	15.884	1.00	20.43	C
ATOM	1414	CD2	LEU	A	184	51.446	31.999	14.655	1.00	19.43	C
ATOM	1415	N	LEU	A	185	48.733	28.883	18.060	1.00	25.29	N
ATOM	1416	CA	LEU	A	185	48.795	28.014	19.240	1.00	24.39	C
ATOM	1417	C	LEU	A	185	49.412	26.691	18.848	1.00	24.56	C
ATOM	1418	O	LEU	A	185	50.254	26.164	19.557	1.00	27.60	O
ATOM	1419	CB	LEU	A	185	47.411	27.760	19.836	1.00	22.89	C
ATOM	1420	CG	LEU	A	185	46.995	28.738	20.934	1.00	27.62	C
ATOM	1421	CD1	LEU	A	185	45.544	28.477	21.328	1.00	27.37	C
ATOM	1422	CD2	LEU	A	185	47.921	28.612	22.142	1.00	22.78	C
ATOM	1423	N	ARG	A	186	49.017	26.194	17.684	1.00	25.56	N
ATOM	1424	CA	ARG	A	186	49.501	24.931	17.150	1.00	27.87	C
ATOM	1425	C	ARG	A	186	50.987	24.980	16.791	1.00	26.21	C
ATOM	1426	O	ARG	A	186	51.745	24.083	17.139	1.00	26.14	O
ATOM	1427	CB	ARG	A	186	48.683	24.580	15.911	1.00	32.73	C
ATOM	1428	CG	ARG	A	186	48.985	23.234	15.310	1.00	44.90	C
ATOM	1429	CD	ARG	A	186	48.384	22.122	16.156	1.00	57.26	C
ATOM	1430	NE	ARG	A	186	48.617	20.808	15.556	1.00	65.19	N
ATOM	1431	CZ	ARG	A	186	47.742	20.151	14.798	1.00	68.62	C

ATOM	1432	NH1	ARG	A	186	46.548	20.668	14.537	1.00	72.49	N
ATOM	1433	NH2	ARG	A	186	48.078	18.985	14.266	1.00	73.83	N
ATOM	1434	N	ARG	A	187	51.394	26.026	16.081	1.00	24.48	N
ATOM	1435	CA	ARG	A	187	52.782	26.182	15.669	1.00	24.74	C
ATOM	1436	C	ARG	A	187	53.732	26.364	16.846	1.00	24.74	C
ATOM	1437	O	ARG	A	187	54.818	25.788	16.856	1.00	26.24	O
ATOM	1438	CB	ARG	A	187	52.929	27.358	14.710	1.00	23.68	C
ATOM	1439	CG	ARG	A	187	52.119	27.208	13.449	1.00	31.34	C
ATOM	1440	CD	ARG	A	187	52.396	28.351	12.507	1.00	34.19	C
ATOM	1441	NE	ARG	A	187	53.818	28.415	12.179	1.00	36.53	N
ATOM	1442	CZ	ARG	A	187	54.424	29.479	11.666	1.00	34.23	C
ATOM	1443	NH1	ARG	A	187	53.731	30.590	11.417	1.00	32.29	N
ATOM	1444	NH2	ARG	A	187	55.722	29.418	11.390	1.00	33.65	N
ATOM	1445	N	PHE	A	188	53.341	27.180	17.819	1.00	21.57	N
ATOM	1446	CA	PHE	A	188	54.192	27.400	18.983	1.00	24.91	C
ATOM	1447	C	PHE	A	188	54.297	26.157	19.833	1.00	24.73	C
ATOM	1448	O	PHE	A	188	55.337	25.904	20.420	1.00	26.48	O
ATOM	1449	CB	PHE	A	188	53.725	28.604	19.806	1.00	21.66	C
ATOM	1450	CG	PHE	A	188	54.212	29.911	19.256	1.00	26.26	C
ATOM	1451	CD1	PHE	A	188	55.574	30.193	19.230	1.00	26.59	C
ATOM	1452	CD2	PHE	A	188	53.327	30.822	18.680	1.00	27.23	C
ATOM	1453	CE1	PHE	A	188	56.060	31.364	18.629	1.00	30.17	C
ATOM	1454	CE2	PHE	A	188	53.797	31.998	18.074	1.00	27.73	C
ATOM	1455	CZ	PHE	A	188	55.168	32.265	18.045	1.00	28.16	C
ATOM	1456	N	HIS	A	189	53.228	25.364	19.858	1.00	27.07	N
ATOM	1457	CA	HIS	A	189	53.192	24.115	20.617	1.00	28.53	C
ATOM	1458	C	HIS	A	189	54.220	23.126	20.048	1.00	27.95	C
ATOM	1459	O	HIS	A	189	55.014	22.535	20.783	1.00	27.69	O
ATOM	1460	CB	HIS	A	189	51.786	23.497	20.551	1.00	28.59	C
ATOM	1461	CG	HIS	A	189	51.704	22.119	21.129	1.00	32.18	C
ATOM	1462	ND1	HIS	A	189	51.693	21.881	22.486	1.00	30.13	N
ATOM	1463	CD2	HIS	A	189	51.678	20.902	20.530	1.00	29.12	C
ATOM	1464	CE1	HIS	A	189	51.672	20.577	22.699	1.00	30.17	C
ATOM	1465	NE2	HIS	A	189	51.662	19.960	21.530	1.00	29.70	N
ATOM	1466	N	GLU	A	190	54.183	22.946	18.734	1.00	25.23	N
ATOM	1467	CA	GLU	A	190	55.100	22.040	18.074	1.00	29.45	C
ATOM	1468	C	GLU	A	190	56.533	22.531	18.072	1.00	30.02	C
ATOM	1469	O	GLU	A	190	57.458	21.740	18.253	1.00	31.74	O
ATOM	1470	CB	GLU	A	190	54.614	21.737	16.678	1.00	33.57	C
ATOM	1471	CG	GLU	A	190	53.620	20.605	16.707	1.00	50.97	C
ATOM	1472	CD	GLU	A	190	52.554	20.755	15.660	1.00	61.60	C
ATOM	1473	OE1	GLU	A	190	52.889	20.759	14.449	1.00	68.67	O
ATOM	1474	OE2	GLU	A	190	51.373	20.868	16.049	1.00	67.78	N
ATOM	1475	N	ALA	A	191	56.719	23.837	17.903	1.00	29.25	N
ATOM	1476	CA	ALA	A	191	58.047	24.431	17.926	1.00	25.71	C
ATOM	1477	C	ALA	A	191	58.652	24.229	19.322	1.00	24.60	C
ATOM	1478	O	ALA	A	191	59.846	23.982	19.443	1.00	26.03	O
ATOM	1479	CB	ALA	A	191	57.970	25.920	17.588	1.00	21.99	C
ATOM	1480	N	THR	A	192	57.817	24.306	20.360	1.00	23.89	N
ATOM	1481	CA	THR	A	192	58.258	24.127	21.746	1.00	25.70	C
ATOM	1482	C	THR	A	192	58.635	22.665	21.980	1.00	30.82	C
ATOM	1483	O	THR	A	192	59.683	22.368	22.566	1.00	34.40	O
ATOM	1484	CB	THR	A	192	57.151	24.524	22.743	1.00	24.15	C
ATOM	1485	OG1	THR	A	192	56.814	25.908	22.567	1.00	26.94	O
ATOM	1486	CG2	THR	A	192	57.617	24.315	24.168	1.00	18.91	C
ATOM	1487	N	ALA	A	193	57.787	21.765	21.482	1.00	33.20	N

ATOM	1488	CA	ALA	A	193	57.982	20.322	21.595	1.00	35.47	C
ATOM	1489	C	ALA	A	193	59.223	19.847	20.832	1.00	38.19	C
ATOM	1490	O	ALA	A	193	59.937	18.960	21.292	1.00	41.62	O
ATOM	1491	CB	ALA	A	193	56.743	19.598	21.075	1.00	32.40	C
ATOM	1492	N	GLN	A	194	59.461	20.430	19.656	1.00	39.55	N
ATOM	1493	CA	GLN	A	194	60.603	20.074	18.813	1.00	39.78	C
ATOM	1494	C	GLN	A	194	61.828	20.907	19.163	1.00	40.87	C
ATOM	1495	O	GLN	A	194	62.896	20.736	18.575	1.00	43.65	O
ATOM	1496	CB	GLN	A	194	60.245	20.249	17.333	1.00	44.89	C
ATOM	1497	CG	GLN	A	194	59.170	19.265	16.838	1.00	55.10	C
ATOM	1498	CD	GLN	A	194	58.401	19.744	15.598	1.00	62.27	C
ATOM	1499	OE1	GLN	A	194	57.292	19.257	15.317	1.00	63.37	O
ATOM	1500	NE2	GLN	A	194	58.977	20.703	14.862	1.00	61.98	N
ATOM	1501	N	ASN	A	195	61.674	21.808	20.124	1.00	40.88	N
ATOM	1502	CA	ASN	A	195	62.755	22.674	20.569	1.00	43.91	C
ATOM	1503	C	ASN	A	195	63.405	23.503	19.437	1.00	41.72	C
ATOM	1504	O	ASN	A	195	64.623	23.734	19.436	1.00	38.80	O
ATOM	1505	CB	ASN	A	195	63.810	21.846	21.305	1.00	53.95	C
ATOM	1506	CG	ASN	A	195	64.498	22.637	22.397	1.00	65.59	C
ATOM	1507	OD1	ASN	A	195	65.700	22.505	22.605	1.00	75.35	O
ATOM	1508	ND2	ASN	A	195	63.732	23.480	23.099	1.00	69.22	N
ATOM	1509	N	ALA	A	196	62.567	23.970	18.503	1.00	36.58	N
ATOM	1510	CA	ALA	A	196	62.998	24.777	17.360	1.00	30.15	C
ATOM	1511	C	ALA	A	196	63.588	26.109	17.808	1.00	30.83	C
ATOM	1512	O	ALA	A	196	63.037	26.791	18.662	1.00	29.22	O
ATOM	1513	CB	ALA	A	196	61.828	25.013	16.427	1.00	28.38	C
ATOM	1514	N	PRO	A	197	64.729	26.502	17.219	1.00	31.98	N
ATOM	1515	CA	PRO	A	197	65.391	27.763	17.579	1.00	28.21	C
ATOM	1516	C	PRO	A	197	64.508	29.006	17.366	1.00	28.67	C
ATOM	1517	O	PRO	A	197	64.549	29.941	18.173	1.00	24.78	O
ATOM	1518	CB	PRO	A	197	66.628	27.759	16.676	1.00	28.56	C
ATOM	1519	CG	PRO	A	197	66.181	26.954	15.491	1.00	33.08	C
ATOM	1520	CD	PRO	A	197	65.424	25.829	16.107	1.00	28.22	C
ATOM	1521	N	ASP	A	198	63.692	28.998	16.314	1.00	27.04	N
ATOM	1522	CA	ASP	A	198	62.799	30.124	16.034	1.00	28.66	C
ATOM	1523	C	ASP	A	198	61.508	29.756	15.298	1.00	27.01	C
ATOM	1524	O	ASP	A	198	61.358	28.650	14.775	1.00	23.15	O
ATOM	1525	CB	ASP	A	198	63.540	31.220	15.257	1.00	32.19	C
ATOM	1526	CG	ASP	A	198	64.078	30.743	13.912	1.00	37.91	C
ATOM	1527	OD1	ASP	A	198	63.888	29.568	13.526	1.00	44.89	O
ATOM	1528	OD2	ASP	A	198	64.702	31.562	13.220	1.00	47.35	O
ATOM	1529	N	VAL	A	199	60.577	30.705	15.278	1.00	26.34	N
ATOM	1530	CA	VAL	A	199	59.299	30.545	14.591	1.00	24.87	C
ATOM	1531	C	VAL	A	199	59.132	31.810	13.769	1.00	23.03	C
ATOM	1532	O	VAL	A	199	59.094	32.911	14.317	1.00	21.82	O
ATOM	1533	CB	VAL	A	199	58.109	30.426	15.564	1.00	26.68	C
ATOM	1534	CG1	VAL	A	199	56.801	30.425	14.776	1.00	24.34	C
ATOM	1535	CG2	VAL	A	199	58.221	29.156	16.378	1.00	24.54	C
ATOM	1536	N	VAL	A	200	59.092	31.649	12.454	1.00	21.37	N
ATOM	1537	CA	VAL	A	200	58.958	32.780	11.557	1.00	21.47	C
ATOM	1538	C	VAL	A	200	57.507	33.012	11.186	1.00	21.22	C
ATOM	1539	O	VAL	A	200	56.815	32.093	10.766	1.00	23.29	O
ATOM	1540	CB	VAL	A	200	59.807	32.587	10.275	1.00	22.51	C
ATOM	1541	CG1	VAL	A	200	59.643	33.784	9.332	1.00	20.18	C
ATOM	1542	CG2	VAL	A	200	61.281	32.383	10.648	1.00	17.80	C
ATOM	1543	N	VAL	A	201	57.045	34.240	11.394	1.00	21.11	N

ATOM	1544	CA	VAL	A	201	55.684	34.640	11.077	1.00	18.06	C
ATOM	1545	C	VAL	A	201	55.781	35.669	9.958	1.00	19.48	C
ATOM	1546	O	VAL	A	201	56.614	36.561	10.020	1.00	21.36	O
ATOM	1547	CB	VAL	A	201	55.016	35.282	12.293	1.00	20.82	C
ATOM	1548	CG1	VAL	A	201	53.594	35.697	11.943	1.00	23.30	C
ATOM	1549	CG2	VAL	A	201	55.004	34.292	13.460	1.00	18.66	C
ATOM	1550	N	TRP	A	202	54.956	35.522	8.925	1.00	18.77	N
ATOM	1551	CA	TRP	A	202	54.955	36.441	7.786	1.00	19.76	C
ATOM	1552	C	TRP	A	202	54.423	37.805	8.191	1.00	21.33	C
ATOM	1553	O	TRP	A	202	53.460	37.890	8.950	1.00	24.35	O
ATOM	1554	CB	TRP	A	202	54.042	35.925	6.675	1.00	20.53	C
ATOM	1555	CG	TRP	A	202	54.400	34.619	6.028	1.00	20.53	C
ATOM	1556	CD1	TRP	A	202	53.528	33.768	5.418	1.00	19.71	C
ATOM	1557	CD2	TRP	A	202	55.710	34.062	5.823	1.00	23.30	C
ATOM	1558	NE1	TRP	A	202	54.203	32.731	4.830	1.00	23.83	N
ATOM	1559	CE2	TRP	A	202	55.547	32.880	5.059	1.00	23.25	C
ATOM	1560	CE3	TRP	A	202	57.009	34.448	6.198	1.00	26.18	C
ATOM	1561	CZ2	TRP	A	202	56.626	32.079	4.656	1.00	19.84	C
ATOM	1562	CZ3	TRP	A	202	58.089	33.647	5.796	1.00	27.43	C
ATOM	1563	CH2	TRP	A	202	57.885	32.479	5.031	1.00	23.13	C
ATOM	1564	N	GLY	A	203	55.017	38.864	7.651	1.00	19.73	N
ATOM	1565	CA	GLY	A	203	54.554	40.202	7.963	1.00	19.65	C
ATOM	1566	C	GLY	A	203	55.458	40.919	8.940	1.00	22.07	C
ATOM	1567	O	GLY	A	203	56.448	40.357	9.390	1.00	20.84	O
ATOM	1568	N	SER	A	204	55.088	42.147	9.294	1.00	20.09	N
ATOM	1569	CA	SER	A	204	55.868	42.972	10.205	1.00	19.23	C
ATOM	1570	C	SER	A	204	55.434	42.868	11.663	1.00	18.99	C
ATOM	1571	O	SER	A	204	56.162	43.297	12.560	1.00	19.85	O
ATOM	1572	CB	SER	A	204	55.772	44.431	9.770	1.00	19.16	C
ATOM	1573	OG	SER	A	204	54.479	44.947	10.046	1.00	21.60	O
ATOM	1574	N	GLY	A	205	54.242	42.320	11.891	1.00	19.27	N
ATOM	1575	CA	GLY	A	205	53.705	42.179	13.237	1.00	17.20	C
ATOM	1576	C	GLY	A	205	53.020	43.443	13.753	1.00	19.03	C
ATOM	1577	O	GLY	A	205	52.455	43.447	14.848	1.00	18.09	O
ATOM	1578	N	THR	A	206	53.058	44.514	12.959	1.00	18.28	N
ATOM	1579	CA	THR	A	206	52.452	45.781	13.350	1.00	18.39	C
ATOM	1580	C	THR	A	206	50.935	45.904	13.203	1.00	18.82	C
ATOM	1581	O	THR	A	206	50.333	46.707	13.904	1.00	21.01	O
ATOM	1582	CB	THR	A	206	53.092	46.997	12.620	1.00	16.36	C
ATOM	1583	OG1	THR	A	206	52.863	46.894	11.216	1.00	18.29	O
ATOM	1584	CG2	THR	A	206	54.577	47.056	12.862	1.00	13.78	C
ATOM	1585	N	PRO	A	207	50.298	45.162	12.272	1.00	19.37	N
ATOM	1586	CA	PRO	A	207	48.842	45.342	12.190	1.00	19.36	C
ATOM	1587	C	PRO	A	207	48.074	44.991	13.454	1.00	20.77	C
ATOM	1588	O	PRO	A	207	48.467	44.101	14.217	1.00	21.58	O
ATOM	1589	CB	PRO	A	207	48.438	44.502	10.976	1.00	20.41	C
ATOM	1590	CG	PRO	A	207	49.599	43.616	10.723	1.00	24.83	C
ATOM	1591	CD	PRO	A	207	50.796	44.399	11.116	1.00	18.81	C
ATOM	1592	N	MET	A	208	47.018	45.752	13.711	1.00	20.77	N
ATOM	1593	CA	MET	A	208	46.206	45.549	14.904	1.00	25.46	C
ATOM	1594	C	MET	A	208	44.884	44.812	14.685	1.00	26.38	C
ATOM	1595	O	MET	A	208	44.144	45.105	13.746	1.00	26.67	O
ATOM	1596	CB	MET	A	208	45.980	46.885	15.595	1.00	27.61	C
ATOM	1597	CG	MET	A	208	47.277	47.505	16.085	1.00	33.50	C
ATOM	1598	SD	MET	A	208	47.067	49.146	16.732	1.00	40.06	S
ATOM	1599	CE	MET	A	208	47.200	50.087	15.211	1.00	38.63	C

ATOM	1600	N	ARG	A	209	44.599	43.863	15.576	1.00	24.72	N
ATOM	1601	CA	ARG	A	209	43.392	43.049	15.501	1.00	24.45	C
ATOM	1602	C	ARG	A	209	42.696	42.958	16.844	1.00	22.34	C
ATOM	1603	O	ARG	A	209	43.283	43.212	17.882	1.00	24.61	O
ATOM	1604	CB	ARG	A	209	43.735	41.635	15.020	1.00	24.89	C
ATOM	1605	CG	ARG	A	209	44.381	41.573	13.645	1.00	24.38	C
ATOM	1606	CD	ARG	A	209	43.482	42.192	12.595	1.00	26.11	C
ATOM	1607	NE	ARG	A	209	44.063	42.119	11.255	1.00	24.33	N
ATOM	1608	CZ	ARG	A	209	44.497	43.165	10.555	1.00	27.22	C
ATOM	1609	NH1	ARG	A	209	44.437	44.395	11.056	1.00	25.64	N
ATOM	1610	NH2	ARG	A	209	44.958	42.985	9.324	1.00	26.03	N
ATOM	1611	N	GLU	A	210	41.440	42.554	16.811	1.00	22.03	N
ATOM	1612	CA	GLU	A	210	40.632	42.422	18.014	1.00	22.70	C
ATOM	1613	C	GLU	A	210	40.230	40.963	18.159	1.00	21.38	C
ATOM	1614	O	GLU	A	210	39.893	40.316	17.175	1.00	23.72	O
ATOM	1615	CB	GLU	A	210	39.387	43.295	17.883	1.00	19.12	C
ATOM	1616	CG	GLU	A	210	38.414	43.167	19.024	1.00	20.78	C
ATOM	1617	CD	GLU	A	210	37.101	43.854	18.727	1.00	24.49	C
ATOM	1618	OE1	GLU	A	210	36.802	44.048	17.532	1.00	23.90	O
ATOM	1619	OE2	GLU	A	210	36.361	44.190	19.677	1.00	23.80	O
ATOM	1620	N	PHE	A	211	40.275	40.446	19.382	1.00	18.27	N
ATOM	1621	CA	PHE	A	211	39.928	39.052	19.627	1.00	22.21	C
ATOM	1622	C	PHE	A	211	38.987	38.930	20.819	1.00	23.89	C
ATOM	1623	O	PHE	A	211	39.132	39.642	21.810	1.00	27.69	O
ATOM	1624	CB	PHE	A	211	41.197	38.217	19.874	1.00	20.50	C
ATOM	1625	CG	PHE	A	211	42.172	38.272	18.750	1.00	22.32	C
ATOM	1626	CD1	PHE	A	211	41.950	37.539	17.590	1.00	23.71	C
ATOM	1627	CD2	PHE	A	211	43.279	39.121	18.813	1.00	21.98	C
ATOM	1628	CE1	PHE	A	211	42.816	37.657	16.493	1.00	23.37	C
ATOM	1629	CE2	PHE	A	211	44.150	39.247	17.726	1.00	22.32	C
ATOM	1630	CZ	PHE	A	211	43.914	38.512	16.562	1.00	21.55	C
ATOM	1631	N	LEU	A	212	38.040	38.005	20.722	1.00	23.47	N
ATOM	1632	CA	LEU	A	212	37.069	37.779	21.780	1.00	22.49	C
ATOM	1633	C	LEU	A	212	36.974	36.282	22.063	1.00	21.88	C
ATOM	1634	O	LEU	A	212	36.935	35.476	21.134	1.00	20.71	O
ATOM	1635	CB	LEU	A	212	35.703	38.308	21.343	1.00	22.00	C
ATOM	1636	CG	LEU	A	212	34.533	38.159	22.318	1.00	25.59	C
ATOM	1637	CD1	LEU	A	212	34.666	39.192	23.444	1.00	25.63	C
ATOM	1638	CD2	LEU	A	212	33.220	38.340	21.583	1.00	22.24	C
ATOM	1639	N	HIS	A	213	37.001	35.905	23.339	1.00	20.47	N
ATOM	1640	CA	HIS	A	213	36.883	34.493	23.687	1.00	22.20	C
ATOM	1641	C	HIS	A	213	35.436	34.055	23.413	1.00	22.43	C
ATOM	1642	O	HIS	A	213	34.492	34.792	23.677	1.00	21.33	O
ATOM	1643	CB	HIS	A	213	37.263	34.250	25.151	1.00	22.61	C
ATOM	1644	CG	HIS	A	213	37.383	32.795	25.507	1.00	21.56	C
ATOM	1645	ND1	HIS	A	213	36.288	31.985	25.712	1.00	23.11	N
ATOM	1646	CD2	HIS	A	213	38.472	32.005	25.661	1.00	20.47	C
ATOM	1647	CE1	HIS	A	213	36.696	30.754	25.975	1.00	21.81	C
ATOM	1648	NE2	HIS	A	213	38.015	30.740	25.951	1.00	26.94	N
ATOM	1649	N	VAL	A	214	35.271	32.849	22.888	1.00	25.55	N
ATOM	1650	CA	VAL	A	214	33.953	32.326	22.548	1.00	25.86	C
ATOM	1651	C	VAL	A	214	32.959	32.265	23.717	1.00	27.36	C
ATOM	1652	O	VAL	A	214	31.748	32.317	23.504	1.00	28.88	O
ATOM	1653	CB	VAL	A	214	34.076	30.960	21.814	1.00	25.10	C
ATOM	1654	CG1	VAL	A	214	34.380	29.823	22.798	1.00	25.06	C
ATOM	1655	CG2	VAL	A	214	32.837	30.686	20.980	1.00	26.93	C

ATOM	1656	N	ASP	A	215	33.453	32.182	24.951	1.00	29.40	N
ATOM	1657	CA	ASP	A	215	32.546	32.140	26.101	1.00	27.62	C
ATOM	1658	C	ASP	A	215	31.988	33.518	26.371	1.00	26.64	C
ATOM	1659	O	ASP	A	215	30.856	33.655	26.833	1.00	28.84	O
ATOM	1660	CB	ASP	A	215	33.217	31.559	27.346	1.00	25.75	C
ATOM	1661	CG	ASP	A	215	33.418	30.058	27.247	1.00	26.44	C
ATOM	1662	OD1	ASP	A	215	32.732	29.397	26.441	1.00	27.37	O
ATOM	1663	OD2	ASP	A	215	34.275	29.531	27.971	1.00	31.18	O
ATOM	1664	N	ASP	A	216	32.787	34.542	26.104	1.00	24.22	N
ATOM	1665	CA	ASP	A	216	32.307	35.898	26.271	1.00	24.84	C
ATOM	1666	C	ASP	A	216	31.277	36.122	25.156	1.00	27.00	C
ATOM	1667	O	ASP	A	216	30.269	36.788	25.351	1.00	28.29	O
ATOM	1668	CB	ASP	A	216	33.450	36.899	26.128	1.00	27.51	C
ATOM	1669	CG	ASP	A	216	34.002	37.372	27.467	1.00	30.57	C
ATOM	1670	OD1	ASP	A	216	33.296	37.287	28.501	1.00	33.61	O
ATOM	1671	OD2	ASP	A	216	35.150	37.867	27.468	1.00	30.91	O
ATOM	1672	N	MET	A	217	31.547	35.563	23.981	1.00	26.79	N
ATOM	1673	CA	MET	A	217	30.641	35.683	22.849	1.00	26.75	C
ATOM	1674	C	MET	A	217	29.275	35.096	23.247	1.00	27.44	C
ATOM	1675	O	MET	A	217	28.244	35.759	23.116	1.00	27.67	O
ATOM	1676	CB	MET	A	217	31.220	34.936	21.641	1.00	30.32	C
ATOM	1677	CG	MET	A	217	30.258	34.764	20.471	1.00	34.35	C
ATOM	1678	SD	MET	A	217	29.777	36.387	19.891	1.00	44.98	S
ATOM	1679	CE	MET	A	217	28.212	35.999	19.186	1.00	51.43	C
ATOM	1680	N	ALA	A	218	29.282	33.866	23.756	1.00	24.61	N
ATOM	1681	CA	ALA	A	218	28.060	33.198	24.181	1.00	23.32	C
ATOM	1682	C	ALA	A	218	27.296	34.030	25.225	1.00	25.63	C
ATOM	1683	O	ALA	A	218	26.078	34.161	25.149	1.00	27.74	O
ATOM	1684	CB	ALA	A	218	28.389	31.828	24.733	1.00	17.41	C
ATOM	1685	N	ALA	A	219	28.020	34.624	26.171	1.00	24.15	N
ATOM	1686	CA	ALA	A	219	27.403	35.431	27.214	1.00	24.70	C
ATOM	1687	C	ALA	A	219	26.711	36.660	26.649	1.00	27.02	C
ATOM	1688	O	ALA	A	219	25.590	36.978	27.048	1.00	28.33	O
ATOM	1689	CB	ALA	A	219	28.437	35.841	28.246	1.00	23.86	C
ATOM	1690	N	ALA	A	220	27.384	37.360	25.739	1.00	27.13	N
ATOM	1691	CA	ALA	A	220	26.817	38.554	25.111	1.00	26.98	C
ATOM	1692	C	ALA	A	220	25.582	38.167	24.301	1.00	27.38	C
ATOM	1693	O	ALA	A	220	24.561	38.854	24.344	1.00	29.86	O
ATOM	1694	CB	ALA	A	220	27.845	39.228	24.208	1.00	22.63	C
ATOM	1695	N	SER	A	221	25.673	37.041	23.598	1.00	25.10	N
ATOM	1696	CA	SER	A	221	24.574	36.547	22.774	1.00	27.22	C
ATOM	1697	C	SER	A	221	23.284	36.325	23.555	1.00	26.44	C
ATOM	1698	O	SER	A	221	22.204	36.757	23.133	1.00	25.90	O
ATOM	1699	CB	SER	A	221	24.984	35.244	22.081	1.00	25.03	C
ATOM	1700	OG	SER	A	221	25.993	35.506	21.128	1.00	30.18	O
ATOM	1701	N	ILE	A	222	23.413	35.608	24.666	1.00	25.87	N
ATOM	1702	CA	ILE	A	222	22.304	35.289	25.546	1.00	26.21	C
ATOM	1703	C	ILE	A	222	21.763	36.564	26.175	1.00	28.52	C
ATOM	1704	O	ILE	A	222	20.553	36.723	26.335	1.00	31.79	O
ATOM	1705	CB	ILE	A	222	22.760	34.318	26.635	1.00	26.42	C
ATOM	1706	CG1	ILE	A	222	23.171	32.989	25.988	1.00	24.50	C
ATOM	1707	CG2	ILE	A	222	21.652	34.105	27.650	1.00	25.73	C
ATOM	1708	CD1	ILE	A	222	23.907	32.040	26.907	1.00	25.35	C
ATOM	1709	N	HIS	A	223	22.666	37.493	26.478	1.00	27.44	N
ATOM	1710	CA	HIS	A	223	22.298	38.768	27.075	1.00	26.97	C
ATOM	1711	C	HIS	A	223	21.391	39.547	26.112	1.00	30.21	C

ATOM	1712	O	HIS	A	223	20.286	39.968	26.481	1.00	29.75	O
ATOM	1713	CB	HIS	A	223	23.568	39.565	27.394	1.00	24.64	C
ATOM	1714	CG	HIS	A	223	23.316	40.973	27.848	1.00	28.40	C
ATOM	1715	ND1	HIS	A	223	23.212	41.321	29.178	1.00	30.53	N
ATOM	1716	CD2	HIS	A	223	23.174	42.124	27.147	1.00	28.31	C
ATOM	1717	CE1	HIS	A	223	23.018	42.625	29.275	1.00	30.32	C
ATOM	1718	NE2	HIS	A	223	22.991	43.136	28.058	1.00	28.41	N
ATOM	1719	N	VAL	A	224	21.870	39.728	24.881	1.00	29.87	N
ATOM	1720	CA	VAL	A	224	21.130	40.443	23.850	1.00	25.73	C
ATOM	1721	C	VAL	A	224	19.810	39.740	23.560	1.00	24.95	C
ATOM	1722	O	VAL	A	224	18.776	40.386	23.437	1.00	27.31	O
ATOM	1723	CB	VAL	A	224	21.971	40.588	22.566	1.00	26.87	C
ATOM	1724	CG1	VAL	A	224	21.125	41.147	21.423	1.00	25.42	C
ATOM	1725	CG2	VAL	A	224	23.154	41.508	22.835	1.00	22.37	C
ATOM	1726	N	MET	A	225	19.842	38.416	23.497	1.00	25.08	N
ATOM	1727	CA	MET	A	225	18.630	37.644	23.260	1.00	28.73	C
ATOM	1728	C	MET	A	225	17.583	37.896	24.359	1.00	32.64	C
ATOM	1729	O	MET	A	225	16.400	38.099	24.071	1.00	32.02	O
ATOM	1730	CB	MET	A	225	18.955	36.151	23.220	1.00	27.66	C
ATOM	1731	CG	MET	A	225	17.725	35.238	23.178	1.00	25.82	C
ATOM	1732	SD	MET	A	225	16.734	35.411	21.677	1.00	28.36	S
ATOM	1733	CE	MET	A	225	16.712	33.766	21.097	1.00	20.74	C
ATOM	1734	N	GLU	A	226	18.035	37.945	25.610	1.00	32.14	N
ATOM	1735	CA	GLU	A	226	17.129	38.128	26.734	1.00	31.80	C
ATOM	1736	C	GLU	A	226	16.734	39.538	27.146	1.00	32.67	C
ATOM	1737	O	GLU	A	226	15.859	39.709	27.986	1.00	35.44	O
ATOM	1738	CB	GLU	A	226	17.614	37.300	27.914	1.00	28.79	C
ATOM	1739	CG	GLU	A	226	17.610	35.827	27.547	1.00	32.66	C
ATOM	1740	CD	GLU	A	226	18.076	34.908	28.652	1.00	36.63	C
ATOM	1741	OE1	GLU	A	226	18.737	35.372	29.613	1.00	36.97	O
ATOM	1742	OE2	GLU	A	226	17.779	33.700	28.537	1.00	35.46	O
ATOM	1743	N	LEU	A	227	17.322	40.545	26.510	1.00	33.14	N
ATOM	1744	CA	LEU	A	227	16.993	41.939	26.795	1.00	31.94	C
ATOM	1745	C	LEU	A	227	15.503	42.196	26.551	1.00	34.79	C
ATOM	1746	O	LEU	A	227	14.862	41.515	25.742	1.00	30.62	O
ATOM	1747	CB	LEU	A	227	17.776	42.844	25.854	1.00	32.79	C
ATOM	1748	CG	LEU	A	227	18.707	43.863	26.467	1.00	36.00	C
ATOM	1749	CD1	LEU	A	227	19.637	43.175	27.424	1.00	38.78	C
ATOM	1750	CD2	LEU	A	227	19.483	44.509	25.359	1.00	40.04	C
ATOM	1751	N	ALA	A	228	14.958	43.190	27.244	1.00	36.01	N
ATOM	1752	CA	ALA	A	228	13.553	43.552	27.063	1.00	36.88	C
ATOM	1753	C	ALA	A	228	13.429	44.129	25.661	1.00	34.45	C
ATOM	1754	O	ALA	A	228	14.269	44.926	25.239	1.00	34.10	O
ATOM	1755	CB	ALA	A	228	13.127	44.594	28.092	1.00	32.13	C
ATOM	1756	N	HIS	A	229	12.379	43.729	24.955	1.00	32.59	N
ATOM	1757	CA	HIS	A	229	12.140	44.195	23.600	1.00	34.80	C
ATOM	1758	C	HIS	A	229	12.191	45.707	23.478	1.00	34.01	C
ATOM	1759	O	HIS	A	229	12.790	46.213	22.535	1.00	36.47	O
ATOM	1760	CB	HIS	A	229	10.801	43.674	23.073	1.00	37.57	C
ATOM	1761	CG	HIS	A	229	10.631	43.831	21.594	1.00	40.37	C
ATOM	1762	ND1	HIS	A	229	9.480	44.332	21.025	1.00	42.96	N
ATOM	1763	CD2	HIS	A	229	11.467	43.550	20.565	1.00	39.86	C
ATOM	1764	CE1	HIS	A	229	9.615	44.352	19.710	1.00	42.19	C
ATOM	1765	NE2	HIS	A	229	10.812	43.882	19.405	1.00	37.81	N
ATOM	1766	N	GLU	A	230	11.615	46.423	24.448	1.00	34.94	N
ATOM	1767	CA	GLU	A	230	11.609	47.894	24.419	1.00	37.28	C

ATOM	1768	C	GLU	A	230	13.012	48.447	24.543	1.00	32.93	C
ATOM	1769	O	GLU	A	230	13.311	49.497	23.975	1.00	33.81	O
ATOM	1770	CB	GLU	A	230	10.763	48.501	25.545	1.00	44.56	C
ATOM	1771	CG	GLU	A	230	9.431	47.826	25.789	1.00	60.54	C
ATOM	1772	CD	GLU	A	230	9.330	47.232	27.192	1.00	70.73	C
ATOM	1773	OE1	GLU	A	230	10.123	47.636	28.083	1.00	72.57	O
ATOM	1774	OE2	GLU	A	230	8.450	46.365	27.407	1.00	76.72	O
ATOM	1775	N	VAL	A	231	13.850	47.763	25.322	1.00	30.00	N
ATOM	1776	CA	VAL	A	231	15.238	48.182	25.526	1.00	29.68	C
ATOM	1777	C	VAL	A	231	16.046	47.982	24.240	1.00	30.20	C
ATOM	1778	O	VAL	A	231	16.836	48.850	23.843	1.00	29.79	O
ATOM	1779	CB	VAL	A	231	15.890	47.404	26.687	1.00	31.29	C
ATOM	1780	CG1	VAL	A	231	17.347	47.839	26.882	1.00	26.02	C
ATOM	1781	CG2	VAL	A	231	15.094	47.626	27.959	1.00	30.69	C
ATOM	1782	N	TRP	A	232	15.818	46.848	23.578	1.00	28.73	N
ATOM	1783	CA	TRP	A	232	16.500	46.546	22.328	1.00	27.70	C
ATOM	1784	C	TRP	A	232	16.083	47.543	21.237	1.00	28.56	C
ATOM	1785	O	TRP	A	232	16.934	48.143	20.585	1.00	27.57	O
ATOM	1786	CB	TRP	A	232	16.183	45.117	21.898	1.00	27.84	C
ATOM	1787	CG	TRP	A	232	16.859	44.704	20.613	1.00	31.96	C
ATOM	1788	CD1	TRP	A	232	18.160	44.313	20.458	1.00	30.23	C
ATOM	1789	CD2	TRP	A	232	16.257	44.616	19.309	1.00	31.70	C
ATOM	1790	NE1	TRP	A	232	18.403	43.985	19.146	1.00	29.19	N
ATOM	1791	CE2	TRP	A	232	17.256	44.162	18.419	1.00	29.11	C
ATOM	1792	CE3	TRP	A	232	14.973	44.876	18.808	1.00	30.27	C
ATOM	1793	CZ2	TRP	A	232	17.010	43.959	17.060	1.00	24.75	C
ATOM	1794	CZ3	TRP	A	232	14.732	44.673	17.462	1.00	28.83	C
ATOM	1795	CH2	TRP	A	232	15.747	44.221	16.602	1.00	27.54	C
ATOM	1796	N	LEU	A	233	14.776	47.763	21.087	1.00	27.50	N
ATOM	1797	CA	LEU	A	233	14.253	48.688	20.078	1.00	28.59	C
ATOM	1798	C	LEU	A	233	14.799	50.089	20.262	1.00	28.42	C
ATOM	1799	O	LEU	A	233	15.054	50.809	19.295	1.00	31.71	O
ATOM	1800	CB	LEU	A	233	12.726	48.754	20.158	1.00	26.64	C
ATOM	1801	CG	LEU	A	233	11.944	47.515	19.745	1.00	26.28	C
ATOM	1802	CD1	LEU	A	233	10.505	47.664	20.164	1.00	29.05	C
ATOM	1803	CD2	LEU	A	233	12.054	47.331	18.249	1.00	25.22	C
ATOM	1804	N	GLU	A	234	14.961	50.466	21.522	1.00	31.68	N
ATOM	1805	CA	GLU	A	234	15.447	51.780	21.899	1.00	35.52	C
ATOM	1806	C	GLU	A	234	16.900	52.002	21.503	1.00	33.76	C
ATOM	1807	O	GLU	A	234	17.306	53.134	21.234	1.00	34.15	O
ATOM	1808	CB	GLU	A	234	15.287	51.944	23.407	1.00	40.18	C
ATOM	1809	CG	GLU	A	234	15.539	53.330	23.940	1.00	50.82	C
ATOM	1810	CD	GLU	A	234	15.717	53.311	25.452	1.00	62.88	C
ATOM	1811	OE1	GLU	A	234	14.827	52.766	26.156	1.00	65.09	O
ATOM	1812	OE2	GLU	A	234	16.765	53.810	25.935	1.00	68.71	O
ATOM	1813	N	ASN	A	235	17.670	50.916	21.436	1.00	34.84	N
ATOM	1814	CA	ASN	A	235	19.089	51.000	21.087	1.00	34.45	C
ATOM	1815	C	ASN	A	235	19.487	50.528	19.706	1.00	33.94	C
ATOM	1816	O	ASN	A	235	20.672	50.330	19.447	1.00	35.53	O
ATOM	1817	CB	ASN	A	235	19.934	50.278	22.128	1.00	38.51	C
ATOM	1818	CG	ASN	A	235	19.975	51.021	23.437	1.00	41.10	C
ATOM	1819	OD1	ASN	A	235	19.164	50.769	24.330	1.00	44.29	O
ATOM	1820	ND2	ASN	A	235	20.887	51.984	23.541	1.00	41.78	N
ATOM	1821	N	THR	A	236	18.506	50.323	18.834	1.00	29.80	N
ATOM	1822	CA	THR	A	236	18.765	49.891	17.469	1.00	28.52	C
ATOM	1823	C	THR	A	236	17.745	50.594	16.576	1.00	30.74	C

ATOM	1824	O	THR	A	236	16.893	51.344	17.065	1.00	31.15	O
ATOM	1825	CB	THR	A	236	18.561	48.359	17.301	1.00	25.96	C
ATOM	1826	OG1	THR	A	236	17.201	48.036	17.583	1.00	22.84	O
ATOM	1827	CG2	THR	A	236	19.462	47.551	18.234	1.00	21.46	C
ATOM	1828	N	GLN	A	237	17.859	50.370	15.267	1.00	31.41	N
ATOM	1829	CA	GLN	A	237	16.922	50.913	14.278	1.00	30.74	C
ATOM	1830	C	GLN	A	237	16.391	49.705	13.511	1.00	30.13	C
ATOM	1831	O	GLN	A	237	17.093	48.709	13.367	1.00	30.83	O
ATOM	1832	CB	GLN	A	237	17.614	51.871	13.321	1.00	30.71	C
ATOM	1833	CG	GLN	A	237	17.958	53.190	13.936	1.00	39.09	C
ATOM	1834	CD	GLN	A	237	19.374	53.590	13.620	1.00	49.12	C
ATOM	1835	OE1	GLN	A	237	20.313	53.160	14.296	1.00	56.24	O
ATOM	1836	NE2	GLN	A	237	19.551	54.384	12.564	1.00	52.48	N
ATOM	1837	N	PRO	A	238	15.148	49.777	13.008	1.00	28.75	N
ATOM	1838	CA	PRO	A	238	14.546	48.668	12.267	1.00	26.59	C
ATOM	1839	C	PRO	A	238	15.370	48.183	11.080	1.00	26.19	C
ATOM	1840	O	PRO	A	238	15.372	46.990	10.770	1.00	26.84	O
ATOM	1841	CB	PRO	A	238	13.203	49.250	11.822	1.00	28.43	C
ATOM	1842	CG	PRO	A	238	12.880	50.225	12.891	1.00	26.13	C
ATOM	1843	CD	PRO	A	238	14.208	50.909	13.083	1.00	30.19	C
ATOM	1844	N	MET	A	239	16.059	49.100	10.414	1.00	20.47	N
ATOM	1845	CA	MET	A	239	16.863	48.714	9.279	1.00	20.57	C
ATOM	1846	C	MET	A	239	18.370	48.791	9.530	1.00	20.29	C
ATOM	1847	O	MET	A	239	19.161	48.774	8.602	1.00	22.25	O
ATOM	1848	CB	MET	A	239	16.430	49.494	8.040	1.00	18.56	C
ATOM	1849	CG	MET	A	239	15.032	49.109	7.565	1.00	20.01	C
ATOM	1850	SD	MET	A	239	14.434	50.039	6.130	1.00	23.58	S
ATOM	1851	CE	MET	A	239	15.155	49.108	4.748	1.00	20.88	C
ATOM	1852	N	LEU	A	240	18.755	48.861	10.797	1.00	17.81	N
ATOM	1853	CA	LEU	A	240	20.157	48.871	11.213	1.00	16.99	C
ATOM	1854	C	LEU	A	240	20.081	48.303	12.630	1.00	19.58	C
ATOM	1855	O	LEU	A	240	20.384	48.969	13.625	1.00	19.66	O
ATOM	1856	CB	LEU	A	240	20.736	50.284	11.207	1.00	18.37	C
ATOM	1857	CG	LEU	A	240	22.272	50.286	11.228	1.00	19.59	C
ATOM	1858	CD1	LEU	A	240	22.795	49.756	9.918	1.00	21.67	C
ATOM	1859	CD2	LEU	A	240	22.810	51.674	11.462	1.00	24.51	C
ATOM	1860	N	SER	A	241	19.670	47.043	12.686	1.00	18.47	N
ATOM	1861	CA	SER	A	241	19.421	46.344	13.930	1.00	20.76	C
ATOM	1862	C	SER	A	241	20.501	45.459	14.553	1.00	23.25	C
ATOM	1863	O	SER	A	241	20.340	45.004	15.693	1.00	21.32	O
ATOM	1864	CB	SER	A	241	18.164	45.494	13.736	1.00	20.60	C
ATOM	1865	OG	SER	A	241	18.386	44.468	12.772	1.00	21.31	O
ATOM	1866	N	HIS	A	242	21.564	45.161	13.812	1.00	19.80	N
ATOM	1867	CA	HIS	A	242	22.591	44.286	14.347	1.00	19.16	C
ATOM	1868	C	HIS	A	242	23.398	44.947	15.450	1.00	22.17	C
ATOM	1869	O	HIS	A	242	23.443	46.173	15.560	1.00	20.03	O
ATOM	1870	CB	HIS	A	242	23.501	43.774	13.224	1.00	18.24	C
ATOM	1871	CG	HIS	A	242	24.091	44.858	12.377	1.00	20.43	C
ATOM	1872	ND1	HIS	A	242	25.432	45.187	12.409	1.00	22.52	N
ATOM	1873	CD2	HIS	A	242	23.526	45.682	11.463	1.00	18.71	C
ATOM	1874	CE1	HIS	A	242	25.665	46.163	11.548	1.00	18.89	C
ATOM	1875	NE2	HIS	A	242	24.525	46.482	10.962	1.00	23.47	N
ATOM	1876	N	ILE	A	243	23.995	44.125	16.303	1.00	24.37	N
ATOM	1877	CA	ILE	A	243	24.816	44.629	17.392	1.00	25.31	C
ATOM	1878	C	ILE	A	243	26.201	43.985	17.372	1.00	24.25	C
ATOM	1879	O	ILE	A	243	26.327	42.759	17.359	1.00	22.73	O

ATOM	1880	CB	ILE	A	243	24.128	44.402	18.766	1.00	25.45	C
ATOM	1881	CG1	ILE	A	243	22.922	45.332	18.895	1.00	27.28	C
ATOM	1882	CG2	ILE	A	243	25.087	44.686	19.915	1.00	21.47	C
ATOM	1883	CD1	ILE	A	243	21.950	44.901	19.957	1.00	29.04	C
ATOM	1884	N	ASN	A	244	27.225	44.832	17.281	1.00	23.62	N
ATOM	1885	CA	ASN	A	244	28.623	44.396	17.287	1.00	23.67	C
ATOM	1886	C	ASN	A	244	28.941	43.811	18.657	1.00	24.52	C
ATOM	1887	O	ASN	A	244	28.549	44.376	19.691	1.00	24.28	O
ATOM	1888	CB	ASN	A	244	29.574	45.581	17.052	1.00	17.15	C
ATOM	1889	CG	ASN	A	244	29.611	46.043	15.604	1.00	19.40	C
ATOM	1890	OD1	ASN	A	244	29.238	45.309	14.676	1.00	18.45	O
ATOM	1891	ND2	ASN	A	244	30.083	47.265	15.400	1.00	15.73	N
ATOM	1892	N	VAL	A	245	29.639	42.682	18.663	1.00	23.31	N
ATOM	1893	CA	VAL	A	245	30.038	42.040	19.908	1.00	24.32	C
ATOM	1894	C	VAL	A	245	31.557	41.882	19.869	1.00	24.24	C
ATOM	1895	O	VAL	A	245	32.101	41.287	18.941	1.00	22.79	O
ATOM	1896	CB	VAL	A	245	29.362	40.651	20.093	1.00	26.99	C
ATOM	1897	CG1	VAL	A	245	29.771	40.038	21.427	1.00	25.06	C
ATOM	1898	CG2	VAL	A	245	27.855	40.791	20.048	1.00	27.37	C
ATOM	1899	N	GLY	A	246	32.233	42.471	20.850	1.00	26.08	N
ATOM	1900	CA	GLY	A	246	33.682	42.385	20.922	1.00	27.64	C
ATOM	1901	C	GLY	A	246	34.239	43.023	22.178	1.00	28.69	C
ATOM	1902	O	GLY	A	246	33.501	43.304	23.124	1.00	29.20	O
ATOM	1903	N	THR	A	247	35.547	43.257	22.190	1.00	29.54	N
ATOM	1904	CA	THR	A	247	36.208	43.872	23.341	1.00	30.35	C
ATOM	1905	C	THR	A	247	36.459	45.365	23.127	1.00	28.76	C
ATOM	1906	O	THR	A	247	36.526	46.138	24.079	1.00	30.81	O
ATOM	1907	CB	THR	A	247	37.568	43.204	23.638	1.00	28.68	C
ATOM	1908	OG1	THR	A	247	38.439	43.388	22.518	1.00	31.19	O
ATOM	1909	CG2	THR	A	247	37.398	41.724	23.907	1.00	24.53	C
ATOM	1910	N	GLY	A	248	36.585	45.766	21.870	1.00	31.37	N
ATOM	1911	CA	GLY	A	248	36.854	47.158	21.562	1.00	32.00	C
ATOM	1912	C	GLY	A	248	38.322	47.471	21.787	1.00	33.41	C
ATOM	1913	O	GLY	A	248	38.764	48.605	21.597	1.00	34.23	O
ATOM	1914	N	VAL	A	249	39.074	46.454	22.213	1.00	38.41	N
ATOM	1915	CA	VAL	A	249	40.512	46.565	22.485	1.00	37.20	C
ATOM	1916	C	VAL	A	249	41.301	45.894	21.363	1.00	35.66	C
ATOM	1917	O	VAL	A	249	40.978	44.784	20.942	1.00	35.90	O
ATOM	1918	CB	VAL	A	249	40.888	45.873	23.825	1.00	34.53	C
ATOM	1919	CG1	VAL	A	249	42.387	45.894	24.038	1.00	37.08	C
ATOM	1920	CG2	VAL	A	249	40.196	46.562	24.980	1.00	36.29	C
ATOM	1921	N	ASP	A	250	42.304	46.582	20.842	1.00	33.85	N
ATOM	1922	CA	ASP	A	250	43.109	45.977	19.801	1.00	33.95	C
ATOM	1923	C	ASP	A	250	44.546	45.754	20.270	1.00	32.74	C
ATOM	1924	O	ASP	A	250	44.983	46.322	21.275	1.00	31.73	O
ATOM	1925	CB	ASP	A	250	43.049	46.785	18.490	1.00	37.06	C
ATOM	1926	CG	ASP	A	250	43.391	48.258	18.666	1.00	38.50	C
ATOM	1927	OD1	ASP	A	250	43.705	48.698	19.794	1.00	46.13	O
ATOM	1928	OD2	ASP	A	250	43.339	48.987	17.654	1.00	35.15	O
ATOM	1929	N	CYS	A	251	45.226	44.827	19.608	1.00	29.57	N
ATOM	1930	CA	CYS	A	251	46.614	44.526	19.909	1.00	28.29	C
ATOM	1931	C	CYS	A	251	47.276	44.078	18.614	1.00	26.06	C
ATOM	1932	O	CYS	A	251	46.614	43.561	17.709	1.00	25.31	O
ATOM	1933	CB	CYS	A	251	46.738	43.456	21.007	1.00	32.33	C
ATOM	1934	SG	CYS	A	251	46.490	41.735	20.508	1.00	31.70	S
ATOM	1935	N	THR	A	252	48.574	44.345	18.509	1.00	23.97	N

ATOM	1936	CA	THR	A	252	49.361	43.995	17.333	1.00	19.42	C
ATOM	1937	C	THR	A	252	49.551	42.488	17.207	1.00	17.80	C
ATOM	1938	O	THR	A	252	49.436	41.745	18.183	1.00	19.62	O
ATOM	1939	CB	THR	A	252	50.757	44.668	17.392	1.00	16.72	C
ATOM	1940	OG1	THR	A	252	51.465	44.196	18.541	1.00	17.38	O
ATOM	1941	CG2	THR	A	252	50.623	46.174	17.503	1.00	11.92	C
ATOM	1942	N	ILE	A	253	49.823	42.033	15.995	1.00	18.68	N
ATOM	1943	CA	ILE	A	253	50.064	40.615	15.777	1.00	17.94	C
ATOM	1944	C	ILE	A	253	51.326	40.224	16.571	1.00	20.38	C
ATOM	1945	O	ILE	A	253	51.435	39.108	17.086	1.00	22.58	O
ATOM	1946	CB	ILE	A	253	50.255	40.311	14.278	1.00	18.64	C
ATOM	1947	CG1	ILE	A	253	49.001	40.723	13.511	1.00	19.01	C
ATOM	1948	CG2	ILE	A	253	50.547	38.834	14.069	1.00	17.02	C
ATOM	1949	CD1	ILE	A	253	47.732	40.139	14.093	1.00	20.88	C
ATOM	1950	N	ARG	A	254	52.255	41.168	16.695	1.00	17.10	N
ATOM	1951	CA	ARG	A	254	53.486	40.948	17.437	1.00	19.00	C
ATOM	1952	C	ARG	A	254	53.152	40.665	18.907	1.00	18.21	C
ATOM	1953	O	ARG	A	254	53.643	39.692	19.492	1.00	17.16	O
ATOM	1954	CB	ARG	A	254	54.398	42.174	17.267	1.00	18.61	C
ATOM	1955	CG	ARG	A	254	55.315	42.512	18.431	1.00	23.39	C
ATOM	1956	CD	ARG	A	254	56.721	42.006	18.256	1.00	27.73	C
ATOM	1957	NE	ARG	A	254	57.339	42.443	17.005	1.00	29.36	N
ATOM	1958	CZ	ARG	A	254	58.490	41.957	16.542	1.00	26.45	C
ATOM	1959	NH1	ARG	A	254	59.154	41.048	17.241	1.00	26.79	N
ATOM	1960	NH2	ARG	A	254	58.910	42.272	15.326	1.00	28.02	N
ATOM	1961	N	GLU	A	255	52.275	41.475	19.492	1.00	18.27	N
ATOM	1962	CA	GLU	A	255	51.899	41.257	20.882	1.00	19.30	C
ATOM	1963	C	GLU	A	255	51.194	39.916	21.058	1.00	21.18	C
ATOM	1964	O	GLU	A	255	51.396	39.228	22.067	1.00	20.61	O
ATOM	1965	CB	GLU	A	255	50.991	42.369	21.392	1.00	21.70	C
ATOM	1966	CG	GLU	A	255	50.515	42.109	22.818	1.00	28.09	C
ATOM	1967	CD	GLU	A	255	49.820	43.294	23.471	1.00	36.88	C
ATOM	1968	OE1	GLU	A	255	49.637	44.351	22.823	1.00	38.45	O
ATOM	1969	OE2	GLU	A	255	49.453	43.160	24.658	1.00	42.60	O
ATOM	1970	N	LEU	A	256	50.344	39.571	20.087	1.00	20.20	N
ATOM	1971	CA	LEU	A	256	49.599	38.312	20.100	1.00	19.03	C
ATOM	1972	C	LEU	A	256	50.553	37.121	20.038	1.00	17.72	C
ATOM	1973	O	LEU	A	256	50.474	36.218	20.865	1.00	19.90	O
ATOM	1974	CB	LEU	A	256	48.614	38.248	18.927	1.00	16.37	C
ATOM	1975	CG	LEU	A	256	47.895	36.901	18.779	1.00	21.11	C
ATOM	1976	CD1	LEU	A	256	46.864	36.730	19.892	1.00	19.36	C
ATOM	1977	CD2	LEU	A	256	47.242	36.778	17.406	1.00	20.15	C
ATOM	1978	N	ALA	A	257	51.462	37.136	19.066	1.00	17.50	N
ATOM	1979	CA	ALA	A	257	52.442	36.064	18.891	1.00	17.33	C
ATOM	1980	C	ALA	A	257	53.315	35.865	20.132	1.00	16.59	C
ATOM	1981	O	ALA	A	257	53.545	34.746	20.586	1.00	20.02	O
ATOM	1982	CB	ALA	A	257	53.320	36.375	17.678	1.00	18.06	C
ATOM	1983	N	GLN	A	258	53.800	36.977	20.661	1.00	17.38	N
ATOM	1984	CA	GLN	A	258	54.646	37.015	21.839	1.00	16.83	C
ATOM	1985	C	GLN	A	258	53.905	36.466	23.068	1.00	18.93	C
ATOM	1986	O	GLN	A	258	54.493	35.764	23.899	1.00	17.89	O
ATOM	1987	CB	GLN	A	258	55.060	38.466	22.056	1.00	22.46	C
ATOM	1988	CG	GLN	A	258	56.540	38.739	22.150	1.00	29.80	C
ATOM	1989	CD	GLN	A	258	57.390	38.112	21.051	1.00	25.80	C
ATOM	1990	OE1	GLN	A	258	57.533	38.651	19.947	1.00	26.47	O
ATOM	1991	NE2	GLN	A	258	58.037	37.012	21.390	1.00	25.20	N

ATOM	1992	N	THR	A	259	52.609	36.767	23.180	1.00	19.29	N
ATOM	1993	CA	THR	A	259	51.810	36.276	24.312	1.00	18.02	C
ATOM	1994	C	THR	A	259	51.563	34.776	24.169	1.00	19.45	C
ATOM	1995	O	THR	A	259	51.644	34.044	25.140	1.00	24.61	O
ATOM	1996	CB	THR	A	259	50.469	37.023	24.451	1.00	18.75	C
ATOM	1997	OG1	THR	A	259	50.720	38.429	24.586	1.00	21.42	O
ATOM	1998	CG2	THR	A	259	49.695	36.528	25.676	1.00	14.05	C
ATOM	1999	N	ILE	A	260	51.277	34.315	22.956	1.00	19.74	N
ATOM	2000	CA	ILE	A	260	51.076	32.891	22.722	1.00	19.52	C
ATOM	2001	C	ILE	A	260	52.367	32.138	23.068	1.00	20.21	C
ATOM	2002	O	ILE	A	260	52.316	31.120	23.756	1.00	23.47	O
ATOM	2003	CB	ILE	A	260	50.650	32.608	21.258	1.00	19.37	C
ATOM	2004	CG1	ILE	A	260	49.229	33.143	21.030	1.00	20.82	C
ATOM	2005	CG2	ILE	A	260	50.738	31.109	20.943	1.00	17.60	C
ATOM	2006	CD1	ILE	A	260	48.668	32.912	19.616	1.00	18.62	C
ATOM	2007	N	ALA	A	261	53.516	32.657	22.632	1.00	18.83	N
ATOM	2008	CA	ALA	A	261	54.809	32.031	22.929	1.00	16.59	C
ATOM	2009	C	ALA	A	261	54.970	31.822	24.436	1.00	18.33	C
ATOM	2010	O	ALA	A	261	55.381	30.751	24.888	1.00	20.22	O
ATOM	2011	CB	ALA	A	261	55.950	32.891	22.398	1.00	14.07	C
ATOM	2012	N	LYS	A	262	54.644	32.853	25.210	1.00	18.66	N
ATOM	2013	CA	LYS	A	262	54.733	32.791	26.667	1.00	18.10	C
ATOM	2014	C	LYS	A	262	53.785	31.741	27.270	1.00	21.96	C
ATOM	2015	O	LYS	A	262	54.197	30.944	28.104	1.00	23.65	O
ATOM	2016	CB	LYS	A	262	54.427	34.163	27.263	1.00	19.69	C
ATOM	2017	CG	LYS	A	262	54.290	34.176	28.775	1.00	26.08	C
ATOM	2018	CD	LYS	A	262	53.666	35.484	29.208	1.00	39.95	C
ATOM	2019	CE	LYS	A	262	53.326	35.523	30.694	1.00	45.02	C
ATOM	2020	NZ	LYS	A	262	52.690	36.849	31.027	1.00	50.41	N
ATOM	2021	N	VAL	A	263	52.515	31.774	26.863	1.00	21.38	N
ATOM	2022	CA	VAL	A	263	51.480	30.849	27.327	1.00	20.98	C
ATOM	2023	C	VAL	A	263	51.864	29.376	27.088	1.00	22.45	C
ATOM	2024	O	VAL	A	263	51.583	28.496	27.898	1.00	22.61	O
ATOM	2025	CB	VAL	A	263	50.120	31.158	26.607	1.00	19.85	C
ATOM	2026	CG1	VAL	A	263	49.153	29.999	26.746	1.00	20.42	C
ATOM	2027	CG2	VAL	A	263	49.494	32.422	27.175	1.00	16.77	C
ATOM	2028	N	VAL	A	264	52.495	29.116	25.958	1.00	21.97	N
ATOM	2029	CA	VAL	A	264	52.896	27.771	25.591	1.00	23.55	C
ATOM	2030	C	VAL	A	264	54.234	27.337	26.217	1.00	24.01	C
ATOM	2031	O	VAL	A	264	54.530	26.151	26.294	1.00	25.93	O
ATOM	2032	CB	VAL	A	264	52.908	27.662	24.044	1.00	24.27	C
ATOM	2033	CG1	VAL	A	264	53.620	26.418	23.576	1.00	28.94	C
ATOM	2034	CG2	VAL	A	264	51.459	27.681	23.531	1.00	24.80	C
ATOM	2035	N	GLY	A	265	55.010	28.295	26.712	1.00	22.94	N
ATOM	2036	CA	GLY	A	265	56.292	27.973	27.304	1.00	23.63	C
ATOM	2037	C	GLY	A	265	57.414	27.866	26.282	1.00	26.39	C
ATOM	2038	O	GLY	A	265	58.411	27.174	26.522	1.00	27.09	O
ATOM	2039	N	TYR	A	266	57.248	28.534	25.137	1.00	26.29	N
ATOM	2040	CA	TYR	A	266	58.254	28.526	24.069	1.00	24.31	C
ATOM	2041	C	TYR	A	266	59.442	29.408	24.455	1.00	24.08	C
ATOM	2042	O	TYR	A	266	59.255	30.568	24.832	1.00	22.89	O
ATOM	2043	CB	TYR	A	266	57.647	29.022	22.750	1.00	20.17	C
ATOM	2044	CG	TYR	A	266	58.620	29.006	21.588	1.00	19.46	C
ATOM	2045	CD1	TYR	A	266	59.247	27.820	21.200	1.00	20.34	C
ATOM	2046	CD2	TYR	A	266	58.917	30.176	20.875	1.00	18.59	C
ATOM	2047	CE1	TYR	A	266	60.146	27.795	20.129	1.00	20.88	C

ATOM	2048	CE2	TYR	A	266	59.815	30.162	19.801	1.00	16.16	C
ATOM	2049	CZ	TYR	A	266	60.424	28.967	19.438	1.00	21.44	C
ATOM	2050	OH	TYR	A	266	61.317	28.934	18.394	1.00	22.49	O
ATOM	2051	N	LYS	A	267	60.654	28.862	24.347	1.00	24.05	N
ATOM	2052	CA	LYS	A	267	61.864	29.600	24.703	1.00	26.76	C
ATOM	2053	C	LYS	A	267	62.659	30.095	23.505	1.00	26.93	C
ATOM	2054	O	LYS	A	267	63.651	30.796	23.673	1.00	30.97	O
ATOM	2055	CB	LYS	A	267	62.795	28.745	25.559	1.00	27.82	C
ATOM	2056	CG	LYS	A	267	62.216	28.257	26.845	1.00	28.67	C
ATOM	2057	CD	LYS	A	267	61.967	29.364	27.789	1.00	26.68	C
ATOM	2058	CE	LYS	A	267	61.719	28.779	29.150	1.00	29.93	C
ATOM	2059	NZ	LYS	A	267	61.372	29.867	30.081	1.00	39.28	N
ATOM	2060	N	GLY	A	268	62.258	29.699	22.305	1.00	26.09	N
ATOM	2061	CA	GLY	A	268	62.964	30.135	21.118	1.00	22.82	C
ATOM	2062	C	GLY	A	268	62.673	31.583	20.769	1.00	25.18	C
ATOM	2063	O	GLY	A	268	62.155	32.347	21.585	1.00	24.76	O
ATOM	2064	N	ARG	A	269	63.013	31.966	19.548	1.00	24.89	N
ATOM	2065	CA	ARG	A	269	62.784	33.322	19.102	1.00	26.95	C
ATOM	2066	C	ARG	A	269	61.600	33.456	18.164	1.00	24.06	C
ATOM	2067	O	ARG	A	269	61.352	32.581	17.353	1.00	22.61	O
ATOM	2068	CB	ARG	A	269	64.043	33.872	18.436	1.00	29.15	C
ATOM	2069	CG	ARG	A	269	65.043	34.430	19.436	1.00	38.17	C
ATOM	2070	CD	ARG	A	269	65.853	35.575	18.828	1.00	49.26	C
ATOM	2071	NE	ARG	A	269	65.021	36.554	18.107	1.00	55.55	N
ATOM	2072	CZ	ARG	A	269	64.206	37.449	18.675	1.00	57.47	C
ATOM	2073	NH1	ARG	A	269	64.103	37.546	20.004	1.00	53.63	N
ATOM	2074	NH2	ARG	A	269	63.504	38.274	17.903	1.00	52.98	N
ATOM	2075	N	VAL	A	270	60.834	34.530	18.334	1.00	23.44	N
ATOM	2076	CA	VAL	A	270	59.694	34.816	17.472	1.00	23.46	C
ATOM	2077	C	VAL	A	270	60.233	35.800	16.445	1.00	22.75	C
ATOM	2078	O	VAL	A	270	60.720	36.864	16.792	1.00	23.50	O
ATOM	2079	CB	VAL	A	270	58.517	35.467	18.252	1.00	26.93	C
ATOM	2080	CG1	VAL	A	270	57.384	35.869	17.280	1.00	22.54	C
ATOM	2081	CG2	VAL	A	270	57.991	34.495	19.310	1.00	20.39	C
ATOM	2082	N	VAL	A	271	60.185	35.428	15.177	1.00	23.67	N
ATOM	2083	CA	VAL	A	271	60.705	36.296	14.136	1.00	22.22	C
ATOM	2084	C	VAL	A	271	59.633	36.698	13.125	1.00	24.45	C
ATOM	2085	O	VAL	A	271	58.863	35.865	12.649	1.00	25.71	O
ATOM	2086	CB	VAL	A	271	61.893	35.605	13.394	1.00	23.27	C
ATOM	2087	CG1	VAL	A	271	62.493	36.535	12.349	1.00	21.83	C
ATOM	2088	CG2	VAL	A	271	62.962	35.163	14.393	1.00	15.36	C
ATOM	2089	N	PHE	A	272	59.559	37.991	12.833	1.00	24.78	N
ATOM	2090	CA	PHE	A	272	58.611	38.490	11.848	1.00	22.52	C
ATOM	2091	C	PHE	A	272	59.351	38.807	10.570	1.00	23.89	C
ATOM	2092	O	PHE	A	272	60.315	39.572	10.580	1.00	25.77	O
ATOM	2093	CB	PHE	A	272	57.873	39.721	12.368	1.00	18.39	C
ATOM	2094	CG	PHE	A	272	56.724	39.376	13.249	1.00	19.75	C
ATOM	2095	CD1	PHE	A	272	56.914	39.165	14.607	1.00	16.48	C
ATOM	2096	CD2	PHE	A	272	55.456	39.189	12.708	1.00	20.76	C
ATOM	2097	CE1	PHE	A	272	55.864	38.770	15.417	1.00	17.15	C
ATOM	2098	CE2	PHE	A	272	54.394	38.794	13.512	1.00	21.53	C
ATOM	2099	CZ	PHE	A	272	54.604	38.583	14.875	1.00	21.31	C
ATOM	2100	N	ASP	A	273	58.941	38.154	9.488	1.00	20.68	N
ATOM	2101	CA	ASP	A	273	59.545	38.359	8.186	1.00	20.31	C
ATOM	2102	C	ASP	A	273	58.807	39.509	7.499	1.00	21.80	C
ATOM	2103	O	ASP	A	273	57.726	39.316	6.931	1.00	21.93	O

ATOM	2104	CB	ASP	A	273	59.439	37.078	7.365	1.00	21.56	C
ATOM	2105	CG	ASP	A	273	60.167	37.168	6.040	1.00	23.22	C
ATOM	2106	OD1	ASP	A	273	60.515	38.281	5.594	1.00	24.71	O
ATOM	2107	OD2	ASP	A	273	60.388	36.108	5.431	1.00	29.71	O
ATOM	2108	N	ALA	A	274	59.403	40.701	7.552	1.00	23.70	N
ATOM	2109	CA	ALA	A	274	58.812	41.913	6.971	1.00	23.41	C
ATOM	2110	C	ALA	A	274	58.874	41.983	5.461	1.00	22.81	C
ATOM	2111	O	ALA	A	274	58.460	42.973	4.882	1.00	25.72	O
ATOM	2112	CB	ALA	A	274	59.441	43.176	7.579	1.00	20.97	C
ATOM	2113	N	SER	A	275	59.449	40.974	4.818	1.00	24.06	N
ATOM	2114	CA	SER	A	275	59.490	40.982	3.364	1.00	25.84	C
ATOM	2115	C	SER	A	275	58.134	40.486	2.823	1.00	26.17	C
ATOM	2116	O	SER	A	275	57.930	40.443	1.618	1.00	30.03	O
ATOM	2117	CG	SER	A	275	60.626	40.109	2.840	1.00	25.34	C
ATOM	2118	OG	SER	A	275	60.309	38.736	2.975	1.00	23.92	O
ATOM	2119	N	LYS	A	276	57.242	40.064	3.722	1.00	23.44	N
ATOM	2120	CA	LYS	A	276	55.911	39.601	3.355	1.00	21.55	C
ATOM	2121	C	LYS	A	276	54.966	40.738	3.704	1.00	23.51	C
ATOM	2122	O	LYS	A	276	55.168	41.426	4.697	1.00	21.94	O
ATOM	2123	CB	LYS	A	276	55.525	38.366	4.152	1.00	18.43	C
ATOM	2124	CG	LYS	A	276	56.465	37.217	3.949	1.00	23.40	C
ATOM	2125	CD	LYS	A	276	56.376	36.686	2.563	1.00	19.46	C
ATOM	2126	CE	LYS	A	276	57.293	35.503	2.404	1.00	19.32	C
ATOM	2127	NZ	LYS	A	276	57.091	34.884	1.073	1.00	20.57	N
ATOM	2128	N	PRO	A	277	53.901	40.927	2.905	1.00	25.83	N
ATOM	2129	CA	PRO	A	277	52.913	41.989	3.111	1.00	23.21	C
ATOM	2130	C	PRO	A	277	51.993	41.791	4.306	1.00	25.16	C
ATOM	2131	O	PRO	A	277	51.755	40.669	4.755	1.00	27.63	O
ATOM	2132	CB	PRO	A	277	52.122	41.956	1.814	1.00	24.36	C
ATOM	2133	CG	PRO	A	277	52.099	40.482	1.495	1.00	27.14	C
ATOM	2134	CD	PRO	A	277	53.537	40.088	1.744	1.00	25.99	C
ATOM	2135	N	ASP	A	278	51.526	42.904	4.855	1.00	24.80	N
ATOM	2136	CA	ASP	A	278	50.595	42.877	5.975	1.00	27.24	C
ATOM	2137	C	ASP	A	278	49.214	43.061	5.372	1.00	28.04	C
ATOM	2138	O	ASP	A	278	49.090	43.374	4.192	1.00	30.83	O
ATOM	2139	CB	ASP	A	278	50.842	44.055	6.926	1.00	24.65	C
ATOM	2140	CG	ASP	A	278	52.163	43.971	7.648	1.00	27.25	C
ATOM	2141	OD1	ASP	A	278	52.517	42.890	8.146	1.00	25.95	O
ATOM	2142	OD2	ASP	A	278	52.834	45.015	7.746	1.00	31.23	O
ATOM	2143	N	GLY	A	279	48.178	42.853	6.180	1.00	33.71	N
ATOM	2144	CA	GLY	A	279	46.813	43.074	5.720	1.00	35.29	C
ATOM	2145	C	GLY	A	279	46.500	44.521	6.075	1.00	34.83	C
ATOM	2146	O	GLY	A	279	47.421	45.345	6.143	1.00	36.12	O
ATOM	2147	N	THR	A	280	45.232	44.849	6.318	1.00	35.58	N
ATOM	2148	CA	THR	A	280	44.885	46.221	6.693	1.00	33.58	C
ATOM	2149	C	THR	A	280	45.582	46.496	8.024	1.00	31.16	C
ATOM	2150	O	THR	A	280	45.774	45.589	8.833	1.00	32.25	O
ATOM	2151	CB	THR	A	280	43.360	46.416	6.841	1.00	35.02	C
ATOM	2152	OG1	THR	A	280	42.837	45.434	7.741	1.00	37.94	O
ATOM	2153	CG2	THR	A	280	42.666	46.278	5.485	1.00	40.68	C
ATOM	2154	N	PRO	A	281	45.988	47.745	8.255	1.00	30.29	N
ATOM	2155	CA	PRO	A	281	46.680	48.155	9.481	1.00	31.11	C
ATOM	2156	C	PRO	A	281	45.918	47.938	10.779	1.00	31.05	C
ATOM	2157	O	PRO	A	281	46.501	47.599	11.811	1.00	29.83	O
ATOM	2158	CB	PRO	A	281	46.909	49.651	9.256	1.00	30.84	C
ATOM	2159	CG	PRO	A	281	46.961	49.774	7.771	1.00	34.01	C

ATOM	2160	CD	PRO	A	281	45.829	48.888	7.344	1.00	28.72	C
ATOM	2161	N	ARG	A	282	44.606	48.083	10.718	1.00	30.96	N
ATOM	2162	CA	ARG	A	282	43.818	47.979	11.926	1.00	32.35	C
ATOM	2163	C	ARG	A	282	42.416	47.519	11.627	1.00	31.51	C
ATOM	2164	O	ARG	A	282	41.810	47.901	10.628	1.00	31.57	O
ATOM	2165	CB	ARG	A	282	43.782	49.357	12.590	1.00	31.46	C
ATOM	2166	CG	ARG	A	282	43.200	49.409	13.961	1.00	32.99	C
ATOM	2167	CD	ARG	A	282	43.436	50.801	14.500	1.00	36.29	C
ATOM	2168	NE	ARG	A	282	42.986	50.924	15.885	1.00	41.71	N
ATOM	2169	CZ	ARG	A	282	42.170	51.883	16.320	1.00	45.63	C
ATOM	2170	NH1	ARG	A	282	41.718	52.814	15.484	1.00	47.45	N
ATOM	2171	NH2	ARG	A	282	41.760	51.873	17.589	1.00	43.84	N
ATOM	2172	N	LYS	A	283	41.867	46.753	12.550	1.00	32.60	N
ATOM	2173	CA	LYS	A	283	40.542	46.244	12.352	1.00	30.39	C
ATOM	2174	C	LYS	A	283	39.945	45.838	13.675	1.00	28.42	C
ATOM	2175	O	LYS	A	283	40.431	44.923	14.333	1.00	29.84	O
ATOM	2176	CB	LYS	A	283	40.640	45.067	11.413	1.00	31.50	C
ATOM	2177	CG	LYS	A	283	39.354	44.561	10.894	1.00	44.32	C
ATOM	2178	CD	LYS	A	283	39.675	43.355	10.029	1.00	58.01	C
ATOM	2179	CE	LYS	A	283	38.476	42.395	9.876	1.00	69.55	C
ATOM	2180	NZ	LYS	A	283	38.835	41.067	9.205	1.00	76.75	N
ATOM	2181	N	LEU	A	284	38.973	46.619	14.123	1.00	26.11	N
ATOM	2182	CA	LEU	A	284	38.271	46.327	15.371	1.00	26.63	C
ATOM	2183	C	LEU	A	284	36.877	46.929	15.326	1.00	23.27	C
ATOM	2184	O	LEU	A	284	36.611	47.850	14.555	1.00	22.69	O
ATOM	2185	CB	LEU	A	284	39.031	46.848	16.599	1.00	28.04	C
ATOM	2186	CG	LEU	A	284	38.896	48.324	16.973	1.00	30.81	C
ATOM	2187	CD1	LEU	A	284	39.409	48.533	18.380	1.00	26.46	C
ATOM	2188	CD2	LEU	A	284	39.666	49.186	15.984	1.00	31.85	C
ATOM	2189	N	LEU	A	285	35.987	46.395	16.151	1.00	23.65	N
ATOM	2190	CA	LEU	A	285	34.611	46.857	16.205	1.00	23.79	C
ATOM	2191	C	LEU	A	285	34.374	47.945	17.235	1.00	25.01	C
ATOM	2192	O	LEU	A	285	35.070	48.018	18.245	1.00	27.33	O
ATOM	2193	CB	LEU	A	285	33.686	45.687	16.550	1.00	17.98	C
ATOM	2194	CG	LEU	A	285	33.682	44.446	15.673	1.00	16.31	C
ATOM	2195	CD1	LEU	A	285	32.655	43.482	16.252	1.00	16.67	C
ATOM	2196	CD2	LEU	A	285	33.348	44.815	14.236	1.00	16.61	C
ATOM	2197	N	ASP	A	286	33.397	48.798	16.947	1.00	25.72	N
ATOM	2198	CA	ASP	A	286	32.976	49.849	17.859	1.00	26.84	C
ATOM	2199	C	ASP	A	286	31.882	49.118	18.644	1.00	27.52	C
ATOM	2200	O	ASP	A	286	30.873	48.718	18.073	1.00	28.15	O
ATOM	2201	CB	ASP	A	286	32.374	51.015	17.065	1.00	29.93	C
ATOM	2202	CG	ASP	A	286	32.042	52.231	17.937	1.00	32.06	C
ATOM	2203	OD1	ASP	A	286	31.615	52.055	19.099	1.00	29.01	O
ATOM	2204	OD2	ASP	A	286	32.195	53.372	17.448	1.00	34.96	O
ATOM	2205	N	VAL	A	287	32.104	48.886	19.931	1.00	26.55	N
ATOM	2206	CA	VAL	A	287	31.124	48.176	20.741	1.00	25.97	C
ATOM	2207	C	VAL	A	287	30.294	49.071	21.664	1.00	29.50	C
ATOM	2208	O	VAL	A	287	29.724	48.600	22.656	1.00	28.86	O
ATOM	2209	CB	VAL	A	287	31.793	47.040	21.554	1.00	27.71	C
ATOM	2210	CG1	VAL	A	287	32.253	45.915	20.615	1.00	26.17	C
ATOM	2211	CG2	VAL	A	287	32.978	47.584	22.327	1.00	27.97	C
ATOM	2212	N	THR	A	288	30.201	50.350	21.300	1.00	31.59	N
ATOM	2213	CA	THR	A	288	29.442	51.348	22.061	1.00	31.99	C
ATOM	2214	C	THR	A	288	28.025	50.882	22.353	1.00	31.50	C
ATOM	2215	O	THR	A	288	27.594	50.879	23.502	1.00	35.22	O

ATOM	2216	CB	THR	A	288	29.349	52.666	21.283	1.00	32.87	C
ATOM	2217	OG1	THR	A	288	30.650	53.256	21.191	1.00	34.28	O
ATOM	2218	CG2	THR	A	288	28.402	53.627	21.968	1.00	34.63	C
ATOM	2219	N	ARG	A	289	27.324	50.483	21.294	1.00	32.17	N
ATOM	2220	CA	ARG	A	289	25.947	49.997	21.352	1.00	28.97	C
ATOM	2221	C	ARG	A	289	25.798	48.835	22.346	1.00	30.50	C
ATOM	2222	O	ARG	A	289	24.856	48.791	23.150	1.00	29.66	O
ATOM	2223	CB	ARG	A	289	25.523	49.564	19.940	1.00	29.03	C
ATOM	2224	CG	ARG	A	289	24.034	49.451	19.713	1.00	29.25	C
ATOM	2225	CD	ARG	A	289	23.709	49.003	18.297	1.00	30.27	C
ATOM	2226	NE	ARG	A	289	23.298	50.085	17.396	1.00	28.78	N
ATOM	2227	CZ	ARG	A	289	22.577	49.889	16.286	1.00	33.52	C
ATOM	2228	NH1	ARG	A	289	22.190	48.662	15.947	1.00	29.74	N
ATOM	2229	NH2	ARG	A	289	22.251	50.909	15.494	1.00	29.58	N
ATOM	2230	N	LEU	A	290	26.760	47.918	22.320	1.00	29.70	N
ATOM	2231	CA	LEU	A	290	26.736	46.770	23.215	1.00	30.13	C
ATOM	2232	C	LEU	A	290	26.942	47.193	24.666	1.00	32.12	C
ATOM	2233	O	LEU	A	290	26.277	46.685	25.575	1.00	30.35	O
ATOM	2234	CB	LEU	A	290	27.814	45.770	22.818	1.00	28.80	C
ATOM	2235	CG	LEU	A	290	27.879	44.502	23.660	1.00	29.78	C
ATOM	2236	CD1	LEU	A	290	26.551	43.743	23.593	1.00	26.15	C
ATOM	2237	CD2	LEU	A	290	29.039	43.651	23.171	1.00	32.54	C
ATOM	2238	N	HIS	A	291	27.884	48.105	24.883	1.00	33.34	N
ATOM	2239	CA	HIS	A	291	28.176	48.578	26.227	1.00	35.34	C
ATOM	2240	C	HIS	A	291	26.993	49.333	26.805	1.00	38.37	C
ATOM	2241	O	HIS	A	291	26.672	49.178	27.985	1.00	39.48	O
ATOM	2242	CB	HIS	A	291	29.445	49.421	26.222	1.00	32.75	C
ATOM	2243	CG	HIS	A	291	30.688	48.612	26.029	1.00	30.97	C
ATOM	2244	ND1	HIS	A	291	31.930	49.177	25.840	1.00	29.51	N
ATOM	2245	CD2	HIS	A	291	30.878	47.267	26.017	1.00	26.20	C
ATOM	2246	CE1	HIS	A	291	32.836	48.217	25.723	1.00	28.24	C
ATOM	2247	NE2	HIS	A	291	32.221	47.053	25.827	1.00	29.24	N
ATOM	2248	N	GLN	A	292	26.310	50.103	25.959	1.00	39.38	N
ATOM	2249	CA	GLN	A	292	25.130	50.842	26.395	1.00	40.56	C
ATOM	2250	C	GLN	A	292	23.996	49.881	26.737	1.00	38.72	C
ATOM	2251	O	GLN	A	292	23.086	50.243	27.467	1.00	40.34	O
ATOM	2252	CB	GLN	A	292	24.690	51.854	25.344	1.00	41.02	C
ATOM	2253	CG	GLN	A	292	25.657	53.022	25.230	1.00	48.96	C
ATOM	2254	CD	GLN	A	292	25.282	54.014	24.131	1.00	56.32	C
ATOM	2255	OE1	GLN	A	292	25.637	55.197	24.204	1.00	56.24	O
ATOM	2256	NE2	GLN	A	292	24.579	53.535	23.097	1.00	55.58	N
ATOM	2257	N	LEU	A	293	24.049	48.660	26.211	1.00	34.67	N
ATOM	2258	CA	LEU	A	293	23.037	47.658	26.523	1.00	31.56	C
ATOM	2259	C	LEU	A	293	23.447	46.956	27.814	1.00	33.06	C
ATOM	2260	O	LEU	A	293	22.858	45.937	28.202	1.00	30.36	O
ATOM	2261	CB	LEU	A	293	22.913	46.628	25.403	1.00	36.08	C
ATOM	2262	CG	LEU	A	293	22.304	47.081	24.080	1.00	38.51	C
ATOM	2263	CD1	LEU	A	293	22.329	45.911	23.118	1.00	36.37	C
ATOM	2264	CD2	LEU	A	293	20.876	47.570	24.296	1.00	38.13	C
ATOM	2265	N	GLY	A	294	24.510	47.475	28.431	1.00	34.62	N
ATOM	2266	CA	GLY	A	294	25.012	46.943	29.691	1.00	36.15	C
ATOM	2267	C	GLY	A	294	25.848	45.671	29.709	1.00	35.13	C
ATOM	2268	O	GLY	A	294	25.885	44.980	30.726	1.00	35.69	O
ATOM	2269	N	TRP	A	295	26.511	45.337	28.607	1.00	34.36	N
ATOM	2270	CA	TRP	A	295	27.337	44.138	28.598	1.00	30.98	C
ATOM	2271	C	TRP	A	295	28.787	44.487	28.337	1.00	31.48	C

ATOM	2272	O	TRP	A	295	29.090	45.321	27.475	1.00	30.22	O
ATOM	2273	CB	TRP	A	295	26.851	43.117	27.569	1.00	28.03	C
ATOM	2274	CG	TRP	A	295	27.566	41.799	27.685	1.00	28.70	C
ATOM	2275	CD1	TRP	A	295	27.197	40.731	28.449	1.00	27.81	C
ATOM	2276	CD2	TRP	A	295	28.782	41.418	27.024	1.00	25.62	C
ATOM	2277	NE1	TRP	A	295	28.105	39.707	28.304	1.00	29.40	N
ATOM	2278	CE2	TRP	A	295	29.087	40.106	27.436	1.00	27.15	C
ATOM	2279	CE3	TRP	A	295	29.639	42.060	26.120	1.00	26.82	C
ATOM	2280	CZ2	TRP	A	295	30.215	39.424	26.978	1.00	27.03	C
ATOM	2281	CZ3	TRP	A	295	30.755	41.385	25.665	1.00	24.97	C
ATOM	2282	CH2	TRP	A	295	31.035	40.078	26.093	1.00	27.00	C
ATOM	2283	N	TYR	A	296	29.663	43.849	29.115	1.00	31.36	N
ATOM	2284	CA	TYR	A	296	31.109	44.021	29.022	1.00	31.61	C
ATOM	2285	C	TYR	A	296	31.775	42.653	29.121	1.00	32.30	C
ATOM	2286	O	TYR	A	296	31.335	41.793	29.889	1.00	34.35	O
ATOM	2287	CB	TYR	A	296	31.610	44.917	30.145	1.00	33.20	C
ATOM	2288	CG	TYR	A	296	31.291	46.373	29.948	1.00	39.46	C
ATOM	2289	CD1	TYR	A	296	30.042	46.898	30.316	1.00	42.21	C
ATOM	2290	CD2	TYR	A	296	32.240	47.238	29.407	1.00	41.88	C
ATOM	2291	CE1	TYR	A	296	29.744	48.254	30.147	1.00	43.94	C
ATOM	2292	CE2	TYR	A	296	31.960	48.597	29.236	1.00	47.98	C
ATOM	2293	CZ	TYR	A	296	30.711	49.102	29.608	1.00	49.98	C
ATOM	2294	OH	TYR	A	296	30.448	50.454	29.444	1.00	54.16	O
ATOM	2295	N	HIS	A	297	32.830	42.448	28.336	1.00	32.28	N
ATOM	2296	CA	HIS	A	297	33.534	41.169	28.335	1.00	34.79	C
ATOM	2297	C	HIS	A	297	34.309	40.937	29.625	1.00	37.14	C
ATOM	2298	O	HIS	A	297	34.730	41.889	30.284	1.00	39.70	O
ATOM	2299	CB	HIS	A	297	34.471	41.063	27.128	1.00	32.40	C
ATOM	2300	CG	HIS	A	297	35.589	42.055	27.140	1.00	30.14	C
ATOM	2301	ND1	HIS	A	297	35.385	43.406	26.961	1.00	32.99	N
ATOM	2302	CD2	HIS	A	297	36.924	41.891	27.289	1.00	29.27	C
ATOM	2303	CE1	HIS	A	297	36.547	44.033	26.996	1.00	29.09	C
ATOM	2304	NE2	HIS	A	297	37.496	43.137	27.193	1.00	28.81	N
ATOM	2305	N	GLU	A	298	34.506	39.666	29.964	1.00	37.95	N
ATOM	2306	CA	GLU	A	298	35.215	39.282	31.177	1.00	39.72	C
ATOM	2307	C	GLU	A	298	36.573	38.623	30.959	1.00	38.27	C
ATOM	2308	O	GLU	A	298	37.493	38.807	31.759	1.00	39.61	O
ATOM	2309	CB	GLU	A	298	34.344	38.347	32.002	1.00	42.46	C
ATOM	2310	CG	GLU	A	298	33.146	39.034	32.594	1.00	55.98	C
ATOM	2311	CD	GLU	A	298	32.374	38.122	33.506	1.00	63.04	C
ATOM	2312	OE1	GLU	A	298	32.800	37.957	34.671	1.00	68.90	O
ATOM	2313	OE2	GLU	A	298	31.353	37.556	33.054	1.00	68.64	O
ATOM	2314	N	ILE	A	299	36.694	37.857	29.883	1.00	33.27	N
ATOM	2315	CA	ILE	A	299	37.928	37.142	29.583	1.00	29.85	C
ATOM	2316	C	ILE	A	299	38.984	37.974	28.849	1.00	29.75	C
ATOM	2317	O	ILE	A	299	38.759	38.439	27.728	1.00	28.05	O
ATOM	2318	CB	ILE	A	299	37.598	35.851	28.816	1.00	27.12	C
ATOM	2319	CG1	ILE	A	299	36.603	35.020	29.635	1.00	24.67	C
ATOM	2320	CG2	ILE	A	299	38.847	35.051	28.562	1.00	26.04	C
ATOM	2321	CD1	ILE	A	299	35.847	33.965	28.834	1.00	26.64	C
ATOM	2322	N	SER	A	300	40.117	38.199	29.515	1.00	28.39	N
ATOM	2323	CA	SER	A	300	41.220	38.961	28.924	1.00	29.33	C
ATOM	2324	C	SER	A	300	42.012	38.022	28.005	1.00	28.04	C
ATOM	2325	O	SER	A	300	41.935	36.800	28.150	1.00	27.86	O
ATOM	2326	CB	SER	A	300	42.138	39.517	30.008	1.00	28.67	C
ATOM	2327	OG	SER	A	300	42.924	38.477	30.571	1.00	36.57	O

ATOM	2328	N	LEU	A	301	42.806	38.590	27.100	1.00	28.52	N
ATOM	2329	CA	LEU	A	301	43.573	37.786	26.144	1.00	29.49	C
ATOM	2330	C	LEU	A	301	44.470	36.691	26.743	1.00	30.74	C
ATOM	2331	O	LEU	A	301	44.337	35.514	26.392	1.00	28.70	O
ATOM	2332	CB	LEU	A	301	44.390	38.685	25.214	1.00	25.35	C
ATOM	2333	CG	LEU	A	301	44.994	37.935	24.022	1.00	28.28	C
ATOM	2334	CD1	LEU	A	301	43.908	37.432	23.080	1.00	22.78	C
ATOM	2335	CD2	LEU	A	301	45.942	38.849	23.288	1.00	31.27	C
ATOM	2336	N	GLU	A	302	45.366	37.084	27.648	1.00	32.28	N
ATOM	2337	CA	GLU	A	302	46.292	36.151	28.291	1.00	34.28	C
ATOM	2338	C	GLU	A	302	45.523	35.020	28.957	1.00	31.09	C
ATOM	2339	O	GLU	A	302	45.886	33.845	28.818	1.00	31.39	O
ATOM	2340	CB	GLU	A	302	47.142	36.857	29.361	1.00	42.17	C
ATOM	2341	CG	GLU	A	302	47.630	38.262	29.012	1.00	55.68	C
ATOM	2342	CD	GLU	A	302	46.574	39.350	29.257	1.00	61.61	C
ATOM	2343	OE1	GLU	A	302	46.081	39.463	30.412	1.00	68.31	O
ATOM	2344	OE2	GLU	A	302	46.248	40.095	28.300	1.00	59.92	O
ATOM	2345	N	ALA	A	303	44.469	35.387	29.685	1.00	24.87	N
ATOM	2346	CA	ALA	A	303	43.638	34.424	30.390	1.00	23.75	C
ATOM	2347	C	ALA	A	303	42.914	33.500	29.415	1.00	25.07	C
ATOM	2348	O	ALA	A	303	42.889	32.284	29.615	1.00	27.32	O
ATOM	2349	CB	ALA	A	303	42.642	35.143	31.279	1.00	25.09	C
ATOM	2350	N	GLY	A	304	42.373	34.076	28.339	1.00	23.12	N
ATOM	2351	CA	GLY	A	304	41.663	33.291	27.342	1.00	22.44	C
ATOM	2352	C	GLY	A	304	42.550	32.342	26.552	1.00	24.32	C
ATOM	2353	O	GLY	A	304	42.114	31.247	26.182	1.00	25.79	O
ATOM	2354	N	LEU	A	305	43.778	32.766	26.261	1.00	21.31	N
ATOM	2355	CA	LEU	A	305	44.715	31.927	25.520	1.00	23.11	C
ATOM	2356	C	LEU	A	305	45.208	30.768	26.374	1.00	23.15	C
ATOM	2357	O	LEU	A	305	45.386	29.651	25.886	1.00	22.55	O
ATOM	2358	CB	LEU	A	305	45.910	32.746	25.029	1.00	23.22	C
ATOM	2359	CG	LEU	A	305	45.668	33.775	23.925	1.00	22.87	C
ATOM	2360	CD1	LEU	A	305	46.938	34.582	23.721	1.00	20.99	C
ATOM	2361	CD2	LEU	A	305	45.251	33.082	22.642	1.00	19.00	C
ATOM	2362	N	ALA	A	306	45.417	31.042	27.657	1.00	24.36	N
ATOM	2363	CA	ALA	A	306	45.887	30.026	28.588	1.00	24.30	C
ATOM	2364	C	ALA	A	306	44.854	28.899	28.718	1.00	25.04	C
ATOM	2365	O	ALA	A	306	45.190	27.724	28.554	1.00	24.96	O
ATOM	2366	CB	ALA	A	306	46.190	30.663	29.944	1.00	21.48	C
ATOM	2367	N	SER	A	307	43.590	29.260	28.945	1.00	25.27	N
ATOM	2368	CA	SER	A	307	42.526	28.261	29.069	1.00	26.72	C
ATOM	2369	C	SER	A	307	42.263	27.545	27.741	1.00	24.99	C
ATOM	2370	O	SER	A	307	41.984	26.345	27.720	1.00	27.94	O
ATOM	2371	CB	SER	A	307	41.230	28.887	29.610	1.00	27.12	C
ATOM	2372	OG	SER	A	307	40.606	29.715	28.648	1.00	34.58	O
ATOM	2373	N	THR	A	308	42.345	28.276	26.633	1.00	22.71	N
ATOM	2374	CA	THR	A	308	42.148	27.676	25.312	1.00	21.63	C
ATOM	2375	C	THR	A	308	43.265	26.652	25.019	1.00	24.17	C
ATOM	2376	O	THR	A	308	43.014	25.599	24.415	1.00	22.61	O
ATOM	2377	CB	THR	A	308	42.175	28.750	24.204	1.00	21.63	C
ATOM	2378	OG1	THR	A	308	41.130	29.698	24.427	1.00	21.39	O
ATOM	2379	CG2	THR	A	308	42.006	28.113	22.841	1.00	18.60	C
ATOM	2380	N	TYR	A	309	44.499	26.984	25.421	1.00	24.10	N
ATOM	2381	CA	TYR	A	309	45.642	26.094	25.209	1.00	24.56	C
ATOM	2382	C	TYR	A	309	45.445	24.826	26.031	1.00	26.12	C
ATOM	2383	O	TYR	A	309	45.786	23.729	25.597	1.00	24.68	O

ATOM	2384	CB	TYR	A	309	46.958	26.772	25.619	1.00	22.73	C
ATOM	2385	CG	TYR	A	309	48.192	25.916	25.344	1.00	21.35	C
ATOM	2386	CD1	TYR	A	309	48.391	25.340	24.091	1.00	17.41	C
ATOM	2387	CD2	TYR	A	309	49.135	25.658	26.348	1.00	20.03	C
ATOM	2388	CE1	TYR	A	309	49.479	24.532	23.838	1.00	17.86	C
ATOM	2389	CE2	TYR	A	309	50.237	24.845	26.100	1.00	17.60	C
ATOM	2390	CZ	TYR	A	309	50.398	24.289	24.838	1.00	19.60	C
ATOM	2391	OH	TYR	A	309	51.489	23.500	24.551	1.00	22.30	O
ATOM	2392	N	GLN	A	310	44.917	25.002	27.235	1.00	28.39	N
ATOM	2393	CA	GLN	A	310	44.649	23.902	28.141	1.00	31.72	C
ATOM	2394	C	GLN	A	310	43.661	22.951	27.479	1.00	32.49	C
ATOM	2395	O	GLN	A	310	43.833	21.732	27.527	1.00	34.18	O
ATOM	2396	CB	GLN	A	310	44.067	24.445	29.445	1.00	36.90	C
ATOM	2397	CG	GLN	A	310	44.255	23.534	30.625	1.00	49.45	C
ATOM	2398	CD	GLN	A	310	45.682	23.035	30.724	1.00	57.63	C
ATOM	2399	OE1	GLN	A	310	45.914	21.845	30.934	1.00	63.33	O
ATOM	2400	NE2	GLN	A	310	46.649	23.935	30.527	1.00	58.16	N
ATOM	2401	N	TRP	A	311	42.645	23.518	26.832	1.00	31.23	N
ATOM	2402	CA	TRP	A	311	41.639	22.714	26.147	1.00	31.11	C
ATOM	2403	C	TRP	A	311	42.302	21.935	25.012	1.00	31.99	C
ATOM	2404	O	TRP	A	311	42.044	20.742	24.825	1.00	31.84	O
ATOM	2405	CB	TRP	A	311	40.514	23.597	25.581	1.00	29.00	C
ATOM	2406	CG	TRP	A	311	39.420	22.793	24.916	1.00	29.42	C
ATOM	2407	CD1	TRP	A	311	38.335	22.231	25.531	1.00	26.67	C
ATOM	2408	CD2	TRP	A	311	39.338	22.408	23.531	1.00	27.15	C
ATOM	2409	NE1	TRP	A	311	37.590	21.516	24.622	1.00	28.98	N
ATOM	2410	CE2	TRP	A	311	38.180	21.605	23.389	1.00	28.33	C
ATOM	2411	CE3	TRP	A	311	40.128	22.656	22.404	1.00	27.17	C
ATOM	2412	CZ2	TRP	A	311	37.793	21.048	22.164	1.00	26.56	C
ATOM	2413	CZ3	TRP	A	311	39.744	22.103	21.182	1.00	28.52	C
ATOM	2414	CH2	TRP	A	311	38.584	21.305	21.076	1.00	28.56	C
ATOM	2415	N	PHE	A	312	43.122	22.635	24.231	1.00	32.17	N
ATOM	2416	CA	PHE	A	312	43.831	22.028	23.118	1.00	29.55	C
ATOM	2417	C	PHE	A	312	44.671	20.835	23.584	1.00	30.34	C
ATOM	2418	O	PHE	A	312	44.729	19.812	22.905	1.00	27.47	O
ATOM	2419	CB	PHE	A	312	44.733	23.066	22.442	1.00	30.35	C
ATOM	2420	CG	PHE	A	312	45.645	22.478	21.420	1.00	31.04	C
ATOM	2421	CD1	PHE	A	312	45.151	22.092	20.177	1.00	32.20	C
ATOM	2422	CD2	PHE	A	312	46.980	22.229	21.726	1.00	31.50	C
ATOM	2423	CE1	PHE	A	312	45.970	21.457	19.251	1.00	31.85	C
ATOM	2424	CE2	PHE	A	312	47.813	21.597	20.811	1.00	31.01	C
ATOM	2425	CZ	PHE	A	312	47.309	21.208	19.571	1.00	31.64	C
ATOM	2426	N	LEU	A	313	45.323	20.979	24.738	1.00	33.12	N
ATOM	2427	CA	LEU	A	313	46.167	19.918	25.297	1.00	36.68	C
ATOM	2428	C	LEU	A	313	45.368	18.655	25.582	1.00	40.51	C
ATOM	2429	O	LEU	A	313	45.756	17.562	25.164	1.00	44.34	O
ATOM	2430	CB	LEU	A	313	46.884	20.385	26.572	1.00	29.25	C
ATOM	2431	CG	LEU	A	313	48.027	21.385	26.382	1.00	28.06	C
ATOM	2432	CD1	LEU	A	313	48.561	21.841	27.733	1.00	27.40	C
ATOM	2433	CD2	LEU	A	313	49.130	20.763	25.554	1.00	19.50	C
ATOM	2434	N	GLU	A	314	44.227	18.811	26.245	1.00	42.01	N
ATOM	2435	CA	GLU	A	314	43.383	17.668	26.569	1.00	45.91	C
ATOM	2436	C	GLU	A	314	42.621	17.084	25.370	1.00	46.34	C
ATOM	2437	O	GLU	A	314	42.000	16.033	25.494	1.00	49.20	O
ATOM	2438	CB	GLU	A	314	42.389	18.058	27.660	1.00	48.97	C
ATOM	2439	CG	GLU	A	314	43.039	18.517	28.959	1.00	58.50	C

ATOM	2440	CD	GLU	A	314	42.070	19.248	29.898	1.00	65.29	C
ATOM	2441	OE1	GLU	A	314	40.900	19.485	29.507	1.00	68.83	O
ATOM	2442	OE2	GLU	A	314	42.486	19.604	31.027	1.00	67.52	O
ATOM	2443	N	ASN	A	315	42.713	17.722	24.205	1.00	45.61	N
ATOM	2444	CA	ASN	A	315	41.985	17.275	23.018	1.00	44.25	C
ATOM	2445	C	ASN	A	315	42.816	17.210	21.757	1.00	46.82	C
ATOM	2446	O	ASN	A	315	42.257	17.117	20.671	1.00	45.19	O
ATOM	2447	CB	ASN	A	315	40.833	18.242	22.724	1.00	42.66	C
ATOM	2448	CG	ASN	A	315	39.659	18.073	23.659	1.00	43.06	C
ATOM	2449	OD1	ASN	A	315	38.697	17.375	23.338	1.00	44.33	O
ATOM	2450	ND2	ASN	A	315	39.705	18.751	24.800	1.00	42.34	N
ATOM	2451	N	GLN	A	316	44.136	17.275	21.875	1.00	53.33	N
ATOM	2452	CA	GLN	A	316	44.972	17.270	20.677	1.00	60.48	C
ATOM	2453	C	GLN	A	316	44.847	16.048	19.781	1.00	65.81	C
ATOM	2454	O	GLN	A	316	45.153	16.117	18.582	1.00	65.72	O
ATOM	2455	CB	GLN	A	316	46.431	17.567	21.008	1.00	58.72	C
ATOM	2456	CG	GLN	A	316	47.050	16.665	22.027	1.00	59.42	C
ATOM	2457	CD	GLN	A	316	48.439	17.121	22.398	1.00	59.39	C
ATOM	2458	OE1	GLN	A	316	48.766	17.235	23.577	1.00	62.50	O
ATOM	2459	NE2	GLN	A	316	49.263	17.398	21.393	1.00	57.86	N
ATOM	2460	N	ASP	A	317	44.395	14.933	20.354	1.00	72.58	N
ATOM	2461	CA	ASP	A	317	44.205	13.718	19.570	1.00	78.11	C
ATOM	2462	C	ASP	A	317	42.824	13.766	18.929	1.00	78.14	C
ATOM	2463	O	ASP	A	317	41.931	12.985	19.253	1.00	79.55	O
ATOM	2464	CB	ASP	A	317	44.406	12.456	20.420	1.00	83.78	C
ATOM	2465	CG	ASP	A	317	45.880	12.032	20.501	1.00	90.58	C
ATOM	2466	OD1	ASP	A	317	46.566	12.009	19.446	1.00	92.85	O
ATOM	2467	OD2	ASP	A	317	46.355	11.724	21.619	1.00	93.50	O
ATOM	2468	N	ARG	A	318	42.670	14.758	18.057	1.00	77.85	N
ATOM	2469	CA	ARG	A	318	41.455	15.037	17.296	1.00	77.09	C
ATOM	2470	C	ARG	A	318	41.895	15.851	16.086	1.00	76.19	C
ATOM	2471	O	ARG	A	318	41.159	15.970	15.104	1.00	76.03	O
ATOM	2472	CB	ARG	A	318	40.473	15.886	18.117	1.00	76.30	C
ATOM	2473	CG	ARG	A	318	39.757	15.143	19.231	1.00	77.09	C
ATOM	2474	CD	ARG	A	318	39.045	16.097	20.168	1.00	76.69	C
ATOM	2475	NE	ARG	A	318	38.099	16.964	19.473	1.00	76.44	N
ATOM	2476	CZ	ARG	A	318	36.947	17.378	19.993	1.00	77.01	C
ATOM	2477	NH1	ARG	A	318	36.592	17.000	21.214	1.00	75.98	N
ATOM	2478	NH2	ARG	A	318	36.155	18.184	19.297	1.00	78.64	N
ATOM	2479	N	PHE	A	319	43.111	16.396	16.171	1.00	74.90	N
ATOM	2480	CA	PHE	A	319	43.685	17.233	15.118	1.00	74.68	C
ATOM	2481	C	PHE	A	319	44.987	16.633	14.585	1.00	73.57	C
ATOM	2482	O	PHE	A	319	45.745	16.001	15.327	1.00	74.47	O
ATOM	2483	CB	PHE	A	319	43.944	18.652	15.664	1.00	71.17	C
ATOM	2484	CG	PHE	A	319	42.801	19.217	16.485	1.00	64.60	C
ATOM	2485	CD1	PHE	A	319	41.666	19.738	15.866	1.00	63.73	C
ATOM	2486	CD2	PHE	A	319	42.856	19.211	17.876	1.00	64.05	C
ATOM	2487	CE1	PHE	A	319	40.603	20.243	16.621	1.00	60.21	C
ATOM	2488	CE2	PHE	A	319	41.798	19.714	18.639	1.00	62.15	C
ATOM	2489	CZ	PHE	A	319	40.670	20.230	18.005	1.00	61.59	C
TER	2490	PHE	A	319							
HETATM	2491	O	HOH		3	16.295	46.079	6.392	1.00	15.94	O
HETATM	2492	O	HOH		4	61.547	40.087	15.062	1.00	21.47	O
HETATM	2493	O	HOH		5	36.997	37.687	25.554	1.00	20.65	O
HETATM	2494	O	HOH		6	29.311	45.751	4.024	1.00	21.71	O
HETATM	2495	O	HOH		7	21.568	46.184	9.524	1.00	17.42	O

HETATM	2496	O	HOH	8	11.536	47.975	2.432	1.00	26.37	O
HETATM	2497	O	HOH	9	29.177	46.219	1.236	1.00	23.00	O
HETATM	2498	O	HOH	10	40.741	27.136	4.780	1.00	29.07	O
HETATM	2499	O	HOH	11	40.083	37.386	25.112	1.00	30.44	O
HETATM	2500	O	HOH	12	13.825	45.146	5.953	1.00	17.36	O
HETATM	2501	O	HOH	13	8.764	48.592	12.079	1.00	36.36	O
HETATM	2502	O	HOH	14	55.979	44.436	15.015	1.00	26.20	O
HETATM	2503	O	HOH	15	17.945	32.227	25.777	1.00	34.65	O
HETATM	2504	O	HOH	16	40.926	42.199	21.708	1.00	31.59	O
HETATM	2505	O	HOH	17	33.187	44.429	25.698	1.00	25.77	O
HETATM	2506	O	HOH	18	40.247	42.372	14.227	1.00	24.45	O
HETATM	2507	O	HOH	19	14.430	45.255	12.548	1.00	28.20	O
HETATM	2508	O	HOH	20	21.688	49.677	2.624	1.00	23.50	O
HETATM	2509	O	HOH	21	28.054	47.255	19.861	1.00	28.18	O
HETATM	2510	O	HOH	22	55.199	38.799	30.164	1.00	33.05	O
HETATM	2511	O	HOH	23	20.234	42.843	17.179	1.00	23.11	O
HETATM	2512	O	HOH	24	18.239	41.853	13.537	1.00	21.21	O
HETATM	2513	O	HOH	25	60.758	36.226	20.643	1.00	21.53	O
HETATM	2514	O	HOH	26	61.569	26.338	23.229	1.00	26.57	O
HETATM	2515	O	HOH	27	9.926	49.534	16.100	1.00	31.82	O
HETATM	2516	O	HOH	28	4.971	38.969	16.395	1.00	58.26	O
HETATM	2517	O	HOH	29	25.019	31.604	11.825	1.00	35.92	O
HETATM	2518	O	HOH	30	24.673	36.093	29.361	1.00	32.95	O
HETATM	2519	O	HOH	31	52.299	40.821	10.627	1.00	31.56	O
HETATM	2520	O	HOH	32	28.536	50.378	18.662	1.00	24.70	O
HETATM	2521	O	HOH	33	24.699	31.415	8.283	1.00	38.66	O
HETATM	2522	O	HOH	34	53.324	32.853	8.901	1.00	33.39	O
HETATM	2523	O	HOH	35	9.000	27.913	0.990	1.00	51.52	O
HETATM	2524	O	HOH	36	49.740	45.752	20.701	1.00	56.50	O
HETATM	2525	O	HOH	37	28.174	26.898	16.118	1.00	34.01	O
HETATM	2526	O	HOH	38	48.784	49.103	12.468	1.00	43.68	O
HETATM	2527	O	HOH	39	27.576	50.871	29.931	1.00	79.74	O
HETATM	2528	O	HOH	40	14.732	37.684	20.129	1.00	27.80	O
HETATM	2529	O	HOH	41	58.826	26.495	28.976	1.00	29.36	O
HETATM	2530	O	HOH	42	30.099	29.222	27.240	1.00	39.08	O
HETATM	2531	O	HOH	43	59.276	29.042	11.210	1.00	36.07	O
HETATM	2532	O	HOH	44	40.967	29.091	19.406	1.00	23.83	O
HETATM	2533	O	HOH	45	28.684	32.066	10.759	1.00	56.73	O
HETATM	2534	O	HOH	46	27.472	20.923	21.939	1.00	29.43	O
HETATM	2535	O	HOH	47	35.093	42.271	4.075	1.00	39.07	O
HETATM	2536	O	HOH	48	39.685	54.782	10.814	1.00	54.88	O
HETATM	2537	O	HOH	49	6.584	46.194	12.653	1.00	38.66	O
HETATM	2538	O	HOH	50	47.795	26.586	29.308	1.00	38.50	O
HETATM	2539	O	HOH	51	53.230	49.070	15.786	1.00	83.03	O
HETATM	2540	O	HOH	52	57.060	36.335	24.327	1.00	35.42	O
HETATM	2541	O	HOH	53	63.544	27.631	33.116	1.00	54.09	O
HETATM	2542	O	HOH	54	60.753	38.995	18.699	1.00	49.59	O
HETATM	2543	O	HOH	55	14.895	48.576	15.992	1.00	56.00	O
HETATM	2544	O	HOH	56	33.004	53.450	11.866	1.00	38.52	O
HETATM	2545	O	HOH	57	13.256	45.898	15.177	1.00	67.56	O
HETATM	2546	O	HOH	58	1.760	40.226	5.411	1.00	72.60	O
HETATM	2547	O	HOH	59	53.286	19.281	26.653	1.00	71.82	O
HETATM	2548	O	HOH	60	49.908	29.058	30.131	1.00	44.71	O
HETATM	2549	O	HOH	61	33.339	33.081	0.757	1.00	27.06	O
HETATM	2550	O	HOH	62	20.133	49.587	6.300	1.00	62.11	O
HETATM	2551	O	HOH	63	36.171	34.415	14.160	1.00	58.33	O

HETATM	2552	O	HOH	64	31.038	22.208	24.497	1.00	81.57	O		
HETATM	2553	O	HOH	65	57.789	46.097	4.972	1.00	100.00	O		
HETATM	2554	O	HOH	66	9.514	39.392	21.996	1.00	57.91	O		
HETATM	2555	O	HOH	67	13.056	15.987	15.463	1.00	71.44	O		
HETATM	2556	O	HOH	68	41.897	33.505	15.432	1.00	45.09	O		
HETATM	2557	O	HOH	69	55.565	43.726	5.895	1.00	34.28	O		
HETATM	2558	O	HOH	70	39.612	31.330	15.361	1.00	61.92	O		
HETATM	2559	O	HOH	71	44.907	38.858	10.949	1.00	87.38	O		
HETATM	2560	O	HOH	72	63.134	26.447	21.083	1.00	48.64	O		
HETATM	2561	O	HOH	73	42.581	49.438	8.669	1.00	69.28	O		
HETATM	2562	O	HOH	74	21.047	22.360	14.667	1.00	48.13	O		
HETATM	2563	O	HOH	75	63.710	36.536	22.148	1.00	41.62	O		
HETATM	2564	O	HOH	76	50.559	20.064	31.488	1.00	59.27	O		
HETATM	2565	O	HOH	77	54.997	22.252	23.878	1.00	42.51	O		
HETATM	2566	O	HOH	78	25.841	20.981	15.423	1.00	71.86	O		
HETATM	2567	O	HOH	79	8.438	32.383	20.614	1.00	57.09	O		
HETATM	2568	O	HOH	80	10.522	42.067	25.960	1.00	73.56	O		
HETATM	2569	O	HOH	81	33.664	31.525	6.814	1.00	60.75	O		
HETATM	2570	O	HOH	82	37.020	42.162	13.423	1.00	58.93	O		
MASTER	283	0	0	13	10	0	0	6	2569	1	0	25
END												

HEADER OXIDOREDUCTASE 01-SEP-98 1FXS
 TITLE GDP-FUCOSE SYNTHETASE FROM ESCHERICHIA COLI COMPLEX WITH
 TITLE 2 NADP
 COMPND MOL_ID: 1;
 COMPND 2 MOLECULE: PROTEIN (GDP-FUCOSE SYNTHETASE);
 COMPND 3 CHAIN: A;
 COMPND 4 SYNONYM: WCAG, GDP-4-KETO 6-DEOXY-MANNOSE 3,5-EPIMERASE 4-
 COMPND 5 REDUCTASE;
 COMPND 6 ENGINEERED: YES
 SOURCE MOL_ID: 1;
 SOURCE 2 ORGANISM_SCIENTIFIC: ESCHERICHIA COLI;
 SOURCE 3 ORGANISM_COMMON: BACTERIA;
 SOURCE 4 STRAIN: K12;
 SOURCE 5 CELLULAR_LOCATION: CYTOPLASM;
 SOURCE 6 GENE: WCAG;
 SOURCE 7 EXPRESSION_SYSTEM: ESCHERICHIA COLI;
 SOURCE 8 EXPRESSION_SYSTEM_COMMON: BACTERIA;
 SOURCE 9 EXPRESSION_SYSTEM_STRAIN: BL-21;
 SOURCE 10 EXPRESSION_SYSTEM_CELLULAR_LOCATION: CYTOPLASM;
 SOURCE 11 EXPRESSION_SYSTEM_PLASMID: PSEWCAG;
 SOURCE 12 EXPRESSION_SYSTEM_GENE: WCAG
 KEYWDS EPIMERASE-REDUCTASE, NADP, GDP-FUCOSE, FUCOSE SYNTHETASE
 EXPDTA X-RAY DIFFRACTION
 AUTHOR W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
 REVDAT 2 27-DEC-00 1FXS 1 COMPND SOURCE REMARK JRNL
 REVDAT 1 26-AUG-99 1FXS 0
 JRNL AUTH W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
 JRNL TITL GDP-FUCOSE SYNTHETASE FROM ESCHERICHIA COLI:
 JRNL TITL 2 STRUCTURE OF A UNIQUE MEMBER OF THE SHORT-CHAIN
 JRNL TITL 3 DEHYDROGENASE/REDUCTASE FAMILY THAT CATALYZES TWO
 JRNL TITL 4 DISTINCT REACTIONS AT THE SAME ACTIVE SITE.

JRNL REF STRUCTURE V. 6 1601 1998
JRNL REFN ASTM STRUE6 UK ISSN 0969-2126

REMARK 1
REMARK 2
REMARK 2 RESOLUTION. 2.30 ANGSTROMS.
REMARK 3
REMARK 3 REFINEMENT.
REMARK 3 PROGRAM : X-PLOR 3.843
REMARK 3 AUTHORS : BRUNGER
REMARK 3
REMARK 3 DATA USED IN REFINEMENT.
REMARK 3 RESOLUTION RANGE HIGH (ANGSTROMS) : 2.30
REMARK 3 RESOLUTION RANGE LOW (ANGSTROMS) : 14.00
REMARK 3 DATA CUTOFF (SIGMA(F)) : 2.000
REMARK 3 DATA CUTOFF HIGH (ABS(F)) : NULL
REMARK 3 DATA CUTOFF LOW (ABS(F)) : NULL
REMARK 3 COMPLETENESS (WORKING+TEST) (%) : 96.3
REMARK 3 NUMBER OF REFLECTIONS : 20373
REMARK 3
REMARK 3 FIT TO DATA USED IN REFINEMENT.
REMARK 3 CROSS-VALIDATION METHOD : NULL
REMARK 3 FREE R VALUE TEST SET SELECTION : NULL
REMARK 3 R VALUE (WORKING SET) : 0.163
REMARK 3 FREE R VALUE : NULL
REMARK 3 FREE R VALUE TEST SET SIZE (%) : NULL
REMARK 3 FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF FREE R VALUE : NULL
REMARK 3
REMARK 3 FIT IN THE HIGHEST RESOLUTION BIN.
REMARK 3 TOTAL NUMBER OF BINS USED : NULL
REMARK 3 BIN RESOLUTION RANGE HIGH (A) : NULL
REMARK 3 BIN RESOLUTION RANGE LOW (A) : NULL
REMARK 3 BIN COMPLETENESS (WORKING+TEST) (%) : NULL
REMARK 3 REFLECTIONS IN BIN (WORKING SET) : NULL
REMARK 3 BIN R VALUE (WORKING SET) : NULL
REMARK 3 BIN FREE R VALUE : NULL
REMARK 3 BIN FREE R VALUE TEST SET SIZE (%) : NULL
REMARK 3 BIN FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF BIN FREE R VALUE : NULL
REMARK 3
REMARK 3 NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK 3 PROTEIN ATOMS : 2498
REMARK 3 NUCLEIC ACID ATOMS : 0
REMARK 3 HETEROGEN ATOMS : 48
REMARK 3 SOLVENT ATOMS : 83
REMARK 3
REMARK 3 B VALUES.
REMARK 3 FROM WILSON PLOT (A**2) : NULL
REMARK 3 MEAN B VALUE (OVERALL, A**2) : NULL
REMARK 3 OVERALL ANISOTROPIC B VALUE.
REMARK 3 B11 (A**2) : NULL
REMARK 3 B22 (A**2) : NULL
REMARK 3 B33 (A**2) : NULL
REMARK 3 B12 (A**2) : NULL
REMARK 3 B13 (A**2) : NULL
REMARK 3 B23 (A**2) : NULL

REMARK 3
REMARK 3 ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM SIGMAA (A) : NULL
REMARK 3 LOW RESOLUTION CUTOFF (A) : NULL
REMARK 3
REMARK 3 CROSS-VALIDATED ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM C-V LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM C-V SIGMAA (A) : NULL
REMARK 3
REMARK 3 RMS DEVIATIONS FROM IDEAL VALUES.
REMARK 3 BOND LENGTHS (A) : 0.008
REMARK 3 BOND ANGLES (DEGREES) : 1.35
REMARK 3 DIHEDRAL ANGLES (DEGREES) : NULL
REMARK 3 IMPROPER ANGLES (DEGREES) : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL MODEL : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL FACTOR RESTRAINTS. RMS SIGMA
REMARK 3 MAIN-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 MAIN-CHAIN ANGLE (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN ANGLE (A**2) : NULL ; NULL
REMARK 3
REMARK 3 NCS MODEL : NULL
REMARK 3
REMARK 3 NCS RESTRAINTS. RMS SIGMA/WEIGHT
REMARK 3 GROUP 1 POSITIONAL (A) : NULL ; NULL
REMARK 3 GROUP 1 B-FACTOR (A**2) : NULL ; NULL
REMARK 3
REMARK 3 PARAMETER FILE 1 : PARHSCDX.PRO
REMARK 3 PARAMETER FILE 2 : NULL
REMARK 3 TOPOLOGY FILE 1 : TOPHSCDX.PRO
REMARK 3 TOPOLOGY FILE 2 : NULL
REMARK 3
REMARK 3 OTHER REFINEMENT REMARKS: NULL
REMARK 4
REMARK 4 1FXS COMPLIES WITH FORMAT V. 3.0, 1-DEC-2006
REMARK 4
REMARK 4 THIS IS THE REMEDIATED VERSION OF THIS PDB ENTRY.
REMARK 4 REMEDIATED DATA FILE REVISION 3.100 (2007-03-17)
REMARK 100
REMARK 100 THIS ENTRY HAS BEEN PROCESSED BY RCSB .
REMARK 100 THE RCSB ID CODE IS RCSB007309.
REMARK 200
REMARK 200 EXPERIMENTAL DETAILS
REMARK 200 EXPERIMENT TYPE : X-RAY DIFFRACTION
REMARK 200 DATE OF DATA COLLECTION : 15-JUN-1997
REMARK 200 TEMPERATURE (KELVIN) : 291.0
REMARK 200 PH : 7.00
REMARK 200 NUMBER OF CRYSTALS USED : 1
REMARK 200
REMARK 200 SYNCHROTRON (Y/N) : N
REMARK 200 RADIATION SOURCE : ROTATING ANODE
REMARK 200 BEAMLINE : NULL
REMARK 200 X-RAY GENERATOR MODEL : RIGAKU RU200

REMARK 200 MONOCHROMATIC OR LAUE (M/L) : M
REMARK 200 WAVELENGTH OR RANGE (A) : 1.5418
REMARK 200 MONOCHROMATOR : NI FILTER
REMARK 200 OPTICS : MIRRORS
REMARK 200
REMARK 200 DETECTOR TYPE : NULL
REMARK 200 DETECTOR MANUFACTURER : RIGAKU RAXIS II
REMARK 200 INTENSITY-INTEGRATION SOFTWARE : DENZO
REMARK 200 DATA SCALING SOFTWARE : SCALEPACK
REMARK 200
REMARK 200 NUMBER OF UNIQUE REFLECTIONS : 20596
REMARK 200 RESOLUTION RANGE HIGH (A) : 2.300
REMARK 200 RESOLUTION RANGE LOW (A) : 14.000
REMARK 200 REJECTION CRITERIA (SIGMA(I)) : 0.000
REMARK 200
REMARK 200 OVERALL.
REMARK 200 COMPLETENESS FOR RANGE (%) : 97.4
REMARK 200 DATA REDUNDANCY : 7.900
REMARK 200 R MERGE (I) : 0.06200
REMARK 200 R SYM (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR THE DATA SET : 26.4000
REMARK 200
REMARK 200 IN THE HIGHEST RESOLUTION SHELL.
REMARK 200 HIGHEST RESOLUTION SHELL, RANGE HIGH (A) : 2.30
REMARK 200 HIGHEST RESOLUTION SHELL, RANGE LOW (A) : 2.38
REMARK 200 COMPLETENESS FOR SHELL (%) : 81.0
REMARK 200 DATA REDUNDANCY IN SHELL : NULL
REMARK 200 R MERGE FOR SHELL (I) : NULL
REMARK 200 R SYM FOR SHELL (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR SHELL : 9.100
REMARK 200
REMARK 200 DIFFRACTION PROTOCOL: SINGLE WAVELENGTH
REMARK 200 METHOD USED TO DETERMINE THE STRUCTURE: MOLECULAR REPLACEMENT
REMARK 200 SOFTWARE USED: NULL
REMARK 200 STARTING MODEL: 1GFS
REMARK 200
REMARK 200 REMARK: NULL
REMARK 280
REMARK 280 CRYSTAL
REMARK 280 SOLVENT CONTENT, VS (%) : 62.17
REMARK 280 MATTHEWS COEFFICIENT, VM (ANGSTROMS**3/DA) : 3.25
REMARK 280
REMARK 280 CRYSTALLIZATION CONDITIONS: 4.0 M SODIUM FORMATE, PH 7
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY
REMARK 290 SYMMETRY OPERATORS FOR SPACE GROUP: P 32 2 1
REMARK 290
REMARK 290 SYMP SYMMETRY
REMARK 290 NNNMMM OPERATOR
REMARK 290 1555 X,Y,Z
REMARK 290 2555 -Y,X-Y,2/3+Z
REMARK 290 3555 -X+Y,-X,1/3+Z
REMARK 290 4555 Y,X,-Z
REMARK 290 5555 X-Y,-Y,1/3-Z
REMARK 290 6555 -X,-X+Y,2/3-Z
REMARK 290

REMARK 290 WHERE NNN -> OPERATOR NUMBER
REMARK 290 MMM -> TRANSLATION VECTOR
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY TRANSFORMATIONS
REMARK 290 THE FOLLOWING TRANSFORMATIONS OPERATE ON THE ATOM/HETATM
REMARK 290 RECORDS IN THIS ENTRY TO PRODUCE CRYSTALLOGRAPHICALLY
REMARK 290 RELATED MOLECULES.
REMARK 290 SMTRY1 1 1.000000 0.000000 0.000000 0.000000
REMARK 290 SMTRY2 1 0.000000 1.000000 0.000000 0.000000
REMARK 290 SMTRY3 1 0.000000 0.000000 1.000000 0.000000
REMARK 290 SMTRY1 2 -0.500000 -0.866025 0.000000 0.000000
REMARK 290 SMTRY2 2 0.866025 -0.500000 0.000000 0.000000
REMARK 290 SMTRY3 2 0.000000 0.000000 1.000000 50.06667
REMARK 290 SMTRY1 3 -0.500000 0.866025 0.000000 0.000000
REMARK 290 SMTRY2 3 -0.866025 -0.500000 0.000000 0.000000
REMARK 290 SMTRY3 3 0.000000 0.000000 1.000000 25.03333
REMARK 290 SMTRY1 4 -0.500000 0.866025 0.000000 0.000000
REMARK 290 SMTRY2 4 0.866025 0.500000 0.000000 0.000000
REMARK 290 SMTRY3 4 0.000000 0.000000 -1.000000 0.000000
REMARK 290 SMTRY1 5 1.000000 0.000000 0.000000 0.000000
REMARK 290 SMTRY2 5 0.000000 -1.000000 0.000000 0.000000
REMARK 290 SMTRY3 5 0.000000 0.000000 -1.000000 25.03333
REMARK 290 SMTRY1 6 -0.500000 -0.866025 0.000000 0.000000
REMARK 290 SMTRY2 6 -0.866025 0.500000 0.000000 0.000000
REMARK 290 SMTRY3 6 0.000000 0.000000 -1.000000 50.06667
REMARK 290
REMARK 290 REMARK: NULL
REMARK 300
REMARK 300 BIOMOLECULE: 1
REMARK 300 THIS ENTRY CONTAINS THE CRYSTALLOGRAPHIC ASYMMETRIC UNIT
REMARK 300 WHICH CONSISTS OF 1 CHAIN(S). SEE REMARK 350 FOR
REMARK 300 INFORMATION ON GENERATING THE BIOLOGICAL MOLECULE(S).
REMARK 350
REMARK 350 GENERATING THE BIOMOLECULE
REMARK 350 COORDINATES FOR A COMPLETE MULTIMER REPRESENTING THE KNOWN
REMARK 350 BIOLOGICALLY SIGNIFICANT OLIGOMERIZATION STATE OF THE
REMARK 350 MOLECULE CAN BE GENERATED BY APPLYING BIOMT TRANSFORMATIONS
REMARK 350 GIVEN BELOW. BOTH NON-CRYSTALLOGRAPHIC AND
REMARK 350 CRYSTALLOGRAPHIC OPERATIONS ARE GIVEN.
REMARK 350
REMARK 350 BIOMOLECULE: 1
REMARK 350 APPLY THE FOLLOWING TO CHAINS: A
REMARK 350 BIOMT1 1 1.000000 0.000000 0.000000 0.000000
REMARK 350 BIOMT2 1 0.000000 1.000000 0.000000 0.000000
REMARK 350 BIOMT3 1 0.000000 0.000000 1.000000 0.000000
REMARK 350 BIOMT1 2 -0.500000 0.866025 0.000000 52.10000
REMARK 350 BIOMT2 2 -0.866025 -0.500000 0.000000 90.23985
REMARK 350 BIOMT3 2 0.000000 0.000000 1.000000 25.03333
REMARK 465
REMARK 465 MISSING RESIDUES
REMARK 465 THE FOLLOWING RESIDUES WERE NOT LOCATED IN THE
REMARK 465 EXPERIMENT. (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 465 IDENTIFIER; SSSEQ=SEQUENCE NUMBER; I=INSERTION CODE.)
REMARK 465
REMARK 465 M RES C SSSEQI
REMARK 465 MET A 1

```

REMARK 465      SER A      2
REMARK 465      ARG A    320
REMARK 465      GLY A    321
REMARK 470
REMARK 470 MISSING ATOM
REMARK 470 THE FOLLOWING RESIDUES HAVE MISSING ATOMS (M=MODEL NUMBER;
REMARK 470 RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE NUMBER;
REMARK 470 I=INSERTION CODE):
REMARK 470 M RES CSSEQI ATOMS
REMARK 470      ARG A 45 CG CD NE CZ NH1 NH2
REMARK 470      ARG A 55 CG CD NE CZ NH1 NH2
REMARK 470      HIS A 174 CG ND1 CD2 CE1 NE2
REMARK 500
REMARK 500 GEOMETRY AND STEREOCHEMISTRY
REMARK 500 SUBTOPIC: COVALENT BOND ANGLES
REMARK 500
REMARK 500 THE STEREOCHEMICAL PARAMETERS OF THE FOLLOWING RESIDUES
REMARK 500 HAVE VALUES WHICH DEVIATE FROM EXPECTED VALUES BY MORE
REMARK 500 THAN 6*RMSD (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 500 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE).
REMARK 500
REMARK 500 STANDARD TABLE:
REMARK 500 FORMAT: (10X,I3,1X,A3,1X,A1,I4,A1,3(1X,A4,2X),12X,F5.1)
REMARK 500
REMARK 500 EXPECTED VALUES: ENGH AND HUBER, 1991
REMARK 500
REMARK 500 M RES CSSEQI ATM1 ATM2 ATM3
REMARK 500 VAL A 32 N - CA - C ANGL. DEV. = -8.1 DEGREES
REMARK 500 TYR A 60 N - CA - C ANGL. DEV. = -8.2 DEGREES
REMARK 500 LYS A 65 N - CA - C ANGL. DEV. = -9.6 DEGREES
REMARK 500 ASP A 98 N - CA - C ANGL. DEV. = 11.6 DEGREES
REMARK 500 VAL A 99 N - CA - C ANGL. DEV. = -9.0 DEGREES
REMARK 500 LEU A 240 N - CA - C ANGL. DEV. = -8.6 DEGREES
REMARK 500 SER A 241 N - CA - C ANGL. DEV. = 9.1 DEGREES
REMARK 500 GLY A 279 N - CA - C ANGL. DEV. = -8.2 DEGREES
REMARK 500 ASP A 286 N - CA - C ANGL. DEV. = -10.9 DEGREES
REMARK 500 GLY A 294 N - CA - C ANGL. DEV. = 8.3 DEGREES
REMARK 525
REMARK 525 SOLVENT
REMARK 525 THE FOLLOWING SOLVENT MOLECULES LIE FARTHER THAN EXPECTED
REMARK 525 FROM THE PROTEIN OR NUCLEIC ACID MOLECULE AND MAY BE
REMARK 525 ASSOCIATED WITH A SYMMETRY RELATED MOLECULE (M=MODEL
REMARK 525 NUMBER; RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE
REMARK 525 NUMBER; I=INSERTION CODE):
REMARK 525
REMARK 525 M RES CSSEQI
REMARK 525 HOH 20 DISTANCE = 5.45 ANGSTROMS
REMARK 525 HOH 27 DISTANCE = 6.02 ANGSTROMS
REMARK 525 HOH 76 DISTANCE = 5.15 ANGSTROMS
REMARK 900
REMARK 900 RELATED ENTRIES
REMARK 900 RELATED ID: 1BSV RELATED DB: PDB
DBREF 1FXS A 1 321 UNP P32055 FCL_ECOLI 1 321
SEQRES 1 A 321 MET SER LYS GLN ARG VAL PHE ILE ALA GLY HIS ARG GLY
SEQRES 2 A 321 MET VAL GLY SER ALA ILE ARG ARG GLN LEU GLU GLN ARG
SEQRES 3 A 321 GLY ASP VAL GLU LEU VAL LEU ARG THR ARG ASP GLU LEU

```

```

SEQRES 4 A 321 ASN LEU LEU ASP SER ARG ALA VAL HIS ASP PHE PHE ALA
SEQRES 5 A 321 SER GLU ARG ILE ASP GLN VAL TYR LEU ALA ALA ALA LYS
SEQRES 6 A 321 VAL GLY GLY ILE VAL ALA ASN ASN THR TYR PRO ALA ASP
SEQRES 7 A 321 PHE ILE TYR GLN ASN MET MET ILE GLU SER ASN ILE ILE
SEQRES 8 A 321 HIS ALA ALA HIS GLN ASN ASP VAL ASN LYS LEU LEU PHE
SEQRES 9 A 321 LEU GLY SER SER CYS ILE TYR PRO LYS LEU ALA LYS GLN
SEQRES 10 A 321 PRO MET ALA GLU SER GLU LEU LEU GLN GLY THR LEU GLU
SEQRES 11 A 321 PRO THR ASN GLU PRO TYR ALA ILE ALA LYS ILE ALA GLY
SEQRES 12 A 321 ILE LYS LEU CYS GLU SER TYR ASN ARG GLN TYR GLY ARG
SEQRES 13 A 321 ASP TYR ARG SER VAL MET PRO THR ASN LEU TYR GLY PRO
SEQRES 14 A 321 HIS ASP ASN PHE HIS PRO SER ASN SER HIS VAL ILE PRO
SEQRES 15 A 321 ALA LEU LEU ARG ARG PHE HIS GLU ALA THR ALA GLN ASN
SEQRES 16 A 321 ALA PRO ASP VAL VAL VAL TRP GLY SER GLY THR PRO MET
SEQRES 17 A 321 ARG GLU PHE LEU HIS VAL ASP ASP MET ALA ALA ALA SER
SEQRES 18 A 321 ILE HIS VAL MET GLU LEU ALA HIS GLU VAL TRP LEU GLU
SEQRES 19 A 321 ASN THR GLN PRO MET LEU SER HIS ILE ASN VAL GLY THR
SEQRES 20 A 321 GLY VAL ASP CYS THR ILE ARG GLU LEU ALA GLN THR ILE
SEQRES 21 A 321 ALA LYS VAL VAL GLY TYR LYS GLY ARG VAL VAL PHE ASP
SEQRES 22 A 321 ALA SER LYS PRO ASP GLY THR PRO ARG LYS LEU LEU ASP
SEQRES 23 A 321 VAL THR ARG LEU HIS GLN LEU GLY TRP TYR HIS GLU ILE
SEQRES 24 A 321 SER LEU GLU ALA GLY LEU ALA SER THR TYR GLN TRP PHE
SEQRES 25 A 321 LEU GLU ASN GLN ASP ARG PHE ARG GLY
HET NAP 350 48
HETNAM NAP NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE
HETSYN NAP 2'-MONOPHOSPHOADENOSINE 5'-DIPHOSPHORIBOSE
FORMUL 2 NAP C21 H28 N7 O17 P3
FORMUL 3 HOH *83(H2 O)
HELIX 1 1 MET A 14 GLU A 24 1 11
HELIX 2 2 SER A 44 SER A 53 1 10
HELIX 3 3 ILE A 69 THR A 74 1 6
HELIX 4 4 PRO A 76 GLN A 96 1 21
HELIX 5 5 SER A 108 ILE A 110 5 3
HELIX 6 6 GLU A 121 GLU A 123 5 3
HELIX 7 7 GLU A 134 TYR A 154 1 21
HELIX 8 8 VAL A 180 ALA A 193 1 14
HELIX 9 9 VAL A 214 GLU A 226 1 13
HELIX 10 10 HIS A 229 GLU A 234 1 6
HELIX 11 11 ILE A 253 VAL A 264 1 12
HELIX 12 12 THR A 288 GLN A 292 1 5
HELIX 13 13 LEU A 301 ASN A 315 1 15
SHEET 1 A 6 VAL A 29 VAL A 32 0
SHEET 2 A 6 GLN A 4 ALA A 9 1 N GLN A 4 O GLU A 30
SHEET 3 A 6 GLN A 58 LEU A 61 1 N GLN A 58 O PHE A 7
SHEET 4 A 6 LYS A 101 LEU A 105 1 N LYS A 101 O VAL A 59
SHEET 5 A 6 ASP A 157 PRO A 163 1 N ASP A 157 O LEU A 102
SHEET 6 A 6 ILE A 243 VAL A 245 1 N ILE A 243 O MET A 162
SHEET 1 B 2 ASN A 165 TYR A 167 0
SHEET 2 B 2 PHE A 211 HIS A 213 1 N LEU A 212 O ASN A 165
SHEET 1 C 2 ASP A 198 TRP A 202 0
SHEET 2 C 2 ARG A 269 ASP A 273 1 N ARG A 269 O VAL A 199
CISPEP 1 GLN A 117 PRO A 118 0 -0.48
CRYST1 104.200 104.200 75.100 90.00 90.00 120.00 P 32 2 1 6
ORIGX1 1.000000 0.000000 0.000000 0.000000
ORIGX2 0.000000 1.000000 0.000000 0.000000
ORIGX3 0.000000 0.000000 1.000000 0.000000
SCALE1 0.009597 0.005541 0.000000 0.000000

```

SCALE2	0.000000	0.011082	0.000000	0.000000				
SCALE3	0.000000	0.000000	0.013316	0.000000				
ATOM	1	N	LYS	A	3	8.487	27.148	31.421 1.00 63.40 N
ATOM	2	CA	LYS	A	3	9.876	26.784	30.998 1.00 64.12 C
ATOM	3	C	LYS	A	3	10.123	26.960	29.491 1.00 62.14 C
ATOM	4	O	LYS	A	3	9.596	26.207	28.663 1.00 63.12 O
ATOM	5	CB	LYS	A	3	10.209	25.345	31.410 1.00 63.30 C
ATOM	6	CG	LYS	A	3	11.601	24.904	30.986 1.00 65.64 C
ATOM	7	CD	LYS	A	3	11.930	23.504	31.457 1.00 68.19 C
ATOM	8	CE	LYS	A	3	12.032	23.446	32.969 1.00 68.66 C
ATOM	9	NZ	LYS	A	3	12.494	22.114	33.436 1.00 68.32 N
ATOM	10	N	GLN	A	4	10.966	27.935	29.161 1.00 56.73 N
ATOM	11	CA	GLN	A	4	11.335	28.262	27.787 1.00 50.52 C
ATOM	12	C	GLN	A	4	11.960	27.099	27.012 1.00 46.61 C
ATOM	13	O	GLN	A	4	12.878	26.447	27.503 1.00 48.29 O
ATOM	14	CB	GLN	A	4	12.330	29.422	27.816 1.00 52.26 C
ATOM	15	CG	GLN	A	4	11.912	30.612	26.999 1.00 60.91 C
ATOM	16	CD	GLN	A	4	10.526	31.083	27.352 1.00 60.94 C
ATOM	17	OE1	GLN	A	4	9.737	31.427	26.475 1.00 61.53 O
ATOM	18	NE2	GLN	A	4	10.211	31.084	28.640 1.00 64.63 N
ATOM	19	N	ARG	A	5	11.448	26.819	25.817 1.00 40.42 N
ATOM	20	CA	ARG	A	5	12.013	25.759	24.980 1.00 39.41 C
ATOM	21	C	ARG	A	5	12.883	26.397	23.894 1.00 38.18 C
ATOM	22	O	ARG	A	5	12.381	27.038	22.963 1.00 33.66 O
ATOM	23	CB	ARG	A	5	10.917	24.879	24.380 1.00 40.90 C
ATOM	24	CG	ARG	A	5	10.458	23.784	25.326 1.00 45.44 C
ATOM	25	CD	ARG	A	5	9.205	23.068	24.835 1.00 49.33 C
ATOM	26	NE	ARG	A	5	9.378	22.341	23.571 1.00 49.18 N
ATOM	27	CZ	ARG	A	5	10.061	21.208	23.429 1.00 48.95 C
ATOM	28	NH1	ARG	A	5	10.669	20.651	24.471 1.00 48.56 N
ATOM	29	NH2	ARG	A	5	10.074	20.593	22.254 1.00 45.39 N
ATOM	30	N	VAL	A	6	14.196	26.225	24.047 1.00 35.36 N
ATOM	31	CA	VAL	A	6	15.199	26.797	23.149 1.00 30.13 C
ATOM	32	C	VAL	A	6	15.863	25.834	22.146 1.00 32.01 C
ATOM	33	O	VAL	A	6	16.380	24.777	22.519 1.00 30.46 O
ATOM	34	CB	VAL	A	6	16.303	27.485	23.989 1.00 26.37 C
ATOM	35	CG1	VAL	A	6	17.334	28.144	23.102 1.00 25.95 C
ATOM	36	CG2	VAL	A	6	15.683	28.494	24.928 1.00 25.81 C
ATOM	37	N	PHE	A	7	15.820	26.204	20.867 1.00 29.50 N
ATOM	38	CA	PHE	A	7	16.464	25.423	19.813 1.00 27.71 C
ATOM	39	C	PHE	A	7	17.772	26.109	19.450 1.00 26.98 C
ATOM	40	O	PHE	A	7	17.769	27.258	19.022 1.00 26.41 O
ATOM	41	CB	PHE	A	7	15.599	25.345	18.549 1.00 25.44 C
ATOM	42	CG	PHE	A	7	16.301	24.703	17.361 1.00 25.97 C
ATOM	43	CD1	PHE	A	7	17.029	23.521	17.506 1.00 26.12 C
ATOM	44	CD2	PHE	A	7	16.213	25.272	16.090 1.00 26.33 C
ATOM	45	CE1	PHE	A	7	17.653	22.913	16.404 1.00 23.00 C
ATOM	46	CE2	PHE	A	7	16.836	24.670	14.982 1.00 26.47 C
ATOM	47	CZ	PHE	A	7	17.554	23.489	15.143 1.00 24.03 C
ATOM	48	N	ILE	A	8	18.888	25.421	19.674 1.00 27.51 N
ATOM	49	CA	ILE	A	8	20.199	25.949	19.311 1.00 25.96 C
ATOM	50	C	ILE	A	8	20.622	25.187	18.062 1.00 24.40 C
ATOM	51	O	ILE	A	8	20.908	23.992	18.122 1.00 25.95 O
ATOM	52	CB	ILE	A	8	21.260	25.752	20.426 1.00 27.76 C
ATOM	53	CG1	ILE	A	8	20.782	26.380	21.740 1.00 24.65 C
ATOM	54	CG2	ILE	A	8	22.587	26.399	19.997 1.00 25.19 C

ATOM	55	CD1	ILE	A	8	21.715	26.149	22.916	1.00	24.58	C
ATOM	56	N	ALA	A	9	20.537	25.856	16.915	1.00	23.86	N
ATOM	57	CA	ALA	A	9	20.914	25.250	15.646	1.00	23.91	C
ATOM	58	C	ALA	A	9	22.436	25.243	15.597	1.00	25.26	C
ATOM	59	O	ALA	A	9	23.066	26.246	15.931	1.00	29.18	O
ATOM	60	CB	ALA	A	9	20.338	26.060	14.476	1.00	23.77	C
ATOM	61	N	GLY	A	10	23.018	24.111	15.205	1.00	24.45	N
ATOM	62	CA	GLY	A	10	24.467	23.993	15.140	1.00	19.77	C
ATOM	63	C	GLY	A	10	25.076	23.976	16.525	1.00	21.75	C
ATOM	64	O	GLY	A	10	26.091	24.617	16.766	1.00	25.26	O
ATOM	65	N	HIS	A	11	24.470	23.209	17.426	1.00	23.30	N
ATOM	66	CA	HIS	A	11	24.922	23.117	18.815	1.00	26.87	C
ATOM	67	C	HIS	A	11	26.283	22.435	19.022	1.00	28.63	C
ATOM	68	O	HIS	A	11	26.849	22.515	20.111	1.00	29.23	O
ATOM	69	CB	HIS	A	11	23.850	22.430	19.670	1.00	25.79	C
ATOM	70	CG	HIS	A	11	23.600	21.007	19.281	1.00	29.13	C
ATOM	71	ND1	HIS	A	11	24.017	19.941	20.052	1.00	30.95	N
ATOM	72	CD2	HIS	A	11	23.049	20.473	18.166	1.00	25.65	C
ATOM	73	CE1	HIS	A	11	23.740	18.814	19.422	1.00	28.73	C
ATOM	74	NE2	HIS	A	11	23.154	19.109	18.275	1.00	32.29	N
ATOM	75	N	ARG	A	12	26.781	21.750	17.994	1.00	30.60	N
ATOM	76	CA	ARG	A	12	28.078	21.074	18.049	1.00	34.16	C
ATOM	77	C	ARG	A	12	29.245	21.980	17.646	1.00	33.44	C
ATOM	78	O	ARG	A	12	30.390	21.684	17.970	1.00	35.90	O
ATOM	79	CB	ARG	A	12	28.079	19.842	17.143	1.00	41.07	C
ATOM	80	CG	ARG	A	12	27.237	18.709	17.654	1.00	52.66	C
ATOM	81	CD	ARG	A	12	27.836	18.176	18.941	1.00	69.04	C
ATOM	82	NE	ARG	A	12	26.872	17.398	19.709	1.00	82.49	N
ATOM	83	CZ	ARG	A	12	26.402	16.206	19.346	1.00	89.00	C
ATOM	84	NH1	ARG	A	12	26.820	15.631	18.218	1.00	88.81	N
ATOM	85	NH2	ARG	A	12	25.515	15.585	20.120	1.00	89.02	N
ATOM	86	N	GLY	A	13	28.957	23.054	16.909	1.00	30.63	N
ATOM	87	CA	GLY	A	13	29.997	23.973	16.477	1.00	24.58	C
ATOM	88	C	GLY	A	13	30.610	24.751	17.623	1.00	26.60	C
ATOM	89	O	GLY	A	13	30.165	24.638	18.766	1.00	28.64	O
ATOM	90	N	MET	A	14	31.617	25.566	17.317	1.00	27.74	N
ATOM	91	CA	MET	A	14	32.300	26.360	18.334	1.00	28.60	C
ATOM	92	C	MET	A	14	31.382	27.304	19.110	1.00	28.82	C
ATOM	93	O	MET	A	14	31.337	27.250	20.343	1.00	28.11	O
ATOM	94	CB	MET	A	14	33.464	27.156	17.720	1.00	29.63	C
ATOM	95	CG	MET	A	14	34.218	28.007	18.749	1.00	35.11	C
ATOM	96	SD	MET	A	14	35.713	28.823	18.144	1.00	38.20	S
ATOM	97	CE	MET	A	14	35.028	29.897	16.836	1.00	41.28	C
ATOM	98	N	VAL	A	15	30.683	28.183	18.387	1.00	30.91	N
ATOM	99	CA	VAL	A	15	29.772	29.155	19.004	1.00	28.96	C
ATOM	100	C	VAL	A	15	28.511	28.472	19.554	1.00	29.06	C
ATOM	101	O	VAL	A	15	28.062	28.781	20.663	1.00	27.35	O
ATOM	102	CB	VAL	A	15	29.370	30.282	18.004	1.00	25.98	C
ATOM	103	CG1	VAL	A	15	28.572	31.361	18.714	1.00	27.54	C
ATOM	104	CG2	VAL	A	15	30.601	30.892	17.385	1.00	25.24	C
ATOM	105	N	GLY	A	16	27.957	27.544	18.773	1.00	27.18	N
ATOM	106	CA	GLY	A	16	26.769	26.826	19.186	1.00	26.50	C
ATOM	107	C	GLY	A	16	26.952	26.104	20.507	1.00	28.70	C
ATOM	108	O	GLY	A	16	26.117	26.238	21.407	1.00	25.18	O
ATOM	109	N	SER	A	17	28.063	25.374	20.634	1.00	27.75	N
ATOM	110	CA	SER	A	17	28.361	24.616	21.846	1.00	26.57	C

ATOM	111	C	SER	A	17	28.598	25.515	23.049	1.00	26.36	C
ATOM	112	O	SER	A	17	28.277	25.138	24.173	1.00	27.07	O
ATOM	113	CB	SER	A	17	29.558	23.685	21.629	1.00	26.69	C
ATOM	114	OG	SER	A	17	30.779	24.391	21.606	1.00	30.87	O
ATOM	115	N	ALA	A	18	29.140	26.708	22.807	1.00	26.00	N
ATOM	116	CA	ALA	A	18	29.402	27.665	23.879	1.00	23.88	C
ATOM	117	C	ALA	A	18	28.095	28.178	24.462	1.00	26.48	C
ATOM	118	O	ALA	A	18	27.979	28.362	25.670	1.00	28.83	O
ATOM	119	CB	ALA	A	18	30.229	28.823	23.362	1.00	25.30	C
ATOM	120	N	ILE	A	19	27.123	28.440	23.589	1.00	27.39	N
ATOM	121	CA	ILE	A	19	25.809	28.913	24.014	1.00	26.17	C
ATOM	122	C	ILE	A	19	25.152	27.800	24.819	1.00	27.69	C
ATOM	123	O	ILE	A	19	24.626	28.041	25.906	1.00	29.16	O
ATOM	124	CB	ILE	A	19	24.939	29.331	22.802	1.00	22.71	C
ATOM	125	CG1	ILE	A	19	25.498	30.632	22.216	1.00	25.48	C
ATOM	126	CG2	ILE	A	19	23.480	29.528	23.212	1.00	16.93	C
ATOM	127	CD1	ILE	A	19	24.930	31.015	20.877	1.00	24.74	C
ATOM	128	N	ARG	A	20	25.264	26.575	24.312	1.00	29.80	N
ATOM	129	CA	ARG	A	20	24.715	25.394	24.964	1.00	31.82	C
ATOM	130	C	ARG	A	20	25.292	25.180	26.373	1.00	33.23	C
ATOM	131	O	ARG	A	20	24.542	24.963	27.319	1.00	36.14	O
ATOM	132	CB	ARG	A	20	24.945	24.157	24.090	1.00	31.23	C
ATOM	133	CG	ARG	A	20	24.235	22.922	24.591	1.00	39.38	C
ATOM	134	CD	ARG	A	20	25.172	21.994	25.331	1.00	47.85	C
ATOM	135	NE	ARG	A	20	25.660	20.935	24.452	1.00	58.10	N
ATOM	136	CZ	ARG	A	20	25.114	19.719	24.366	1.00	63.70	C
ATOM	137	NH1	ARG	A	20	24.063	19.407	25.118	1.00	62.38	N
ATOM	138	NH2	ARG	A	20	25.591	18.820	23.500	1.00	62.60	N
ATOM	139	N	ARG	A	21	26.611	25.272	26.517	1.00	31.88	N
ATOM	140	CA	ARG	A	21	27.253	25.084	27.813	1.00	30.90	C
ATOM	141	C	ARG	A	21	26.657	26.000	28.854	1.00	32.92	C
ATOM	142	O	ARG	A	21	26.454	25.592	29.994	1.00	36.60	O
ATOM	143	CB	ARG	A	21	28.757	25.342	27.727	1.00	29.44	C
ATOM	144	CG	ARG	A	21	29.573	24.121	27.351	1.00	29.28	C
ATOM	145	CD	ARG	A	21	31.040	24.482	27.171	1.00	27.74	C
ATOM	146	NE	ARG	A	21	31.401	24.573	25.761	1.00	32.10	N
ATOM	147	CZ	ARG	A	21	32.087	25.573	25.220	1.00	31.29	C
ATOM	148	NH1	ARG	A	21	32.494	26.588	25.966	1.00	32.74	N
ATOM	149	NH2	ARG	A	21	32.384	25.545	23.927	1.00	44.41	N
ATOM	150	N	GLN	A	22	26.358	27.230	28.454	1.00	34.63	N
ATOM	151	CA	GLN	A	22	25.792	28.209	29.368	1.00	38.03	C
ATOM	152	C	GLN	A	22	24.306	28.107	29.639	1.00	39.38	C
ATOM	153	O	GLN	A	22	23.852	28.486	30.717	1.00	41.32	O
ATOM	154	CB	GLN	A	22	26.125	29.616	28.919	1.00	38.78	C
ATOM	155	CG	GLN	A	22	27.342	30.147	29.600	1.00	46.92	C
ATOM	156	CD	GLN	A	22	27.751	31.471	29.054	1.00	49.85	C
ATOM	157	OE1	GLN	A	22	28.820	31.601	28.450	1.00	51.38	O
ATOM	158	NE2	GLN	A	22	26.900	32.474	29.246	1.00	53.63	N
ATOM	159	N	LEU	A	23	23.541	27.644	28.657	1.00	39.35	N
ATOM	160	CA	LEU	A	23	22.103	27.506	28.849	1.00	42.40	C
ATOM	161	C	LEU	A	23	21.787	26.209	29.578	1.00	45.18	C
ATOM	162	O	LEU	A	23	20.742	26.076	30.218	1.00	49.19	O
ATOM	163	CB	LEU	A	23	21.340	27.583	27.519	1.00	35.08	C
ATOM	164	CG	LEU	A	23	21.235	28.959	26.855	1.00	31.14	C
ATOM	165	CD1	LEU	A	23	20.319	28.877	25.649	1.00	28.51	C
ATOM	166	CD2	LEU	A	23	20.716	29.986	27.839	1.00	30.44	C

ATOM	167	N	GLU	A	24	22.711	25.262	29.504	1.00	47.58	N
ATOM	168	CA	GLU	A	24	22.536	23.985	30.172	1.00	52.68	C
ATOM	169	C	GLU	A	24	22.616	24.192	31.681	1.00	56.15	C
ATOM	170	O	GLU	A	24	21.979	23.477	32.448	1.00	56.35	O
ATOM	171	CB	GLU	A	24	23.626	23.030	29.724	1.00	53.12	C
ATOM	172	CG	GLU	A	24	23.158	21.618	29.556	1.00	59.84	C
ATOM	173	CD	GLU	A	24	24.010	20.874	28.559	1.00	65.73	C
ATOM	174	OE1	GLU	A	24	25.259	20.942	28.672	1.00	67.44	O
ATOM	175	OE2	GLU	A	24	23.426	20.243	27.649	1.00	64.22	O
ATOM	176	N	GLN	A	25	23.374	25.209	32.086	1.00	60.95	N
ATOM	177	CA	GLN	A	25	23.573	25.552	33.490	1.00	64.65	C
ATOM	178	C	GLN	A	25	22.440	26.399	34.091	1.00	66.53	C
ATOM	179	O	GLN	A	25	22.684	27.354	34.832	1.00	67.62	O
ATOM	180	CB	GLN	A	25	24.922	26.260	33.655	1.00	66.39	C
ATOM	181	CG	GLN	A	25	26.102	25.438	33.149	1.00	75.36	C
ATOM	182	CD	GLN	A	25	27.421	26.198	33.194	1.00	81.42	C
ATOM	183	OE1	GLN	A	25	28.181	26.088	34.158	1.00	85.20	O
ATOM	184	NE2	GLN	A	25	27.704	26.965	32.142	1.00	82.69	N
ATOM	185	N	ARG	A	26	21.204	26.071	33.723	1.00	65.48	N
ATOM	186	CA	ARG	A	26	20.017	26.753	34.234	1.00	65.42	C
ATOM	187	C	ARG	A	26	18.754	26.009	33.829	1.00	66.35	C
ATOM	188	O	ARG	A	26	18.551	25.667	32.660	1.00	66.55	O
ATOM	189	CB	ARG	A	26	19.962	28.236	33.841	1.00	64.01	C
ATOM	190	CG	ARG	A	26	20.498	28.589	32.474	1.00	58.50	C
ATOM	191	CD	ARG	A	26	20.481	30.094	32.289	1.00	53.26	C
ATOM	192	NE	ARG	A	26	19.156	30.572	31.906	1.00	50.26	N
ATOM	193	CZ	ARG	A	26	18.925	31.721	31.276	1.00	48.64	C
ATOM	194	NH1	ARG	A	26	19.927	32.536	30.963	1.00	46.19	N
ATOM	195	NH2	ARG	A	26	17.695	32.021	30.887	1.00	45.15	N
ATOM	196	N	GLY	A	27	17.924	25.743	34.830	1.00	67.14	N
ATOM	197	CA	GLY	A	27	16.703	24.990	34.629	1.00	66.67	C
ATOM	198	C	GLY	A	27	15.467	25.718	34.160	1.00	67.07	C
ATOM	199	O	GLY	A	27	14.415	25.086	34.016	1.00	67.80	O
ATOM	200	N	ASP	A	28	15.558	27.030	33.954	1.00	65.57	N
ATOM	201	CA	ASP	A	28	14.398	27.790	33.476	1.00	63.83	C
ATOM	202	C	ASP	A	28	14.294	27.695	31.954	1.00	60.13	C
ATOM	203	O	ASP	A	28	13.424	28.315	31.332	1.00	59.17	O
ATOM	204	CB	ASP	A	28	14.463	29.255	33.935	1.00	65.76	C
ATOM	205	CG	ASP	A	28	15.684	29.994	33.408	1.00	67.57	C
ATOM	206	OD1	ASP	A	28	16.791	29.410	33.371	1.00	70.18	O
ATOM	207	OD2	ASP	A	28	15.532	31.179	33.044	1.00	69.00	O
ATOM	208	N	VAL	A	29	15.156	26.852	31.387	1.00	55.60	N
ATOM	209	CA	VAL	A	29	15.248	26.627	29.953	1.00	49.86	C
ATOM	210	C	VAL	A	29	15.367	25.137	29.639	1.00	45.70	C
ATOM	211	O	VAL	A	29	16.089	24.403	30.311	1.00	47.16	O
ATOM	212	CB	VAL	A	29	16.505	27.362	29.379	1.00	50.19	C
ATOM	213	CG1	VAL	A	29	16.740	27.000	27.915	1.00	46.86	C
ATOM	214	CG2	VAL	A	29	16.364	28.877	29.551	1.00	46.31	C
ATOM	215	N	GLU	A	30	14.662	24.704	28.603	1.00	43.69	N
ATOM	216	CA	GLU	A	30	14.714	23.319	28.158	1.00	44.47	C
ATOM	217	C	GLU	A	30	15.267	23.332	26.732	1.00	41.67	C
ATOM	218	O	GLU	A	30	14.700	23.983	25.854	1.00	41.55	O
ATOM	219	CB	GLU	A	30	13.321	22.700	28.168	1.00	50.50	C
ATOM	220	CG	GLU	A	30	13.345	21.181	28.182	1.00	63.50	C
ATOM	221	CD	GLU	A	30	12.023	20.565	27.769	1.00	70.93	C
ATOM	222	OE1	GLU	A	30	10.957	21.088	28.177	1.00	74.43	O

ATOM	223	OE2	GLU	A	30	12.059	19.556	27.026	1.00	72.56	O
ATOM	224	N	LEU	A	31	16.360	22.608	26.503	1.00	37.30	N
ATOM	225	CA	LEU	A	31	17.004	22.573	25.187	1.00	36.28	C
ATOM	226	C	LEU	A	31	16.512	21.515	24.197	1.00	35.15	C
ATOM	227	O	LEU	A	31	16.341	20.355	24.546	1.00	38.27	O
ATOM	228	CB	LEU	A	31	18.524	22.433	25.347	1.00	35.30	C
ATOM	229	CG	LEU	A	31	19.265	23.504	26.152	1.00	33.95	C
ATOM	230	CD1	LEU	A	31	20.724	23.146	26.221	1.00	36.67	C
ATOM	231	CD2	LEU	A	31	19.089	24.871	25.521	1.00	34.28	C
ATOM	232	N	VAL	A	32	16.290	21.936	22.955	1.00	35.40	N
ATOM	233	CA	VAL	A	32	15.859	21.042	21.877	1.00	33.71	C
ATOM	234	C	VAL	A	32	17.044	21.060	20.918	1.00	35.27	C
ATOM	235	O	VAL	A	32	17.361	22.098	20.342	1.00	39.30	O
ATOM	236	CB	VAL	A	32	14.592	21.582	21.152	1.00	34.09	C
ATOM	237	CG1	VAL	A	32	14.138	20.612	20.071	1.00	24.09	C
ATOM	238	CG2	VAL	A	32	13.475	21.842	22.159	1.00	30.79	C
ATOM	239	N	LEU	A	33	17.737	19.935	20.792	1.00	33.80	N
ATOM	240	CA	LEU	A	33	18.912	19.874	19.933	1.00	31.98	C
ATOM	241	C	LEU	A	33	18.820	18.761	18.908	1.00	34.10	C
ATOM	242	O	LEU	A	33	18.281	17.692	19.183	1.00	34.99	O
ATOM	243	CB	LEU	A	33	20.171	19.694	20.785	1.00	31.75	C
ATOM	244	CG	LEU	A	33	20.308	20.581	22.033	1.00	32.80	C
ATOM	245	CD1	LEU	A	33	21.498	20.135	22.844	1.00	32.76	C
ATOM	246	CD2	LEU	A	33	20.437	22.054	21.674	1.00	31.95	C
ATOM	247	N	ARG	A	34	19.373	19.012	17.728	1.00	33.18	N
ATOM	248	CA	ARG	A	34	19.358	18.042	16.642	1.00	36.23	C
ATOM	249	C	ARG	A	34	20.704	18.064	15.946	1.00	38.91	C
ATOM	250	O	ARG	A	34	21.229	19.135	15.655	1.00	39.68	O
ATOM	251	CB	ARG	A	34	18.266	18.408	15.629	1.00	36.62	C
ATOM	252	CG	ARG	A	34	17.111	17.421	15.517	1.00	43.02	C
ATOM	253	CD	ARG	A	34	16.639	16.976	16.883	1.00	43.26	C
ATOM	254	NE	ARG	A	34	15.210	16.692	16.935	1.00	41.07	N
ATOM	255	CZ	ARG	A	34	14.483	16.790	18.040	1.00	40.15	C
ATOM	256	NH1	ARG	A	34	15.055	17.156	19.176	1.00	40.05	N
ATOM	257	NH2	ARG	A	34	13.182	16.560	18.004	1.00	38.40	N
ATOM	258	N	THR	A	35	21.286	16.891	15.722	1.00	39.34	N
ATOM	259	CA	THR	A	35	22.561	16.814	15.021	1.00	39.88	C
ATOM	260	C	THR	A	35	22.268	16.906	13.522	1.00	40.93	C
ATOM	261	O	THR	A	35	21.107	16.840	13.108	1.00	41.06	O
ATOM	262	CB	THR	A	35	23.295	15.492	15.315	1.00	37.28	C
ATOM	263	OG1	THR	A	35	22.505	14.390	14.851	1.00	39.72	O
ATOM	264	CG2	THR	A	35	23.553	15.347	16.799	1.00	33.47	C
ATOM	265	N	ARG	A	36	23.316	17.067	12.713	1.00	41.22	N
ATOM	266	CA	ARG	A	36	23.150	17.170	11.263	1.00	40.45	C
ATOM	267	C	ARG	A	36	22.514	15.901	10.700	1.00	40.79	C
ATOM	268	O	ARG	A	36	21.789	15.937	9.686	1.00	41.30	O
ATOM	269	CB	ARG	A	36	24.494	17.410	10.585	1.00	40.81	C
ATOM	270	CG	ARG	A	36	24.392	17.332	9.071	1.00	43.89	C
ATOM	271	CD	ARG	A	36	25.777	17.139	8.462	1.00	45.83	C
ATOM	272	NE	ARG	A	36	26.619	18.322	8.611	1.00	41.89	N
ATOM	273	CZ	ARG	A	36	26.729	19.276	7.685	1.00	43.10	C
ATOM	274	NH1	ARG	A	36	26.028	19.185	6.548	1.00	42.99	N
ATOM	275	NH2	ARG	A	36	27.599	20.269	7.842	1.00	42.79	N
ATOM	276	N	ASP	A	37	22.794	14.767	11.346	1.00	43.22	N
ATOM	277	CA	ASP	A	37	22.208	13.493	10.910	1.00	45.76	C
ATOM	278	C	ASP	A	37	20.751	13.369	11.304	1.00	43.44	C

ATOM	279	O	ASP	A	37	19.992	12.645	10.631	1.00	44.61	O
ATOM	280	CB	ASP	A	37	22.994	12.319	11.484	1.00	53.52	C
ATOM	281	CG	ASP	A	37	24.402	12.244	10.911	1.00	61.50	C
ATOM	282	OD1	ASP	A	37	24.549	12.480	9.656	1.00	63.84	O
ATOM	283	OD2	ASP	A	37	25.362	12.000	11.714	1.00	65.56	O
ATOM	284	N	GLU	A	38	20.356	14.036	12.387	1.00	41.47	N
ATOM	285	CA	GLU	A	38	18.974	14.010	12.834	1.00	39.44	C
ATOM	286	C	GLU	A	38	18.136	15.023	12.048	1.00	40.40	C
ATOM	287	O	GLU	A	38	16.958	14.785	11.760	1.00	40.80	O
ATOM	288	CB	GLU	A	38	18.883	14.337	14.317	1.00	40.92	C
ATOM	289	CG	GLU	A	38	19.534	13.328	15.223	1.00	46.92	C
ATOM	290	CD	GLU	A	38	19.369	13.697	16.679	1.00	50.62	C
ATOM	291	OE1	GLU	A	38	18.353	13.296	17.276	1.00	54.72	O
ATOM	292	OE2	GLU	A	38	20.238	14.406	17.226	1.00	54.70	O
ATOM	293	N	LEU	A	39	18.754	16.150	11.696	1.00	37.00	N
ATOM	294	CA	LEU	A	39	18.054	17.192	10.966	1.00	32.52	C
ATOM	295	C	LEU	A	39	18.992	17.960	10.047	1.00	31.79	C
ATOM	296	O	LEU	A	39	19.871	18.687	10.502	1.00	30.32	O
ATOM	297	CB	LEU	A	39	17.379	18.157	11.949	1.00	29.99	C
ATOM	298	CG	LEU	A	39	16.615	19.368	11.400	1.00	29.67	C
ATOM	299	CD1	LEU	A	39	15.371	18.928	10.669	1.00	27.65	C
ATOM	300	CD2	LEU	A	39	16.255	20.306	12.533	1.00	28.61	C
ATOM	301	N	ASN	A	40	18.833	17.755	8.747	1.00	32.66	N
ATOM	302	CA	ASN	A	40	19.642	18.468	7.775	1.00	32.42	C
ATOM	303	C	ASN	A	40	18.978	19.825	7.545	1.00	30.60	C
ATOM	304	O	ASN	A	40	17.899	19.908	6.949	1.00	28.46	O
ATOM	305	CB	ASN	A	40	19.726	17.691	6.465	1.00	34.33	C
ATOM	306	CG	ASN	A	40	20.550	18.411	5.423	1.00	38.78	C
ATOM	307	OD1	ASN	A	40	21.311	19.330	5.742	1.00	36.89	O
ATOM	308	ND2	ASN	A	40	20.393	18.012	4.164	1.00	40.62	N
ATOM	309	N	LEU	A	41	19.638	20.881	8.011	1.00	29.38	N
ATOM	310	CA	LEU	A	41	19.129	22.245	7.902	1.00	26.76	C
ATOM	311	C	LEU	A	41	18.984	22.788	6.486	1.00	25.30	C
ATOM	312	O	LEU	A	41	18.339	23.808	6.275	1.00	23.63	O
ATOM	313	CB	LEU	A	41	19.972	23.187	8.763	1.00	22.95	C
ATOM	314	CG	LEU	A	41	19.982	22.850	10.256	1.00	23.40	C
ATOM	315	CD1	LEU	A	41	20.890	23.791	10.994	1.00	23.36	C
ATOM	316	CD2	LEU	A	41	18.585	22.937	10.825	1.00	23.16	C
ATOM	317	N	LEU	A	42	19.560	22.096	5.510	1.00	27.05	N
ATOM	318	CA	LEU	A	42	19.454	22.522	4.114	1.00	30.49	C
ATOM	319	C	LEU	A	42	18.129	22.075	3.502	1.00	32.85	C
ATOM	320	O	LEU	A	42	17.715	22.572	2.451	1.00	33.73	O
ATOM	321	CB	LEU	A	42	20.604	21.954	3.283	1.00	28.79	C
ATOM	322	CG	LEU	A	42	22.006	22.451	3.615	1.00	33.56	C
ATOM	323	CD1	LEU	A	42	23.011	21.830	2.672	1.00	33.63	C
ATOM	324	CD2	LEU	A	42	22.030	23.956	3.483	1.00	34.71	C
ATOM	325	N	ASP	A	43	17.480	21.124	4.167	1.00	34.26	N
ATOM	326	CA	ASP	A	43	16.205	20.581	3.715	1.00	35.53	C
ATOM	327	C	ASP	A	43	15.028	21.380	4.295	1.00	33.52	C
ATOM	328	O	ASP	A	43	14.714	21.251	5.481	1.00	32.16	O
ATOM	329	CB	ASP	A	43	16.113	19.108	4.143	1.00	39.69	C
ATOM	330	CG	ASP	A	43	14.958	18.344	3.477	1.00	40.84	C
ATOM	331	OD1	ASP	A	43	14.136	18.921	2.723	1.00	41.94	O
ATOM	332	OD2	ASP	A	43	14.886	17.126	3.717	1.00	43.40	O
ATOM	333	N	SER	A	44	14.363	22.164	3.441	1.00	32.69	N
ATOM	334	CA	SER	A	44	13.210	22.983	3.842	1.00	34.65	C

ATOM	335	C	SER	A	44	12.104	22.184	4.534	1.00	32.14	C
ATOM	336	O	SER	A	44	11.693	22.538	5.637	1.00	32.99	O
ATOM	337	CB	SER	A	44	12.606	23.703	2.632	1.00	34.63	C
ATOM	338	OG	SER	A	44	13.570	24.483	1.956	1.00	45.59	O
ATOM	339	N	ARG	A	45	11.626	21.123	3.873	1.00	31.45	N
ATOM	340	CA	ARG	A	45	10.558	20.259	4.400	1.00	31.71	C
ATOM	341	C	ARG	A	45	10.927	19.695	5.770	1.00	29.48	C
ATOM	342	O	ARG	A	45	10.145	19.779	6.712	1.00	31.13	O
ATOM	343	CB	ARG	A	45	10.239	19.120	3.405	1.00	28.75	C
ATOM	344	N	ALA	A	46	12.151	19.190	5.890	1.00	29.28	N
ATOM	345	CA	ALA	A	46	12.638	18.638	7.147	1.00	28.44	C
ATOM	346	C	ALA	A	46	12.593	19.701	8.241	1.00	29.87	C
ATOM	347	O	ALA	A	46	12.109	19.448	9.351	1.00	32.21	O
ATOM	348	CB	ALA	A	46	14.056	18.125	6.975	1.00	28.03	C
ATOM	349	N	VAL	A	47	13.073	20.900	7.913	1.00	29.43	N
ATOM	350	CA	VAL	A	47	13.092	22.011	8.868	1.00	28.97	C
ATOM	351	C	VAL	A	47	11.679	22.458	9.279	1.00	30.28	C
ATOM	352	O	VAL	A	47	11.414	22.666	10.465	1.00	28.91	O
ATOM	353	CB	VAL	A	47	13.917	23.217	8.319	1.00	27.52	C
ATOM	354	CG1	VAL	A	47	13.905	24.389	9.305	1.00	24.49	C
ATOM	355	CG2	VAL	A	47	15.347	22.785	8.061	1.00	22.11	C
ATOM	356	N	HIS	A	48	10.777	22.603	8.308	1.00	31.17	N
ATOM	357	CA	HIS	A	48	9.405	23.010	8.613	1.00	34.04	C
ATOM	358	C	HIS	A	48	8.693	21.939	9.435	1.00	34.25	C
ATOM	359	O	HIS	A	48	7.948	22.258	10.357	1.00	34.13	O
ATOM	360	CB	HIS	A	48	8.634	23.345	7.332	1.00	33.07	C
ATOM	361	CG	HIS	A	48	8.975	24.693	6.763	1.00	41.08	C
ATOM	362	ND1	HIS	A	48	10.154	24.947	6.096	1.00	41.25	N
ATOM	363	CD2	HIS	A	48	8.297	25.866	6.784	1.00	42.73	C
ATOM	364	CE1	HIS	A	48	10.189	26.217	5.731	1.00	38.92	C
ATOM	365	NE2	HIS	A	48	9.075	26.797	6.137	1.00	38.73	N
ATOM	366	N	ASP	A	49	8.970	20.670	9.133	1.00	37.03	N
ATOM	367	CA	ASP	A	49	8.373	19.560	9.866	1.00	36.26	C
ATOM	368	C	ASP	A	49	8.811	19.581	11.314	1.00	36.70	C
ATOM	369	O	ASP	A	49	7.998	19.369	12.215	1.00	38.51	O
ATOM	370	CB	ASP	A	49	8.754	18.226	9.239	1.00	41.07	C
ATOM	371	CG	ASP	A	49	7.932	17.906	8.006	1.00	47.20	C
ATOM	372	OD1	ASP	A	49	6.981	18.665	7.701	1.00	49.28	O
ATOM	373	OD2	ASP	A	49	8.239	16.892	7.340	1.00	50.40	O
ATOM	374	N	PHE	A	50	10.099	19.835	11.528	1.00	31.65	N
ATOM	375	CA	PHE	A	50	10.655	19.911	12.866	1.00	30.48	C
ATOM	376	C	PHE	A	50	9.999	21.054	13.655	1.00	31.59	C
ATOM	377	O	PHE	A	50	9.603	20.870	14.800	1.00	34.67	O
ATOM	378	CB	PHE	A	50	12.181	20.095	12.787	1.00	27.87	C
ATOM	379	CG	PHE	A	50	12.803	20.619	14.054	1.00	31.67	C
ATOM	380	CD1	PHE	A	50	13.067	19.767	15.127	1.00	34.11	C
ATOM	381	CD2	PHE	A	50	13.094	21.978	14.194	1.00	32.79	C
ATOM	382	CE1	PHE	A	50	13.612	20.265	16.327	1.00	33.70	C
ATOM	383	CE2	PHE	A	50	13.635	22.486	15.387	1.00	33.68	C
ATOM	384	CZ	PHE	A	50	13.893	21.628	16.452	1.00	33.53	C
ATOM	385	N	PHE	A	51	9.868	22.226	13.039	1.00	33.60	N
ATOM	386	CA	PHE	A	51	9.269	23.375	13.719	1.00	33.81	C
ATOM	387	C	PHE	A	51	7.783	23.186	14.001	1.00	35.57	C
ATOM	388	O	PHE	A	51	7.230	23.778	14.938	1.00	33.66	O
ATOM	389	CB	PHE	A	51	9.514	24.664	12.931	1.00	31.59	C
ATOM	390	CG	PHE	A	51	10.805	25.363	13.290	1.00	30.83	C

ATOM	391	CD1	PHE	A	51	10.861	26.230	14.377	1.00	28.76	C
ATOM	392	CD2	PHE	A	51	11.962	25.157	12.540	1.00	29.97	C
ATOM	393	CE1	PHE	A	51	12.050	26.882	14.713	1.00	31.23	C
ATOM	394	CE2	PHE	A	51	13.158	25.807	12.869	1.00	30.53	C
ATOM	395	CZ	PHE	A	51	13.201	26.669	13.956	1.00	26.55	C
ATOM	396	N	ALA	A	52	7.146	22.351	13.186	1.00	38.02	N
ATOM	397	CA	ALA	A	52	5.726	22.039	13.338	1.00	40.36	C
ATOM	398	C	ALA	A	52	5.503	21.012	14.457	1.00	41.45	C
ATOM	399	O	ALA	A	52	4.532	21.116	15.209	1.00	43.43	O
ATOM	400	CB	ALA	A	52	5.153	21.518	12.019	1.00	34.47	C
ATOM	401	N	SER	A	53	6.424	20.053	14.580	1.00	42.38	N
ATOM	402	CA	SER	A	53	6.342	18.994	15.588	1.00	41.18	C
ATOM	403	C	SER	A	53	6.748	19.407	16.986	1.00	42.82	C
ATOM	404	O	SER	A	53	6.172	18.925	17.952	1.00	47.99	O
ATOM	405	CB	SER	A	53	7.193	17.804	15.178	1.00	40.80	C
ATOM	406	OG	SER	A	53	6.823	17.356	13.892	1.00	49.20	O
ATOM	407	N	GLU	A	54	7.786	20.229	17.098	1.00	43.27	N
ATOM	408	CA	GLU	A	54	8.263	20.687	18.399	1.00	44.91	C
ATOM	409	C	GLU	A	54	7.630	22.013	18.777	1.00	45.75	C
ATOM	410	O	GLU	A	54	7.059	22.701	17.931	1.00	50.32	O
ATOM	411	CB	GLU	A	54	9.783	20.834	18.393	1.00	48.02	C
ATOM	412	CG	GLU	A	54	10.534	19.556	18.061	1.00	51.83	C
ATOM	413	CD	GLU	A	54	10.220	18.417	19.016	1.00	56.09	C
ATOM	414	OE1	GLU	A	54	10.266	18.624	20.249	1.00	51.48	O
ATOM	415	OE2	GLU	A	54	9.925	17.308	18.524	1.00	61.02	O
ATOM	416	N	ARG	A	55	7.703	22.361	20.054	1.00	45.00	N
ATOM	417	CA	ARG	A	55	7.137	23.624	20.506	1.00	46.27	C
ATOM	418	C	ARG	A	55	8.313	24.510	20.899	1.00	45.54	C
ATOM	419	O	ARG	A	55	8.727	24.529	22.054	1.00	50.04	O
ATOM	420	CB	ARG	A	55	6.183	23.401	21.692	1.00	47.08	C
ATOM	421	N	ILE	A	56	8.858	25.223	19.915	1.00	41.10	N
ATOM	422	CA	ILE	A	56	10.015	26.097	20.107	1.00	34.43	C
ATOM	423	C	ILE	A	56	9.630	27.518	20.515	1.00	31.44	C
ATOM	424	O	ILE	A	56	8.801	28.155	19.870	1.00	34.34	O
ATOM	425	CB	ILE	A	56	10.870	26.191	18.806	1.00	33.12	C
ATOM	426	CG1	ILE	A	56	11.152	24.800	18.207	1.00	33.26	C
ATOM	427	CG2	ILE	A	56	12.162	26.937	19.081	1.00	31.88	C
ATOM	428	CD1	ILE	A	56	11.967	23.893	19.085	1.00	33.72	C
ATOM	429	N	ASP	A	57	10.257	28.026	21.568	1.00	28.13	N
ATOM	430	CA	ASP	A	57	9.982	29.385	22.019	1.00	30.48	C
ATOM	431	C	ASP	A	57	11.059	30.351	21.524	1.00	30.91	C
ATOM	432	O	ASP	A	57	10.755	31.484	21.174	1.00	30.50	O
ATOM	433	CB	ASP	A	57	9.867	29.454	23.550	1.00	30.93	C
ATOM	434	CG	ASP	A	57	8.715	28.620	24.087	1.00	34.60	C
ATOM	435	OD1	ASP	A	57	7.548	28.922	23.761	1.00	41.17	O
ATOM	436	OD2	ASP	A	57	8.972	27.648	24.824	1.00	35.23	O
ATOM	437	N	GLN	A	58	12.309	29.889	21.476	1.00	29.46	N
ATOM	438	CA	GLN	A	58	13.435	30.713	21.032	1.00	26.46	C
ATOM	439	C	GLN	A	58	14.360	29.920	20.130	1.00	25.90	C
ATOM	440	O	GLN	A	58	14.417	28.694	20.222	1.00	25.40	O
ATOM	441	CB	GLN	A	58	14.248	31.211	22.227	1.00	26.27	C
ATOM	442	CG	GLN	A	58	13.485	32.059	23.221	1.00	30.99	C
ATOM	443	CD	GLN	A	58	14.345	32.492	24.385	1.00	35.42	C
ATOM	444	OE1	GLN	A	58	15.563	32.305	24.379	1.00	39.47	O
ATOM	445	NE2	GLN	A	58	13.721	33.088	25.387	1.00	35.19	N
ATOM	446	N	VAL	A	59	15.077	30.629	19.260	1.00	23.53	N

ATOM	447	CA	VAL	A	59	16.028	30.011	18.338	1.00	19.83	C
ATOM	448	C	VAL	A	59	17.356	30.774	18.299	1.00	21.62	C
ATOM	449	O	VAL	A	59	17.380	32.008	18.180	1.00	20.82	O
ATOM	450	CB	VAL	A	59	15.487	29.977	16.889	1.00	19.02	C
ATOM	451	CG1	VAL	A	59	16.564	29.466	15.921	1.00	18.14	C
ATOM	452	CG2	VAL	A	59	14.255	29.110	16.797	1.00	18.15	C
ATOM	453	N	TYR	A	60	18.451	30.043	18.485	1.00	21.34	N
ATOM	454	CA	TYR	A	60	19.788	30.619	18.386	1.00	20.10	C
ATOM	455	C	TYR	A	60	20.324	30.016	17.102	1.00	18.62	C
ATOM	456	O	TYR	A	60	20.582	28.817	17.038	1.00	19.19	O
ATOM	457	CB	TYR	A	60	20.677	30.224	19.562	1.00	20.05	C
ATOM	458	CG	TYR	A	60	20.440	31.033	20.811	1.00	19.50	C
ATOM	459	CD1	TYR	A	60	19.437	30.677	21.709	1.00	24.78	C
ATOM	460	CD2	TYR	A	60	21.234	32.138	21.115	1.00	20.63	C
ATOM	461	CE1	TYR	A	60	19.224	31.399	22.881	1.00	23.69	C
ATOM	462	CE2	TYR	A	60	21.035	32.868	22.290	1.00	21.28	C
ATOM	463	CZ	TYR	A	60	20.022	32.490	23.167	1.00	24.58	C
ATOM	464	OH	TYR	A	60	19.787	33.204	24.323	1.00	25.10	O
ATOM	465	N	LEU	A	61	20.409	30.835	16.059	1.00	20.28	N
ATOM	466	CA	LEU	A	61	20.882	30.376	14.757	1.00	23.69	C
ATOM	467	C	LEU	A	61	22.407	30.421	14.688	1.00	21.61	C
ATOM	468	O	LEU	A	61	22.997	31.398	14.214	1.00	21.00	O
ATOM	469	CB	LEU	A	61	20.211	31.207	13.641	1.00	21.87	C
ATOM	470	CG	LEU	A	61	20.425	30.877	12.157	1.00	28.27	C
ATOM	471	CD1	LEU	A	61	20.833	29.433	11.955	1.00	30.54	C
ATOM	472	CD2	LEU	A	61	19.170	31.221	11.351	1.00	21.23	C
ATOM	473	N	ALA	A	62	23.031	29.357	15.198	1.00	20.69	N
ATOM	474	CA	ALA	A	62	24.494	29.229	15.231	1.00	21.09	C
ATOM	475	C	ALA	A	62	25.024	28.217	14.214	1.00	21.30	C
ATOM	476	O	ALA	A	62	26.197	27.861	14.241	1.00	24.79	O
ATOM	477	CB	ALA	A	62	24.973	28.870	16.639	1.00	13.23	C
ATOM	478	N	ALA	A	63	24.152	27.738	13.335	1.00	20.79	N
ATOM	479	CA	ALA	A	63	24.556	26.797	12.297	1.00	24.19	C
ATOM	480	C	ALA	A	63	25.030	27.582	11.074	1.00	23.98	C
ATOM	481	O	ALA	A	63	24.412	28.574	10.679	1.00	24.88	O
ATOM	482	CB	ALA	A	63	23.394	25.882	11.912	1.00	18.90	C
ATOM	483	N	ALA	A	64	26.120	27.121	10.471	1.00	22.11	N
ATOM	484	CA	ALA	A	64	26.687	27.760	9.294	1.00	22.13	C
ATOM	485	C	ALA	A	64	27.793	26.927	8.673	1.00	24.40	C
ATOM	486	O	ALA	A	64	28.284	25.965	9.266	1.00	23.16	O
ATOM	487	CB	ALA	A	64	27.230	29.146	9.656	1.00	16.74	C
ATOM	488	N	LYS	A	65	28.126	27.279	7.437	1.00	24.29	N
ATOM	489	CA	LYS	A	65	29.198	26.658	6.681	1.00	25.21	C
ATOM	490	C	LYS	A	65	30.318	27.675	6.848	1.00	26.03	C
ATOM	491	O	LYS	A	65	30.287	28.743	6.248	1.00	25.99	O
ATOM	492	CB	LYS	A	65	28.812	26.514	5.206	1.00	28.28	C
ATOM	493	CG	LYS	A	65	29.956	26.182	4.262	1.00	32.11	C
ATOM	494	CD	LYS	A	65	30.421	24.768	4.436	1.00	33.93	C
ATOM	495	CE	LYS	A	65	31.413	24.431	3.352	1.00	37.43	C
ATOM	496	NZ	LYS	A	65	31.724	22.987	3.337	1.00	43.68	N
ATOM	497	N	VAL	A	66	31.245	27.364	7.752	1.00	28.19	N
ATOM	498	CA	VAL	A	66	32.385	28.223	8.095	1.00	26.36	C
ATOM	499	C	VAL	A	66	33.740	27.643	7.649	1.00	27.04	C
ATOM	500	O	VAL	A	66	33.904	26.436	7.553	1.00	30.28	O
ATOM	501	CB	VAL	A	66	32.390	28.449	9.617	1.00	25.74	C
ATOM	502	CG1	VAL	A	66	33.577	29.276	10.040	1.00	34.01	C

ATOM	503	CG2 VAL A	66	31.096	29.124	10.030	1.00	26.90	C
ATOM	504	N GLY A	67	34.703	28.516	7.379	1.00	25.30	N
ATOM	505	CA GLY A	67	36.006	28.056	6.949	1.00	26.51	C
ATOM	506	C GLY A	67	37.043	29.162	6.938	1.00	28.34	C
ATOM	507	O GLY A	67	36.751	30.309	7.282	1.00	28.11	O
ATOM	508	N GLY A	68	38.270	28.787	6.573	1.00	27.43	N
ATOM	509	CA GLY A	68	39.371	29.725	6.505	1.00	23.64	C
ATOM	510	C GLY A	68	39.565	30.287	5.111	1.00	22.82	C
ATOM	511	O GLY A	68	38.765	30.042	4.219	1.00	26.25	O
ATOM	512	N ILE A	69	40.655	31.024	4.925	1.00	25.72	N
ATOM	513	CA ILE A	69	41.012	31.658	3.662	1.00	24.89	C
ATOM	514	C ILE A	69	40.979	30.732	2.442	1.00	22.61	C
ATOM	515	O ILE A	69	40.371	31.066	1.427	1.00	22.34	O
ATOM	516	CB ILE A	69	42.377	32.371	3.818	1.00	30.00	C
ATOM	517	CG1 ILE A	69	42.183	33.595	4.715	1.00	31.07	C
ATOM	518	CG2 ILE A	69	42.952	32.773	2.476	1.00	31.20	C
ATOM	519	CD1 ILE A	69	43.460	34.277	5.135	1.00	40.18	C
ATOM	520	N VAL A	70	41.589	29.557	2.557	1.00	23.14	N
ATOM	521	CA VAL A	70	41.610	28.584	1.459	1.00	22.04	C
ATOM	522	C VAL A	70	40.196	28.067	1.129	1.00	23.01	C
ATOM	523	O VAL A	70	39.782	28.056	-0.036	1.00	22.01	O
ATOM	524	CB VAL A	70	42.564	27.377	1.780	1.00	20.23	C
ATOM	525	CG1 VAL A	70	42.474	26.290	0.694	1.00	16.38	C
ATOM	526	CG2 VAL A	70	44.001	27.862	1.894	1.00	17.14	C
ATOM	527	N ALA A	71	39.450	27.686	2.164	1.00	19.81	N
ATOM	528	CA ALA A	71	38.103	27.157	1.984	1.00	21.25	C
ATOM	529	C ALA A	71	37.166	28.139	1.274	1.00	20.54	C
ATOM	530	O ALA A	71	36.507	27.785	0.291	1.00	24.36	O
ATOM	531	CB ALA A	71	37.525	26.732	3.334	1.00	18.71	C
ATOM	532	N ASN A	72	37.144	29.378	1.754	1.00	20.84	N
ATOM	533	CA ASN A	72	36.297	30.422	1.176	1.00	22.51	C
ATOM	534	C ASN A	72	36.603	30.743	-0.277	1.00	21.99	C
ATOM	535	O ASN A	72	35.703	31.111	-1.020	1.00	25.71	O
ATOM	536	CB ASN A	72	36.357	31.695	2.020	1.00	23.31	C
ATOM	537	CG ASN A	72	35.495	31.608	3.268	1.00	25.17	C
ATOM	538	OD1 ASN A	72	35.952	31.179	4.331	1.00	27.44	O
ATOM	539	ND2 ASN A	72	34.241	32.016	3.144	1.00	22.39	N
ATOM	540	N ASN A	73	37.870	30.628	-0.675	1.00	21.11	N
ATOM	541	CA ASN A	73	38.258	30.883	-2.062	1.00	20.84	C
ATOM	542	C ASN A	73	38.146	29.633	-2.935	1.00	21.79	C
ATOM	543	O ASN A	73	38.059	29.730	-4.159	1.00	24.98	O
ATOM	544	CB ASN A	73	39.687	31.403	-2.137	1.00	20.70	C
ATOM	545	CG ASN A	73	39.795	32.881	-1.833	1.00	23.84	C
ATOM	546	OD1 ASN A	73	39.264	33.726	-2.566	1.00	26.45	O
ATOM	547	ND2 ASN A	73	40.517	33.210	-0.761	1.00	23.01	N
ATOM	548	N THR A	74	38.182	28.463	-2.305	1.00	20.74	N
ATOM	549	CA THR A	74	38.096	27.193	-3.028	1.00	21.46	C
ATOM	550	C THR A	74	36.655	26.711	-3.236	1.00	21.04	C
ATOM	551	O THR A	74	36.322	26.193	-4.301	1.00	18.01	O
ATOM	552	CB THR A	74	38.912	26.094	-2.310	1.00	22.88	C
ATOM	553	OG1 THR A	74	40.258	26.550	-2.143	1.00	20.75	O
ATOM	554	CG2 THR A	74	38.908	24.791	-3.113	1.00	19.72	C
ATOM	555	N TYR A	75	35.796	26.922	-2.237	1.00	21.00	N
ATOM	556	CA TYR A	75	34.397	26.499	-2.325	1.00	20.99	C
ATOM	557	C TYR A	75	33.414	27.670	-2.179	1.00	20.75	C
ATOM	558	O TYR A	75	32.477	27.593	-1.388	1.00	21.89	O

ATOM	559	CB	TYR	A	75	34.103	25.473	-1.224	1.00	22.51	C
ATOM	560	CG	TYR	A	75	35.128	24.372	-1.102	1.00	25.35	C
ATOM	561	CD1	TYR	A	75	35.091	23.263	-1.947	1.00	27.72	C
ATOM	562	CD2	TYR	A	75	36.137	24.440	-0.146	1.00	27.31	C
ATOM	563	CE1	TYR	A	75	36.034	22.244	-1.845	1.00	30.92	C
ATOM	564	CE2	TYR	A	75	37.088	23.425	-0.033	1.00	30.18	C
ATOM	565	CZ	TYR	A	75	37.027	22.332	-0.885	1.00	33.55	C
ATOM	566	OH	TYR	A	75	37.946	21.318	-0.775	1.00	38.78	O
ATOM	567	N	PRO	A	76	33.587	28.750	-2.958	1.00	18.60	N
ATOM	568	CA	PRO	A	76	32.668	29.887	-2.838	1.00	16.60	C
ATOM	569	C	PRO	A	76	31.170	29.569	-2.996	1.00	17.23	C
ATOM	570	O	PRO	A	76	30.348	30.056	-2.210	1.00	19.43	O
ATOM	571	CB	PRO	A	76	33.193	30.864	-3.898	1.00	18.79	C
ATOM	572	CG	PRO	A	76	33.874	29.975	-4.903	1.00	18.85	C
ATOM	573	CD	PRO	A	76	34.591	29.003	-4.009	1.00	17.13	C
ATOM	574	N	ALA	A	77	30.814	28.765	-3.998	1.00	17.35	N
ATOM	575	CA	ALA	A	77	29.420	28.376	-4.205	1.00	17.77	C
ATOM	576	C	ALA	A	77	28.808	27.684	-2.974	1.00	20.30	C
ATOM	577	O	ALA	A	77	27.690	28.006	-2.578	1.00	22.25	O
ATOM	578	CB	ALA	A	77	29.302	27.493	-5.403	1.00	15.82	C
ATOM	579	N	ASP	A	78	29.548	26.768	-2.350	1.00	20.44	N
ATOM	580	CA	ASP	A	78	29.057	26.062	-1.163	1.00	20.70	C
ATOM	581	C	ASP	A	78	28.806	27.018	-0.011	1.00	20.38	C
ATOM	582	O	ASP	A	78	27.859	26.847	0.752	1.00	19.14	O
ATOM	583	CB	ASP	A	78	30.064	25.014	-0.674	1.00	22.48	C
ATOM	584	CG	ASP	A	78	30.332	23.919	-1.691	1.00	27.38	C
ATOM	585	OD1	ASP	A	78	29.670	23.874	-2.757	1.00	28.69	O
ATOM	586	OD2	ASP	A	78	31.228	23.092	-1.413	1.00	32.93	O
ATOM	587	N	PHE	A	79	29.699	27.992	0.135	1.00	20.45	N
ATOM	588	CA	PHE	A	79	29.608	28.979	1.206	1.00	22.62	C
ATOM	589	C	PHE	A	79	28.444	29.950	1.080	1.00	21.98	C
ATOM	590	O	PHE	A	79	27.789	30.254	2.076	1.00	23.46	O
ATOM	591	CB	PHE	A	79	30.927	29.736	1.368	1.00	22.85	C
ATOM	592	CG	PHE	A	79	31.955	28.987	2.172	1.00	23.24	C
ATOM	593	CD1	PHE	A	79	32.809	28.079	1.565	1.00	22.28	C
ATOM	594	CD2	PHE	A	79	32.072	29.199	3.540	1.00	22.11	C
ATOM	595	CE1	PHE	A	79	33.763	27.394	2.312	1.00	22.89	C
ATOM	596	CE2	PHE	A	79	33.023	28.520	4.291	1.00	21.46	C
ATOM	597	CZ	PHE	A	79	33.870	27.616	3.677	1.00	18.34	C
ATOM	598	N	ILE	A	80	28.188	30.458	-0.122	1.00	17.01	N
ATOM	599	CA	ILE	A	80	27.057	31.354	-0.271	1.00	17.16	C
ATOM	600	C	ILE	A	80	25.734	30.557	-0.268	1.00	17.59	C
ATOM	601	O	ILE	A	80	24.801	30.906	0.454	1.00	15.27	O
ATOM	602	CB	ILE	A	80	27.171	32.269	-1.531	1.00	17.15	C
ATOM	603	CG1	ILE	A	80	26.022	33.295	-1.519	1.00	15.97	C
ATOM	604	CG2	ILE	A	80	27.213	31.428	-2.818	1.00	10.30	C
ATOM	605	CD1	ILE	A	80	26.121	34.403	-2.553	1.00	14.62	C
ATOM	606	N	TYR	A	81	25.684	29.448	-1.007	1.00	16.59	N
ATOM	607	CA	TYR	A	81	24.469	28.646	-1.077	1.00	16.53	C
ATOM	608	C	TYR	A	81	24.000	28.032	0.234	1.00	17.95	C
ATOM	609	O	TYR	A	81	22.848	28.199	0.626	1.00	20.44	O
ATOM	610	CB	TYR	A	81	24.586	27.545	-2.130	1.00	16.48	C
ATOM	611	CG	TYR	A	81	23.375	26.629	-2.152	1.00	21.92	C
ATOM	612	CD1	TYR	A	81	22.217	26.993	-2.841	1.00	21.06	C
ATOM	613	CD2	TYR	A	81	23.367	25.416	-1.443	1.00	21.92	C
ATOM	614	CE1	TYR	A	81	21.085	26.188	-2.827	1.00	20.40	C

ATOM	615	CE2	TYR	A	81	22.229	24.598	-1.423	1.00	22.42	C
ATOM	616	CZ	TYR	A	81	21.095	24.997	-2.121	1.00	20.93	C
ATOM	617	OH	TYR	A	81	19.968	24.213	-2.120	1.00	27.29	O
ATOM	618	N	GLN	A	82	24.879	27.297	0.896	1.00	17.27	N
ATOM	619	CA	GLN	A	82	24.512	26.635	2.139	1.00	18.48	C
ATOM	620	C	GLN	A	82	24.118	27.591	3.238	1.00	19.52	C
ATOM	621	O	GLN	A	82	23.222	27.295	4.021	1.00	21.45	O
ATOM	622	CB	GLN	A	82	25.625	25.697	2.611	1.00	20.06	C
ATOM	623	CG	GLN	A	82	25.739	24.443	1.761	1.00	19.94	C
ATOM	624	CD	GLN	A	82	26.926	23.588	2.125	1.00	20.90	C
ATOM	625	OE1	GLN	A	82	27.575	23.021	1.256	1.00	27.31	O
ATOM	626	NE2	GLN	A	82	27.222	23.497	3.407	1.00	20.61	N
ATOM	627	N	ASN	A	83	24.793	28.730	3.320	1.00	18.42	N
ATOM	628	CA	ASN	A	83	24.439	29.695	4.345	1.00	16.95	C
ATOM	629	C	ASN	A	83	23.114	30.382	4.024	1.00	18.39	C
ATOM	630	O	ASN	A	83	22.293	30.593	4.923	1.00	20.25	O
ATOM	631	CB	ASN	A	83	25.578	30.671	4.612	1.00	16.28	C
ATOM	632	CG	ASN	A	83	26.707	30.019	5.405	1.00	25.04	C
ATOM	633	OD1	ASN	A	83	26.515	29.607	6.552	1.00	25.51	O
ATOM	634	ND2	ASN	A	83	27.871	29.872	4.780	1.00	23.34	N
ATOM	635	N	MET	A	84	22.870	30.658	2.742	1.00	18.90	N
ATOM	636	CA	MET	A	84	21.609	31.266	2.335	1.00	20.07	C
ATOM	637	C	MET	A	84	20.450	30.314	2.656	1.00	19.78	C
ATOM	638	O	MET	A	84	19.469	30.732	3.267	1.00	20.03	O
ATOM	639	CB	MET	A	84	21.614	31.610	0.850	1.00	18.82	C
ATOM	640	CG	MET	A	84	22.160	33.005	0.526	1.00	19.79	C
ATOM	641	SD	MET	A	84	22.231	33.287	-1.266	1.00	24.22	S
ATOM	642	CE	MET	A	84	20.512	33.344	-1.713	1.00	18.46	C
ATOM	643	N	MET	A	85	20.590	29.031	2.306	1.00	19.18	N
ATOM	644	CA	MET	A	85	19.535	28.045	2.573	1.00	20.30	C
ATOM	645	C	MET	A	85	19.279	27.817	4.047	1.00	20.01	C
ATOM	646	O	MET	A	85	18.129	27.825	4.461	1.00	21.88	O
ATOM	647	CB	MET	A	85	19.811	26.708	1.891	1.00	19.65	C
ATOM	648	CG	MET	A	85	19.527	26.725	0.404	1.00	31.00	C
ATOM	649	SD	MET	A	85	17.786	26.989	-0.022	1.00	36.83	S
ATOM	650	CE	MET	A	85	17.068	25.555	0.714	1.00	26.89	C
ATOM	651	N	ILE	A	86	20.337	27.620	4.836	1.00	19.40	N
ATOM	652	CA	ILE	A	86	20.194	27.405	6.278	1.00	19.53	C
ATOM	653	C	ILE	A	86	19.450	28.577	6.938	1.00	21.60	C
ATOM	654	O	ILE	A	86	18.549	28.368	7.752	1.00	21.92	O
ATOM	655	CB	ILE	A	86	21.567	27.192	6.968	1.00	19.74	C
ATOM	656	CG1	ILE	A	86	22.208	25.891	6.481	1.00	19.89	C
ATOM	657	CG2	ILE	A	86	21.408	27.147	8.498	1.00	15.03	C
ATOM	658	CD1	ILE	A	86	23.625	25.688	6.992	1.00	18.88	C
ATOM	659	N	GLU	A	87	19.820	29.804	6.572	1.00	21.72	N
ATOM	660	CA	GLU	A	87	19.173	31.011	7.104	1.00	23.30	C
ATOM	661	C	GLU	A	87	17.690	31.084	6.719	1.00	22.73	C
ATOM	662	O	GLU	A	87	16.835	31.264	7.578	1.00	24.21	O
ATOM	663	CB	GLU	A	87	19.869	32.260	6.563	1.00	22.51	C
ATOM	664	CG	GLU	A	87	21.167	32.573	7.242	1.00	24.89	C
ATOM	665	CD	GLU	A	87	22.066	33.452	6.399	1.00	23.90	C
ATOM	666	OE1	GLU	A	87	21.593	34.031	5.391	1.00	20.05	O
ATOM	667	OE2	GLU	A	87	23.265	33.525	6.743	1.00	27.05	O
ATOM	668	N	SER	A	88	17.418	30.966	5.417	1.00	23.72	N
ATOM	669	CA	SER	A	88	16.071	31.008	4.851	1.00	25.11	C
ATOM	670	C	SER	A	88	15.156	29.964	5.462	1.00	25.76	C

ATOM	671	O	SER	A	88	14.048	30.283	5.890	1.00	25.56	O
ATOM	672	CB	SER	A	88	16.124	30.776	3.342	1.00	24.72	C
ATOM	673	OG	SER	A	88	16.813	31.829	2.714	1.00	31.36	O
ATOM	674	N	ASN	A	89	15.625	28.717	5.494	1.00	25.50	N
ATOM	675	CA	ASN	A	89	14.848	27.610	6.042	1.00	23.80	C
ATOM	676	C	ASN	A	89	14.454	27.839	7.491	1.00	23.46	C
ATOM	677	O	ASN	A	89	13.278	27.795	7.823	1.00	24.35	O
ATOM	678	CB	ASN	A	89	15.610	26.288	5.916	1.00	19.57	C
ATOM	679	CG	ASN	A	89	15.709	25.799	4.482	1.00	21.14	C
ATOM	680	OD1	ASN	A	89	16.474	24.883	4.187	1.00	25.10	O
ATOM	681	ND2	ASN	A	89	14.933	26.396	3.589	1.00	18.41	N
ATOM	682	N	ILE	A	90	15.436	28.116	8.341	1.00	25.82	N
ATOM	683	CA	ILE	A	90	15.175	28.339	9.763	1.00	25.99	C
ATOM	684	C	ILE	A	90	14.296	29.559	10.061	1.00	25.71	C
ATOM	685	O	ILE	A	90	13.295	29.455	10.777	1.00	28.84	O
ATOM	686	CB	ILE	A	90	16.508	28.412	10.576	1.00	23.78	C
ATOM	687	CG1	ILE	A	90	17.189	27.037	10.548	1.00	23.41	C
ATOM	688	CG2	ILE	A	90	16.253	28.888	12.016	1.00	15.55	C
ATOM	689	CD1	ILE	A	90	18.452	26.942	11.372	1.00	24.22	C
ATOM	690	N	ILE	A	91	14.672	30.711	9.518	1.00	26.09	N
ATOM	691	CA	ILE	A	91	13.922	31.939	9.747	1.00	24.31	C
ATOM	692	C	ILE	A	91	12.484	31.866	9.240	1.00	24.33	C
ATOM	693	O	ILE	A	91	11.564	32.330	9.914	1.00	25.31	O
ATOM	694	CB	ILE	A	91	14.665	33.148	9.139	1.00	21.42	C
ATOM	695	CG1	ILE	A	91	15.906	33.449	9.986	1.00	15.68	C
ATOM	696	CG2	ILE	A	91	13.734	34.359	9.013	1.00	20.44	C
ATOM	697	CD1	ILE	A	91	16.893	34.385	9.322	1.00	15.80	C
ATOM	698	N	HIS	A	92	12.285	31.278	8.068	1.00	22.96	N
ATOM	699	CA	HIS	A	92	10.943	31.165	7.529	1.00	23.90	C
ATOM	700	C	HIS	A	92	10.114	30.160	8.345	1.00	25.84	C
ATOM	701	O	HIS	A	92	8.973	30.447	8.719	1.00	27.61	O
ATOM	702	CB	HIS	A	92	10.987	30.757	6.065	1.00	21.74	C
ATOM	703	CG	HIS	A	92	9.658	30.845	5.383	1.00	28.28	C
ATOM	704	ND1	HIS	A	92	8.950	29.731	4.981	1.00	25.58	N
ATOM	705	CD2	HIS	A	92	8.912	31.916	5.024	1.00	26.43	C
ATOM	706	CE1	HIS	A	92	7.830	30.113	4.397	1.00	25.59	C
ATOM	707	NE2	HIS	A	92	7.782	31.434	4.410	1.00	29.98	N
ATOM	708	N	ALA	A	93	10.696	28.998	8.640	1.00	23.07	N
ATOM	709	CA	ALA	A	93	10.007	27.978	9.427	1.00	23.23	C
ATOM	710	C	ALA	A	93	9.627	28.515	10.801	1.00	24.71	C
ATOM	711	O	ALA	A	93	8.521	28.276	11.275	1.00	30.29	O
ATOM	712	CB	ALA	A	93	10.873	26.737	9.574	1.00	18.63	C
ATOM	713	N	ALA	A	94	10.539	29.247	11.437	1.00	24.79	N
ATOM	714	CA	ALA	A	94	10.277	29.815	12.751	1.00	24.24	C
ATOM	715	C	ALA	A	94	9.034	30.695	12.683	1.00	25.32	C
ATOM	716	O	ALA	A	94	8.116	30.552	13.481	1.00	28.35	O
ATOM	717	CB	ALA	A	94	11.483	30.622	13.234	1.00	20.61	C
ATOM	718	N	HIS	A	95	8.982	31.575	11.693	1.00	25.38	N
ATOM	719	CA	HIS	A	95	7.833	32.454	11.553	1.00	25.49	C
ATOM	720	C	HIS	A	95	6.530	31.705	11.291	1.00	23.67	C
ATOM	721	O	HIS	A	95	5.502	32.033	11.880	1.00	23.13	O
ATOM	722	CB	HIS	A	95	8.046	33.471	10.442	1.00	20.17	C
ATOM	723	CG	HIS	A	95	6.827	34.288	10.165	1.00	24.94	C
ATOM	724	ND1	HIS	A	95	6.053	34.111	9.035	1.00	27.90	N
ATOM	725	CD2	HIS	A	95	6.201	35.234	10.906	1.00	19.74	C
ATOM	726	CE1	HIS	A	95	5.003	34.912	9.094	1.00	20.03	C

ATOM	727	NE2	HIS	A	95	5.071	35.603	10.219	1.00	23.33	N
ATOM	728	N	GLN	A	96	6.574	30.756	10.358	1.00	21.60	N
ATOM	729	CA	GLN	A	96	5.421	29.939	9.995	1.00	26.69	C
ATOM	730	C	GLN	A	96	4.855	29.192	11.188	1.00	27.38	C
ATOM	731	O	GLN	A	96	3.677	28.862	11.202	1.00	31.32	O
ATOM	732	CB	GLN	A	96	5.815	28.885	8.972	1.00	28.24	C
ATOM	733	CG	GLN	A	96	6.238	29.422	7.652	1.00	43.30	C
ATOM	734	CD	GLN	A	96	5.069	29.691	6.734	1.00	50.49	C
ATOM	735	OE1	GLN	A	96	4.532	30.808	6.701	1.00	54.42	O
ATOM	736	NE2	GLN	A	96	4.677	28.673	5.960	1.00	49.32	N
ATOM	737	N	ASN	A	97	5.710	28.879	12.160	1.00	26.05	N
ATOM	738	CA	ASN	A	97	5.297	28.130	13.335	1.00	23.14	C
ATOM	739	C	ASN	A	97	5.299	28.936	14.615	1.00	25.71	C
ATOM	740	O	ASN	A	97	5.507	28.407	15.701	1.00	30.43	O
ATOM	741	CB	ASN	A	97	6.133	26.863	13.457	1.00	20.63	C
ATOM	742	CG	ASN	A	97	5.879	25.904	12.301	1.00	28.15	C
ATOM	743	OD1	ASN	A	97	6.609	25.888	11.307	1.00	31.13	O
ATOM	744	ND2	ASN	A	97	4.804	25.137	12.404	1.00	28.58	N
ATOM	745	N	ASP	A	98	5.080	30.234	14.467	1.00	28.81	N
ATOM	746	CA	ASP	A	98	4.989	31.154	15.582	1.00	33.92	C
ATOM	747	C	ASP	A	98	6.112	31.343	16.585	1.00	34.80	C
ATOM	748	O	ASP	A	98	5.859	31.709	17.742	1.00	37.04	O
ATOM	749	CB	ASP	A	98	3.668	30.954	16.311	1.00	44.04	C
ATOM	750	CG	ASP	A	98	2.530	31.640	15.611	1.00	52.45	C
ATOM	751	OD1	ASP	A	98	2.575	32.887	15.519	1.00	56.60	O
ATOM	752	OD2	ASP	A	98	1.613	30.934	15.133	1.00	61.09	O
ATOM	753	N	VAL	A	99	7.347	31.100	16.162	1.00	31.89	N
ATOM	754	CA	VAL	A	99	8.480	31.349	17.044	1.00	28.45	C
ATOM	755	C	VAL	A	99	8.705	32.856	16.867	1.00	27.59	C
ATOM	756	O	VAL	A	99	8.935	33.335	15.750	1.00	29.78	O
ATOM	757	CB	VAL	A	99	9.724	30.574	16.606	1.00	28.67	C
ATOM	758	CG1	VAL	A	99	10.832	30.760	17.626	1.00	26.83	C
ATOM	759	CG2	VAL	A	99	9.383	29.104	16.434	1.00	29.55	C
ATOM	760	N	ASN	A	100	8.576	33.609	17.949	1.00	23.59	N
ATOM	761	CA	ASN	A	100	8.724	35.055	17.876	1.00	25.30	C
ATOM	762	C	ASN	A	100	10.144	35.555	18.162	1.00	25.90	C
ATOM	763	O	ASN	A	100	10.525	36.641	17.713	1.00	24.77	O
ATOM	764	CB	ASN	A	100	7.724	35.710	18.839	1.00	22.17	C
ATOM	765	CG	ASN	A	100	7.386	37.128	18.451	1.00	22.87	C
ATOM	766	OD1	ASN	A	100	6.824	37.365	17.387	1.00	27.52	O
ATOM	767	ND2	ASN	A	100	7.737	38.083	19.306	1.00	20.31	N
ATOM	768	N	LYS	A	101	10.913	34.756	18.903	1.00	23.79	N
ATOM	769	CA	LYS	A	101	12.280	35.108	19.285	1.00	25.79	C
ATOM	770	C	LYS	A	101	13.349	34.282	18.581	1.00	25.08	C
ATOM	771	O	LYS	A	101	13.335	33.054	18.609	1.00	23.20	O
ATOM	772	CB	LYS	A	101	12.468	34.963	20.795	1.00	25.57	C
ATOM	773	CG	LYS	A	101	11.957	36.123	21.627	1.00	25.40	C
ATOM	774	CD	LYS	A	101	12.517	36.003	23.035	1.00	28.23	C
ATOM	775	CE	LYS	A	101	12.961	37.342	23.580	1.00	27.26	C
ATOM	776	NZ	LYS	A	101	13.862	38.022	22.638	1.00	27.99	N
ATOM	777	N	LEU	A	102	14.315	34.979	17.997	1.00	25.18	N
ATOM	778	CA	LEU	A	102	15.403	34.330	17.280	1.00	22.94	C
ATOM	779	C	LEU	A	102	16.635	35.216	17.325	1.00	22.40	C
ATOM	780	O	LEU	A	102	16.522	36.441	17.330	1.00	20.17	O
ATOM	781	CB	LEU	A	102	14.978	34.059	15.833	1.00	22.03	C
ATOM	782	CG	LEU	A	102	15.943	33.407	14.843	1.00	24.11	C

ATOM	783	CD1	LEU	A	102	15.149	32.609	13.808	1.00	19.11	C
ATOM	784	CD2	LEU	A	102	16.830	34.470	14.180	1.00	20.23	C
ATOM	785	N	LEU	A	103	17.801	34.594	17.485	1.00	20.47	N
ATOM	786	CA	LEU	A	103	19.050	35.340	17.499	1.00	19.02	C
ATOM	787	C	LEU	A	103	19.928	34.828	16.361	1.00	20.80	C
ATOM	788	O	LEU	A	103	20.236	33.634	16.296	1.00	19.82	O
ATOM	789	CB	LEU	A	103	19.787	35.183	18.825	1.00	20.80	C
ATOM	790	CG	LEU	A	103	21.035	36.066	18.826	1.00	18.00	C
ATOM	791	CD1	LEU	A	103	20.646	37.506	19.115	1.00	18.01	C
ATOM	792	CD2	LEU	A	103	22.016	35.573	19.841	1.00	17.96	C
ATOM	793	N	PHE	A	104	20.281	35.726	15.444	1.00	20.56	N
ATOM	794	CA	PHE	A	104	21.125	35.408	14.297	1.00	21.46	C
ATOM	795	C	PHE	A	104	22.563	35.869	14.570	1.00	22.79	C
ATOM	796	O	PHE	A	104	22.794	36.997	15.014	1.00	22.46	O
ATOM	797	CB	PHE	A	104	20.565	36.105	13.049	1.00	21.57	C
ATOM	798	CG	PHE	A	104	21.380	35.890	11.802	1.00	23.33	C
ATOM	799	CD1	PHE	A	104	21.444	34.635	11.202	1.00	26.14	C
ATOM	800	CD2	PHE	A	104	22.086	36.941	11.224	1.00	21.59	C
ATOM	801	CE1	PHE	A	104	22.205	34.431	10.043	1.00	24.02	C
ATOM	802	CE2	PHE	A	104	22.845	36.745	10.067	1.00	20.52	C
ATOM	803	CZ	PHE	A	104	22.905	35.494	9.480	1.00	17.49	C
ATOM	804	N	LEU	A	105	23.516	34.966	14.346	1.00	25.28	N
ATOM	805	CA	LEU	A	105	24.939	35.252	14.543	1.00	25.01	C
ATOM	806	C	LEU	A	105	25.590	35.564	13.220	1.00	24.60	C
ATOM	807	O	LEU	A	105	25.660	34.711	12.336	1.00	28.41	O
ATOM	808	CB	LEU	A	105	25.644	34.055	15.146	1.00	25.44	C
ATOM	809	CG	LEU	A	105	25.080	33.686	16.502	1.00	30.67	C
ATOM	810	CD1	LEU	A	105	25.702	32.401	16.952	1.00	40.93	C
ATOM	811	CD2	LEU	A	105	25.378	34.774	17.481	1.00	35.86	C
ATOM	812	N	GLY	A	106	26.048	36.800	13.082	1.00	24.93	N
ATOM	813	CA	GLY	A	106	26.685	37.208	11.850	1.00	27.80	C
ATOM	814	C	GLY	A	106	28.181	37.021	11.939	1.00	30.16	C
ATOM	815	O	GLY	A	106	28.670	36.113	12.607	1.00	27.94	O
ATOM	816	N	SER	A	107	28.917	37.980	11.375	1.00	31.79	N
ATOM	817	CA	SER	A	107	30.368	37.894	11.371	1.00	32.80	C
ATOM	818	C	SER	A	107	30.972	39.272	11.112	1.00	33.57	C
ATOM	819	O	SER	A	107	30.327	40.135	10.521	1.00	34.39	O
ATOM	820	CB	SER	A	107	30.793	36.910	10.279	1.00	33.43	C
ATOM	821	OG	SER	A	107	32.176	36.676	10.307	1.00	39.11	O
ATOM	822	N	SER	A	108	32.212	39.478	11.560	1.00	35.89	N
ATOM	823	CA	SER	A	108	32.892	40.754	11.395	1.00	36.25	C
ATOM	824	C	SER	A	108	33.402	40.965	9.978	1.00	36.16	C
ATOM	825	O	SER	A	108	33.631	42.097	9.564	1.00	37.37	O
ATOM	826	CB	SER	A	108	34.038	40.883	12.391	1.00	34.62	C
ATOM	827	OG	SER	A	108	34.953	39.818	12.238	1.00	42.13	O
ATOM	828	N	CYS	A	109	33.609	39.868	9.259	1.00	37.14	N
ATOM	829	CA	CYS	A	109	34.098	39.942	7.883	1.00	38.02	C
ATOM	830	C	CYS	A	109	33.012	40.398	6.906	1.00	34.24	C
ATOM	831	O	CYS	A	109	33.206	40.436	5.700	1.00	37.29	O
ATOM	832	CB	CYS	A	109	34.737	38.605	7.464	1.00	42.97	C
ATOM	833	SG	CYS	A	109	33.748	37.121	7.765	1.00	51.33	S
ATOM	834	N	ILE	A	110	31.891	40.825	7.473	1.00	29.76	N
ATOM	835	CA	ILE	A	110	30.730	41.321	6.758	1.00	29.62	C
ATOM	836	C	ILE	A	110	30.893	42.822	6.446	1.00	24.97	C
ATOM	837	O	ILE	A	110	30.217	43.355	5.573	1.00	24.10	O
ATOM	838	CB	ILE	A	110	29.484	41.172	7.656	1.00	34.86	C

ATOM	839	CG1	ILE	A	110	28.931	39.768	7.625	1.00	36.57	C
ATOM	840	CG2	ILE	A	110	28.390	42.090	7.256	1.00	41.13	C
ATOM	841	CD1	ILE	A	110	27.645	39.708	8.427	1.00	36.78	C
ATOM	842	N	TYR	A	111	31.732	43.504	7.201	1.00	22.20	N
ATOM	843	CA	TYR	A	111	31.953	44.934	6.994	1.00	19.66	C
ATOM	844	C	TYR	A	111	32.881	45.222	5.826	1.00	21.91	C
ATOM	845	O	TYR	A	111	33.708	44.377	5.462	1.00	20.16	O
ATOM	846	CB	TYR	A	111	32.524	45.558	8.258	1.00	15.60	C
ATOM	847	CG	TYR	A	111	31.501	45.675	9.337	1.00	16.58	C
ATOM	848	CD1	TYR	A	111	30.430	46.567	9.216	1.00	19.56	C
ATOM	849	CD2	TYR	A	111	31.605	44.919	10.501	1.00	17.52	C
ATOM	850	CE1	TYR	A	111	29.482	46.706	10.242	1.00	18.68	C
ATOM	851	CE2	TYR	A	111	30.667	45.051	11.536	1.00	21.66	C
ATOM	852	CZ	TYR	A	111	29.616	45.945	11.398	1.00	20.43	C
ATOM	853	OH	TYR	A	111	28.729	46.102	12.430	1.00	24.08	O
ATOM	854	N	PRO	A	112	32.770	46.429	5.235	1.00	22.08	N
ATOM	855	CA	PRO	A	112	33.605	46.829	4.098	1.00	21.89	C
ATOM	856	C	PRO	A	112	35.076	46.656	4.412	1.00	22.87	C
ATOM	857	O	PRO	A	112	35.480	46.795	5.557	1.00	21.81	O
ATOM	858	CB	PRO	A	112	33.247	48.290	3.913	1.00	20.04	C
ATOM	859	CG	PRO	A	112	31.809	48.331	4.339	1.00	23.89	C
ATOM	860	CD	PRO	A	112	31.804	47.488	5.579	1.00	21.47	C
ATOM	861	N	LYS	A	113	35.854	46.292	3.396	1.00	28.24	N
ATOM	862	CA	LYS	A	113	37.293	46.087	3.539	1.00	32.85	C
ATOM	863	C	LYS	A	113	37.974	47.357	4.070	1.00	35.04	C
ATOM	864	O	LYS	A	113	38.807	47.297	4.984	1.00	35.35	O
ATOM	865	CB	LYS	A	113	37.907	45.696	2.182	1.00	34.21	C
ATOM	866	CG	LYS	A	113	39.384	45.359	2.258	1.00	43.38	C
ATOM	867	CD	LYS	A	113	40.066	45.284	0.893	1.00	49.96	C
ATOM	868	CE	LYS	A	113	41.558	44.953	1.075	1.00	51.58	C
ATOM	869	NZ	LYS	A	113	42.352	45.044	-0.185	1.00	55.85	N
ATOM	870	N	LEU	A	114	37.580	48.503	3.516	1.00	36.50	N
ATOM	871	CA	LEU	A	114	38.152	49.790	3.903	1.00	37.33	C
ATOM	872	C	LEU	A	114	37.277	50.629	4.837	1.00	34.59	C
ATOM	873	O	LEU	A	114	37.253	51.853	4.764	1.00	37.28	O
ATOM	874	CB	LEU	A	114	38.534	50.582	2.649	1.00	38.36	C
ATOM	875	CG	LEU	A	114	39.563	49.851	1.777	1.00	43.26	C
ATOM	876	CD1	LEU	A	114	39.796	50.618	0.498	1.00	44.42	C
ATOM	877	CD2	LEU	A	114	40.877	49.651	2.538	1.00	38.34	C
ATOM	878	N	ALA	A	115	36.594	49.959	5.752	1.00	32.34	N
ATOM	879	CA	ALA	A	115	35.735	50.634	6.704	1.00	31.40	C
ATOM	880	C	ALA	A	115	36.516	51.528	7.680	1.00	34.23	C
ATOM	881	O	ALA	A	115	37.713	51.355	7.890	1.00	34.61	O
ATOM	882	CB	ALA	A	115	34.931	49.607	7.470	1.00	28.20	C
ATOM	883	N	LYS	A	116	35.809	52.488	8.265	1.00	36.34	N
ATOM	884	CA	LYS	A	116	36.359	53.422	9.241	1.00	35.76	C
ATOM	885	C	LYS	A	116	36.519	52.645	10.545	1.00	31.92	C
ATOM	886	O	LYS	A	116	35.632	51.879	10.905	1.00	31.98	O
ATOM	887	CB	LYS	A	116	35.356	54.568	9.430	1.00	43.65	C
ATOM	888	CG	LYS	A	116	35.727	55.629	10.455	1.00	56.26	C
ATOM	889	CD	LYS	A	116	34.491	56.466	10.826	1.00	66.05	C
ATOM	890	CE	LYS	A	116	34.803	57.567	11.848	1.00	70.86	C
ATOM	891	NZ	LYS	A	116	35.633	58.672	11.269	1.00	74.53	N
ATOM	892	N	GLN	A	117	37.636	52.847	11.246	1.00	29.36	N
ATOM	893	CA	GLN	A	117	37.924	52.158	12.516	1.00	25.23	C
ATOM	894	C	GLN	A	117	37.839	53.083	13.744	1.00	25.91	C

ATOM	895	O	GLN	A	117	38.269	54.229	13.690	1.00	31.19	O
ATOM	896	CB	GLN	A	117	39.330	51.549	12.466	1.00	24.79	C
ATOM	897	CG	GLN	A	117	39.615	50.686	11.249	1.00	18.82	C
ATOM	898	CD	GLN	A	117	38.805	49.424	11.258	1.00	19.97	C
ATOM	899	OE1	GLN	A	117	38.556	48.846	12.313	1.00	22.85	O
ATOM	900	NE2	GLN	A	117	38.379	48.985	10.083	1.00	20.40	N
ATOM	901	N	PRO	A	118	37.225	52.617	14.848	1.00	25.27	N
ATOM	902	CA	PRO	A	118	36.607	51.290	14.997	1.00	26.27	C
ATOM	903	C	PRO	A	118	35.317	51.255	14.168	1.00	26.18	C
ATOM	904	O	PRO	A	118	34.716	52.298	13.925	1.00	26.28	O
ATOM	905	CB	PRO	A	118	36.352	51.194	16.510	1.00	24.60	C
ATOM	906	CG	PRO	A	118	36.182	52.628	16.930	1.00	24.19	C
ATOM	907	CD	PRO	A	118	37.241	53.341	16.132	1.00	21.64	C
ATOM	908	N	MET	A	119	34.926	50.076	13.695	1.00	23.90	N
ATOM	909	CA	MET	A	119	33.740	49.944	12.853	1.00	20.88	C
ATOM	910	C	MET	A	119	32.399	49.934	13.574	1.00	23.26	C
ATOM	911	O	MET	A	119	32.068	48.970	14.271	1.00	24.99	O
ATOM	912	CB	MET	A	119	33.861	48.690	12.005	1.00	20.51	C
ATOM	913	CG	MET	A	119	35.163	48.597	11.253	1.00	22.75	C
ATOM	914	SD	MET	A	119	35.226	47.133	10.232	1.00	26.96	S
ATOM	915	CE	MET	A	119	35.458	45.861	11.455	1.00	19.89	C
ATOM	916	N	ALA	A	120	31.622	51.001	13.407	1.00	22.28	N
ATOM	917	CA	ALA	A	120	30.301	51.069	14.028	1.00	22.25	C
ATOM	918	C	ALA	A	120	29.336	50.246	13.166	1.00	22.62	C
ATOM	919	O	ALA	A	120	29.649	49.903	12.023	1.00	20.06	O
ATOM	920	CB	ALA	A	120	29.827	52.526	14.142	1.00	18.84	C
ATOM	921	N	GLU	A	121	28.177	49.912	13.725	1.00	23.12	N
ATOM	922	CA	GLU	A	121	27.175	49.124	13.020	1.00	19.21	C
ATOM	923	C	GLU	A	121	26.723	49.722	11.685	1.00	19.36	C
ATOM	924	O	GLU	A	121	26.407	48.988	10.740	1.00	19.71	O
ATOM	925	CB	GLU	A	121	25.976	48.863	13.930	1.00	16.73	C
ATOM	926	CG	GLU	A	121	26.240	47.831	15.023	1.00	16.22	C
ATOM	927	CD	GLU	A	121	26.769	48.427	16.322	1.00	20.47	C
ATOM	928	OE1	GLU	A	121	27.183	49.609	16.353	1.00	21.11	O
ATOM	929	OE2	GLU	A	121	26.766	47.702	17.333	1.00	21.30	O
ATOM	930	N	SER	A	122	26.758	51.050	11.594	1.00	19.70	N
ATOM	931	CA	SER	A	122	26.351	51.775	10.384	1.00	21.40	C
ATOM	932	C	SER	A	122	27.360	51.661	9.261	1.00	22.63	C
ATOM	933	O	SER	A	122	27.161	52.198	8.169	1.00	26.80	O
ATOM	934	CB	SER	A	122	26.135	53.249	10.701	1.00	23.47	C
ATOM	935	OG	SER	A	122	27.269	53.770	11.360	1.00	26.99	O
ATOM	936	N	GLU	A	123	28.444	50.950	9.531	1.00	23.57	N
ATOM	937	CA	GLU	A	123	29.485	50.751	8.546	1.00	20.56	C
ATOM	938	C	GLU	A	123	29.046	49.675	7.555	1.00	21.07	C
ATOM	939	O	GLU	A	123	29.638	49.515	6.484	1.00	17.46	O
ATOM	940	CB	GLU	A	123	30.767	50.355	9.260	1.00	24.43	C
ATOM	941	CG	GLU	A	123	31.995	50.876	8.597	1.00	31.37	C
ATOM	942	CD	GLU	A	123	31.996	52.375	8.493	1.00	29.79	C
ATOM	943	OE1	GLU	A	123	31.643	53.034	9.486	1.00	33.12	O
ATOM	944	OE2	GLU	A	123	32.353	52.888	7.415	1.00	35.36	O
ATOM	945	N	LEU	A	124	27.976	48.969	7.913	1.00	21.50	N
ATOM	946	CA	LEU	A	124	27.419	47.916	7.080	1.00	22.25	C
ATOM	947	C	LEU	A	124	26.945	48.441	5.735	1.00	22.95	C
ATOM	948	O	LEU	A	124	26.189	49.404	5.678	1.00	22.81	O
ATOM	949	CB	LEU	A	124	26.236	47.249	7.777	1.00	24.77	C
ATOM	950	CG	LEU	A	124	25.720	46.001	7.056	1.00	26.56	C

ATOM	951	CD1	LEU	A	124	26.748	44.902	7.214	1.00	28.68	C
ATOM	952	CD2	LEU	A	124	24.404	45.550	7.630	1.00	29.08	C
ATOM	953	N	LEU	A	125	27.383	47.774	4.668	1.00	24.93	N
ATOM	954	CA	LEU	A	125	27.021	48.099	3.289	1.00	27.41	C
ATOM	955	C	LEU	A	125	27.587	49.417	2.748	1.00	29.75	C
ATOM	956	O	LEU	A	125	27.220	49.856	1.655	1.00	33.08	O
ATOM	957	CB	LEU	A	125	25.487	48.015	3.090	1.00	20.99	C
ATOM	958	CG	LEU	A	125	24.845	46.611	3.080	1.00	21.16	C
ATOM	959	CD1	LEU	A	125	23.337	46.705	3.112	1.00	24.02	C
ATOM	960	CD2	LEU	A	125	25.261	45.840	1.855	1.00	22.28	C
ATOM	961	N	GLN	A	126	28.551	49.981	3.469	1.00	31.56	N
ATOM	962	CA	GLN	A	126	29.179	51.246	3.094	1.00	32.38	C
ATOM	963	C	GLN	A	126	30.310	51.174	2.074	1.00	33.98	C
ATOM	964	O	GLN	A	126	30.896	52.200	1.735	1.00	41.52	O
ATOM	965	CB	GLN	A	126	29.707	51.942	4.341	1.00	34.49	C
ATOM	966	CG	GLN	A	126	28.634	52.399	5.285	1.00	41.42	C
ATOM	967	CD	GLN	A	126	27.835	53.563	4.744	1.00	45.73	C
ATOM	968	OE1	GLN	A	126	27.582	53.666	3.536	1.00	46.23	O
ATOM	969	NE2	GLN	A	126	27.434	54.456	5.639	1.00	47.94	N
ATOM	970	N	GLY	A	127	30.633	49.977	1.599	1.00	32.59	N
ATOM	971	CA	GLY	A	127	31.710	49.837	0.636	1.00	28.17	C
ATOM	972	C	GLY	A	127	31.958	48.385	0.286	1.00	27.52	C
ATOM	973	O	GLY	A	127	31.380	47.482	0.898	1.00	27.86	O
ATOM	974	N	THR	A	128	32.851	48.163	-0.673	1.00	26.27	N
ATOM	975	CA	THR	A	128	33.164	46.825	-1.136	1.00	27.47	C
ATOM	976	C	THR	A	128	33.726	45.902	-0.058	1.00	25.48	C
ATOM	977	O	THR	A	128	34.406	46.334	0.872	1.00	26.43	O
ATOM	978	CB	THR	A	128	34.097	46.846	-2.384	1.00	28.11	C
ATOM	979	OG1	THR	A	128	35.366	47.392	-2.034	1.00	32.42	O
ATOM	980	CG2	THR	A	128	33.490	47.688	-3.487	1.00	27.69	C
ATOM	981	N	LEU	A	129	33.406	44.623	-0.203	1.00	24.00	N
ATOM	982	CA	LEU	A	129	33.830	43.581	0.717	1.00	24.48	C
ATOM	983	C	LEU	A	129	35.195	42.996	0.333	1.00	23.74	C
ATOM	984	O	LEU	A	129	35.655	43.149	-0.801	1.00	22.27	O
ATOM	985	CB	LEU	A	129	32.774	42.462	0.710	1.00	23.29	C
ATOM	986	CG	LEU	A	129	31.347	42.886	1.079	1.00	25.81	C
ATOM	987	CD1	LEU	A	129	30.327	41.878	0.580	1.00	20.36	C
ATOM	988	CD2	LEU	A	129	31.258	43.079	2.588	1.00	19.31	C
ATOM	989	N	GLU	A	130	35.851	42.366	1.306	1.00	25.05	N
ATOM	990	CA	GLU	A	130	37.132	41.693	1.097	1.00	24.79	C
ATOM	991	C	GLU	A	130	36.791	40.542	0.131	1.00	23.00	C
ATOM	992	O	GLU	A	130	35.842	39.785	0.369	1.00	22.00	O
ATOM	993	CB	GLU	A	130	37.650	41.177	2.450	1.00	29.63	C
ATOM	994	CG	GLU	A	130	38.787	40.158	2.400	1.00	44.16	C
ATOM	995	CD	GLU	A	130	40.017	40.646	1.628	1.00	52.24	C
ATOM	996	OE1	GLU	A	130	40.546	41.738	1.961	1.00	53.62	O
ATOM	997	OE2	GLU	A	130	40.454	39.926	0.691	1.00	50.43	O
ATOM	998	N	PRO	A	131	37.502	40.443	-1.008	1.00	22.20	N
ATOM	999	CA	PRO	A	131	37.220	39.377	-1.975	1.00	21.13	C
ATOM	1000	C	PRO	A	131	37.146	37.963	-1.393	1.00	23.60	C
ATOM	1001	O	PRO	A	131	36.205	37.219	-1.689	1.00	24.52	O
ATOM	1002	CB	PRO	A	131	38.362	39.514	-2.977	1.00	18.52	C
ATOM	1003	CG	PRO	A	131	38.638	40.969	-2.960	1.00	20.37	C
ATOM	1004	CD	PRO	A	131	38.606	41.296	-1.489	1.00	22.35	C
ATOM	1005	N	THR	A	132	38.115	37.597	-0.559	1.00	22.10	N
ATOM	1006	CA	THR	A	132	38.135	36.267	0.030	1.00	24.51	C

ATOM	1007	C	THR	A	132	36.820	35.890	0.690	1.00	26.58	C
ATOM	1008	O	THR	A	132	36.305	34.797	0.463	1.00	27.50	O
ATOM	1009	CB	THR	A	132	39.248	36.133	1.064	1.00	25.92	C
ATOM	1010	OG1	THR	A	132	40.512	36.276	0.409	1.00	30.49	O
ATOM	1011	CG2	THR	A	132	39.175	34.772	1.759	1.00	25.59	C
ATOM	1012	N	ASN	A	133	36.250	36.830	1.440	1.00	27.06	N
ATOM	1013	CA	ASN	A	133	35.008	36.603	2.175	1.00	27.75	C
ATOM	1014	C	ASN	A	133	33.704	37.029	1.513	1.00	25.66	C
ATOM	1015	O	ASN	A	133	32.634	36.820	2.087	1.00	23.82	O
ATOM	1016	CB	ASN	A	133	35.109	37.287	3.533	1.00	33.73	C
ATOM	1017	CG	ASN	A	133	36.271	36.769	4.351	1.00	42.44	C
ATOM	1018	OD1	ASN	A	133	36.375	35.560	4.618	1.00	46.00	O
ATOM	1019	ND2	ASN	A	133	37.171	37.671	4.734	1.00	40.37	N
ATOM	1020	N	GLU	A	134	33.777	37.568	0.300	1.00	20.95	N
ATOM	1021	CA	GLU	A	134	32.581	38.046	-0.364	1.00	20.60	C
ATOM	1022	C	GLU	A	134	31.328	37.144	-0.396	1.00	22.54	C
ATOM	1023	O	GLU	A	134	30.265	37.573	0.039	1.00	25.49	O
ATOM	1024	CB	GLU	A	134	32.913	38.596	-1.747	1.00	20.49	C
ATOM	1025	CG	GLU	A	134	31.704	39.214	-2.413	1.00	23.70	C
ATOM	1026	CD	GLU	A	134	32.042	39.934	-3.680	1.00	24.22	C
ATOM	1027	OE1	GLU	A	134	32.382	41.128	-3.596	1.00	24.55	O
ATOM	1028	OE2	GLU	A	134	31.955	39.315	-4.756	1.00	23.77	O
ATOM	1029	N	PRO	A	135	31.433	35.890	-0.880	1.00	22.30	N
ATOM	1030	CA	PRO	A	135	30.252	35.010	-0.925	1.00	21.74	C
ATOM	1031	C	PRO	A	135	29.631	34.771	0.451	1.00	21.23	C
ATOM	1032	O	PRO	A	135	28.409	34.876	0.629	1.00	22.09	O
ATOM	1033	CB	PRO	A	135	30.815	33.712	-1.513	1.00	20.33	C
ATOM	1034	CG	PRO	A	135	31.913	34.204	-2.401	1.00	22.33	C
ATOM	1035	CD	PRO	A	135	32.589	35.232	-1.514	1.00	22.69	C
ATOM	1036	N	TYR	A	136	30.483	34.452	1.416	1.00	16.85	N
ATOM	1037	CA	TYR	A	136	30.055	34.211	2.791	1.00	20.19	C
ATOM	1038	C	TYR	A	136	29.419	35.469	3.399	1.00	19.76	C
ATOM	1039	O	TYR	A	136	28.381	35.398	4.070	1.00	18.36	O
ATOM	1040	CB	TYR	A	136	31.272	33.785	3.625	1.00	20.32	C
ATOM	1041	CG	TYR	A	136	31.008	33.592	5.098	1.00	22.24	C
ATOM	1042	CD1	TYR	A	136	30.196	32.552	5.549	1.00	22.29	C
ATOM	1043	CD2	TYR	A	136	31.613	34.421	6.051	1.00	21.83	C
ATOM	1044	CE1	TYR	A	136	29.995	32.333	6.919	1.00	24.72	C
ATOM	1045	CE2	TYR	A	136	31.418	34.207	7.420	1.00	24.15	C
ATOM	1046	CZ	TYR	A	136	30.607	33.158	7.844	1.00	24.90	C
ATOM	1047	OH	TYR	A	136	30.410	32.917	9.187	1.00	34.50	O
ATOM	1048	N	ALA	A	137	30.059	36.611	3.151	1.00	17.73	N
ATOM	1049	CA	ALA	A	137	29.604	37.899	3.656	1.00	18.91	C
ATOM	1050	C	ALA	A	137	28.217	38.265	3.119	1.00	18.09	C
ATOM	1051	O	ALA	A	137	27.371	38.758	3.866	1.00	18.98	O
ATOM	1052	CB	ALA	A	137	30.621	38.985	3.306	1.00	17.82	C
ATOM	1053	N	ILE	A	138	27.978	38.005	1.836	1.00	16.74	N
ATOM	1054	CA	ILE	A	138	26.685	38.303	1.222	1.00	17.96	C
ATOM	1055	C	ILE	A	138	25.584	37.445	1.839	1.00	18.79	C
ATOM	1056	O	ILE	A	138	24.489	37.938	2.089	1.00	16.30	O
ATOM	1057	CB	ILE	A	138	26.727	38.107	-0.311	1.00	19.07	C
ATOM	1058	CG1	ILE	A	138	27.620	39.178	-0.924	1.00	22.47	C
ATOM	1059	CG2	ILE	A	138	25.330	38.194	-0.914	1.00	16.47	C
ATOM	1060	CD1	ILE	A	138	27.125	40.573	-0.661	1.00	26.33	C
ATOM	1061	N	ALA	A	139	25.876	36.166	2.078	1.00	18.80	N
ATOM	1062	CA	ALA	A	139	24.911	35.257	2.695	1.00	19.64	C

ATOM	1063	C	ALA	A	139	24.545	35.756	4.094	1.00	20.55	C
ATOM	1064	O	ALA	A	139	23.367	35.788	4.459	1.00	21.55	O
ATOM	1065	CB	ALA	A	139	25.484	33.848	2.783	1.00	17.76	C
ATOM	1066	N	LYS	A	140	25.562	36.158	4.858	1.00	16.41	N
ATOM	1067	CA	LYS	A	140	25.381	36.671	6.208	1.00	14.69	C
ATOM	1068	C	LYS	A	140	24.562	37.973	6.263	1.00	16.30	C
ATOM	1069	O	LYS	A	140	23.686	38.131	7.115	1.00	17.24	O
ATOM	1070	CB	LYS	A	140	26.746	36.860	6.873	1.00	15.99	C
ATOM	1071	CG	LYS	A	140	27.395	35.568	7.331	1.00	19.93	C
ATOM	1072	CD	LYS	A	140	26.493	34.864	8.333	1.00	22.40	C
ATOM	1073	CE	LYS	A	140	27.114	33.602	8.879	1.00	25.32	C
ATOM	1074	NZ	LYS	A	140	26.291	33.052	9.988	1.00	26.35	N
ATOM	1075	N	ILE	A	141	24.873	38.916	5.377	1.00	17.04	N
ATOM	1076	CA	ILE	A	141	24.142	40.172	5.306	1.00	15.15	C
ATOM	1077	C	ILE	A	141	22.681	39.875	4.952	1.00	16.31	C
ATOM	1078	O	ILE	A	141	21.782	40.469	5.535	1.00	17.36	O
ATOM	1079	CB	ILE	A	141	24.769	41.112	4.260	1.00	17.42	C
ATOM	1080	CG1	ILE	A	141	26.124	41.596	4.769	1.00	15.96	C
ATOM	1081	CG2	ILE	A	141	23.839	42.291	3.955	1.00	16.32	C
ATOM	1082	CD1	ILE	A	141	27.024	42.194	3.697	1.00	18.68	C
ATOM	1083	N	ALA	A	142	22.455	38.947	4.016	1.00	14.25	N
ATOM	1084	CA	ALA	A	142	21.106	38.553	3.611	1.00	15.77	C
ATOM	1085	C	ALA	A	142	20.357	37.992	4.817	1.00	18.41	C
ATOM	1086	O	ALA	A	142	19.142	38.177	4.933	1.00	20.21	O
ATOM	1087	CB	ALA	A	142	21.154	37.513	2.505	1.00	15.02	C
ATOM	1088	N	GLY	A	143	21.084	37.308	5.704	1.00	17.64	N
ATOM	1089	CA	GLY	A	143	20.487	36.759	6.911	1.00	14.45	C
ATOM	1090	C	GLY	A	143	20.013	37.857	7.855	1.00	18.79	C
ATOM	1091	O	GLY	A	143	18.969	37.721	8.485	1.00	17.27	O
ATOM	1092	N	ILE	A	144	20.776	38.945	7.964	1.00	19.35	N
ATOM	1093	CA	ILE	A	144	20.392	40.067	8.826	1.00	18.06	C
ATOM	1094	C	ILE	A	144	19.153	40.753	8.253	1.00	16.67	C
ATOM	1095	O	ILE	A	144	18.237	41.094	8.987	1.00	19.06	O
ATOM	1096	CB	ILE	A	144	21.532	41.125	8.950	1.00	19.55	C
ATOM	1097	CG1	ILE	A	144	22.699	40.563	9.778	1.00	14.18	C
ATOM	1098	CG2	ILE	A	144	21.005	42.426	9.590	1.00	15.26	C
ATOM	1099	CD1	ILE	A	144	23.952	41.438	9.723	1.00	13.91	C
ATOM	1100	N	LYS	A	145	19.128	40.944	6.940	1.00	14.88	N
ATOM	1101	CA	LYS	A	145	17.997	41.590	6.285	1.00	17.39	C
ATOM	1102	C	LYS	A	145	16.720	40.740	6.314	1.00	18.58	C
ATOM	1103	O	LYS	A	145	15.612	41.278	6.255	1.00	20.09	O
ATOM	1104	CB	LYS	A	145	18.370	42.009	4.864	1.00	16.44	C
ATOM	1105	CG	LYS	A	145	19.540	42.989	4.830	1.00	16.92	C
ATOM	1106	CD	LYS	A	145	19.225	44.231	5.634	1.00	18.62	C
ATOM	1107	CE	LYS	A	145	20.439	45.106	5.868	1.00	16.66	C
ATOM	1108	NZ	LYS	A	145	20.048	46.282	6.703	1.00	18.10	N
ATOM	1109	N	LEU	A	146	16.872	39.418	6.355	1.00	17.80	N
ATOM	1110	CA	LEU	A	146	15.725	38.531	6.461	1.00	17.87	C
ATOM	1111	C	LEU	A	146	15.091	38.854	7.812	1.00	19.79	C
ATOM	1112	O	LEU	A	146	13.895	39.103	7.895	1.00	22.19	O
ATOM	1113	CB	LEU	A	146	16.164	37.073	6.451	1.00	14.28	C
ATOM	1114	CG	LEU	A	146	16.209	36.408	5.083	1.00	20.97	C
ATOM	1115	CD1	LEU	A	146	17.004	35.120	5.160	1.00	19.96	C
ATOM	1116	CD2	LEU	A	146	14.785	36.148	4.588	1.00	16.73	C
ATOM	1117	N	CYS	A	147	15.916	38.902	8.855	1.00	18.21	N
ATOM	1118	CA	CYS	A	147	15.452	39.206	10.205	1.00	18.24	C

ATOM	1119	C	CYS	A	147	14.706	40.532	10.271	1.00	18.48	C
ATOM	1120	O	CYS	A	147	13.582	40.590	10.771	1.00	22.69	O
ATOM	1121	CB	CYS	A	147	16.631	39.263	11.180	1.00	17.45	C
ATOM	1122	SG	CYS	A	147	17.353	37.676	11.575	1.00	19.67	S
ATOM	1123	N	GLU	A	148	15.357	41.592	9.795	1.00	17.49	N
ATOM	1124	CA	GLU	A	148	14.786	42.941	9.793	1.00	18.02	C
ATOM	1125	C	GLU	A	148	13.472	42.989	9.027	1.00	17.35	C
ATOM	1126	O	GLU	A	148	12.519	43.622	9.463	1.00	19.52	O
ATOM	1127	CB	GLU	A	148	15.795	43.941	9.223	1.00	13.48	C
ATOM	1128	CG	GLU	A	148	17.027	44.091	10.122	1.00	14.09	C
ATOM	1129	CD	GLU	A	148	18.067	45.053	9.590	1.00	16.13	C
ATOM	1130	OE1	GLU	A	148	17.994	45.455	8.406	1.00	15.71	O
ATOM	1131	OE2	GLU	A	148	18.968	45.419	10.376	1.00	20.93	O
ATOM	1132	N	SER	A	149	13.416	42.244	7.929	1.00	18.05	N
ATOM	1133	CA	SER	A	149	12.230	42.166	7.088	1.00	17.48	C
ATOM	1134	C	SER	A	149	11.062	41.467	7.775	1.00	18.41	C
ATOM	1135	O	SER	A	149	9.923	41.877	7.592	1.00	19.57	O
ATOM	1136	CB	SER	A	149	12.569	41.491	5.761	1.00	17.26	C
ATOM	1137	OG	SER	A	149	13.441	42.325	5.008	1.00	15.24	O
ATOM	1138	N	TYR	A	150	11.340	40.426	8.567	1.00	18.50	N
ATOM	1139	CA	TYR	A	150	10.292	39.720	9.298	1.00	16.46	C
ATOM	1140	C	TYR	A	150	9.850	40.561	10.476	1.00	18.58	C
ATOM	1141	O	TYR	A	150	8.681	40.569	10.823	1.00	20.77	O
ATOM	1142	CB	TYR	A	150	10.745	38.337	9.758	1.00	14.47	C
ATOM	1143	CG	TYR	A	150	10.581	37.298	8.679	1.00	15.98	C
ATOM	1144	CD1	TYR	A	150	11.533	37.158	7.662	1.00	16.40	C
ATOM	1145	CD2	TYR	A	150	9.435	36.511	8.615	1.00	17.21	C
ATOM	1146	CE1	TYR	A	150	11.338	36.268	6.607	1.00	17.76	C
ATOM	1147	CE2	TYR	A	150	9.230	35.613	7.558	1.00	17.07	C
ATOM	1148	CZ	TYR	A	150	10.183	35.503	6.562	1.00	17.15	C
ATOM	1149	OH	TYR	A	150	9.976	34.650	5.509	1.00	20.49	O
ATOM	1150	N	ASN	A	151	10.791	41.281	11.076	1.00	16.84	N
ATOM	1151	CA	ASN	A	151	10.477	42.175	12.182	1.00	19.08	C
ATOM	1152	C	ASN	A	151	9.517	43.248	11.681	1.00	19.68	C
ATOM	1153	O	ASN	A	151	8.507	43.521	12.316	1.00	22.41	O
ATOM	1154	CB	ASN	A	151	11.736	42.864	12.704	1.00	15.20	C
ATOM	1155	CG	ASN	A	151	12.666	41.927	13.438	1.00	17.06	C
ATOM	1156	OD1	ASN	A	151	13.778	42.314	13.797	1.00	24.69	O
ATOM	1157	ND2	ASN	A	151	12.223	40.699	13.674	1.00	11.49	N
ATOM	1158	N	ARG	A	152	9.847	43.859	10.545	1.00	21.99	N
ATOM	1159	CA	ARG	A	152	9.021	44.908	9.954	1.00	21.12	C
ATOM	1160	C	ARG	A	152	7.638	44.446	9.499	1.00	20.62	C
ATOM	1161	O	ARG	A	152	6.631	44.974	9.952	1.00	20.11	O
ATOM	1162	CB	ARG	A	152	9.751	45.585	8.781	1.00	18.62	C
ATOM	1163	CG	ARG	A	152	10.876	46.524	9.214	1.00	17.48	C
ATOM	1164	CD	ARG	A	152	11.693	47.039	8.027	1.00	17.77	C
ATOM	1165	NE	ARG	A	152	10.952	47.989	7.208	1.00	20.16	N
ATOM	1166	CZ	ARG	A	152	10.992	48.027	5.879	1.00	24.77	C
ATOM	1167	NH1	ARG	A	152	11.738	47.155	5.206	1.00	23.93	N
ATOM	1168	NH2	ARG	A	152	10.309	48.960	5.219	1.00	24.06	N
ATOM	1169	N	GLN	A	153	7.593	43.437	8.637	1.00	19.51	N
ATOM	1170	CA	GLN	A	153	6.327	42.946	8.114	1.00	19.68	C
ATOM	1171	C	GLN	A	153	5.431	42.226	9.104	1.00	20.21	C
ATOM	1172	O	GLN	A	153	4.249	42.526	9.194	1.00	21.19	O
ATOM	1173	CB	GLN	A	153	6.563	42.038	6.906	1.00	17.52	C
ATOM	1174	CG	GLN	A	153	5.277	41.544	6.243	1.00	15.78	C

ATOM	1175	CD	GLN	A	153	5.511	40.720	4.979	1.00	16.28	C
ATOM	1176	OE1	GLN	A	153	4.616	40.019	4.513	1.00	22.19	O
ATOM	1177	NE2	GLN	A	153	6.696	40.818	4.411	1.00	10.51	N
ATOM	1178	N	TYR	A	154	5.995	41.308	9.877	1.00	21.58	N
ATOM	1179	CA	TYR	A	154	5.201	40.506	10.806	1.00	19.10	C
ATOM	1180	C	TYR	A	154	5.279	40.824	12.286	1.00	18.98	C
ATOM	1181	O	TYR	A	154	4.620	40.172	13.086	1.00	22.18	O
ATOM	1182	CB	TYR	A	154	5.505	39.021	10.582	1.00	18.19	C
ATOM	1183	CG	TYR	A	154	5.183	38.528	9.173	1.00	23.71	C
ATOM	1184	CD1	TYR	A	154	3.857	38.336	8.762	1.00	20.58	C
ATOM	1185	CD2	TYR	A	154	6.199	38.230	8.263	1.00	20.42	C
ATOM	1186	CE1	TYR	A	154	3.550	37.857	7.484	1.00	21.08	C
ATOM	1187	CE2	TYR	A	154	5.903	37.747	6.976	1.00	23.78	C
ATOM	1188	CZ	TYR	A	154	4.572	37.563	6.595	1.00	25.66	C
ATOM	1189	OH	TYR	A	154	4.266	37.080	5.335	1.00	25.81	O
ATOM	1190	N	GLY	A	155	6.051	41.837	12.654	1.00	17.96	N
ATOM	1191	CA	GLY	A	155	6.176	42.191	14.053	1.00	18.81	C
ATOM	1192	C	GLY	A	155	6.923	41.145	14.859	1.00	22.00	C
ATOM	1193	O	GLY	A	155	6.629	40.927	16.029	1.00	24.07	O
ATOM	1194	N	ARG	A	156	7.890	40.487	14.226	1.00	24.23	N
ATOM	1195	CA	ARG	A	156	8.701	39.473	14.897	1.00	22.26	C
ATOM	1196	C	ARG	A	156	9.804	40.126	15.740	1.00	20.28	C
ATOM	1197	O	ARG	A	156	9.979	41.347	15.723	1.00	17.69	O
ATOM	1198	CB	ARG	A	156	9.321	38.530	13.870	1.00	20.16	C
ATOM	1199	CG	ARG	A	156	8.321	37.604	13.213	1.00	19.74	C
ATOM	1200	CD	ARG	A	156	7.642	36.765	14.263	1.00	18.88	C
ATOM	1201	NE	ARG	A	156	6.711	35.816	13.669	1.00	21.99	N
ATOM	1202	CZ	ARG	A	156	5.744	35.194	14.340	1.00	22.35	C
ATOM	1203	NH1	ARG	A	156	5.575	35.427	15.630	1.00	21.83	N
ATOM	1204	NH2	ARG	A	156	4.966	34.312	13.728	1.00	23.42	N
ATOM	1205	N	ASP	A	157	10.527	39.301	16.494	1.00	20.16	N
ATOM	1206	CA	ASP	A	157	11.612	39.782	17.345	1.00	23.28	C
ATOM	1207	C	ASP	A	157	12.882	38.966	17.044	1.00	23.30	C
ATOM	1208	O	ASP	A	157	13.382	38.215	17.893	1.00	20.61	O
ATOM	1209	CB	ASP	A	157	11.210	39.663	18.820	1.00	23.18	C
ATOM	1210	CG	ASP	A	157	12.194	40.344	19.747	1.00	26.62	C
ATOM	1211	OD1	ASP	A	157	13.021	41.148	19.269	1.00	30.37	O
ATOM	1212	OD2	ASP	A	157	12.143	40.077	20.961	1.00	27.34	O
ATOM	1213	N	TYR	A	158	13.360	39.110	15.807	1.00	20.90	N
ATOM	1214	CA	TYR	A	158	14.530	38.411	15.304	1.00	15.54	C
ATOM	1215	C	TYR	A	158	15.712	39.354	15.374	1.00	18.02	C
ATOM	1216	O	TYR	A	158	15.864	40.261	14.551	1.00	17.09	O
ATOM	1217	CB	TYR	A	158	14.285	37.962	13.865	1.00	14.88	C
ATOM	1218	CG	TYR	A	158	13.153	36.964	13.702	1.00	17.14	C
ATOM	1219	CD1	TYR	A	158	12.524	36.396	14.818	1.00	16.33	C
ATOM	1220	CD2	TYR	A	158	12.719	36.575	12.429	1.00	14.48	C
ATOM	1221	CE1	TYR	A	158	11.498	35.471	14.676	1.00	18.66	C
ATOM	1222	CE2	TYR	A	158	11.690	35.646	12.271	1.00	19.01	C
ATOM	1223	CZ	TYR	A	158	11.082	35.096	13.407	1.00	24.24	C
ATOM	1224	OH	TYR	A	158	10.067	34.165	13.282	1.00	23.65	O
ATOM	1225	N	ARG	A	159	16.525	39.150	16.400	1.00	18.93	N
ATOM	1226	CA	ARG	A	159	17.700	39.965	16.657	1.00	17.63	C
ATOM	1227	C	ARG	A	159	18.963	39.349	16.056	1.00	19.75	C
ATOM	1228	O	ARG	A	159	18.982	38.169	15.691	1.00	17.88	O
ATOM	1229	CB	ARG	A	159	17.852	40.141	18.167	1.00	16.87	C
ATOM	1230	CG	ARG	A	159	16.554	40.565	18.812	1.00	18.13	C

ATOM	1231	CD	ARG	A	159	16.643	40.658	20.308	1.00	19.95	C
ATOM	1232	NE	ARG	A	159	15.344	40.986	20.893	1.00	23.79	N
ATOM	1233	CZ	ARG	A	159	15.160	41.349	22.160	1.00	30.29	C
ATOM	1234	NH1	ARG	A	159	16.191	41.437	22.992	1.00	27.48	N
ATOM	1235	NH2	ARG	A	159	13.942	41.621	22.603	1.00	25.50	N
ATOM	1236	N	SER	A	160	20.003	40.165	15.922	1.00	21.52	N
ATOM	1237	CA	SER	A	160	21.258	39.698	15.352	1.00	23.62	C
ATOM	1238	C	SER	A	160	22.476	40.373	15.985	1.00	23.16	C
ATOM	1239	O	SER	A	160	22.430	41.546	16.363	1.00	25.95	O
ATOM	1240	CB	SER	A	160	21.240	39.890	13.824	1.00	21.06	C
ATOM	1241	OG	SER	A	160	21.077	41.248	13.492	1.00	25.26	O
ATOM	1242	N	VAL	A	161	23.534	39.586	16.170	1.00	22.67	N
ATOM	1243	CA	VAL	A	161	24.789	40.073	16.737	1.00	23.01	C
ATOM	1244	C	VAL	A	161	25.956	39.790	15.771	1.00	23.26	C
ATOM	1245	O	VAL	A	161	26.003	38.756	15.113	1.00	22.75	O
ATOM	1246	CB	VAL	A	161	25.074	39.473	18.144	1.00	20.12	C
ATOM	1247	CG1	VAL	A	161	24.002	39.892	19.130	1.00	18.08	C
ATOM	1248	CG2	VAL	A	161	25.161	37.975	18.073	1.00	16.75	C
ATOM	1249	N	MET	A	162	26.878	40.751	15.692	1.00	26.62	N
ATOM	1250	CA	MET	A	162	28.057	40.670	14.817	1.00	26.73	C
ATOM	1251	C	MET	A	162	29.305	40.465	15.650	1.00	25.61	C
ATOM	1252	O	MET	A	162	29.826	41.414	16.228	1.00	26.50	O
ATOM	1253	CB	MET	A	162	28.208	41.970	14.036	1.00	32.18	C
ATOM	1254	CG	MET	A	162	28.837	41.794	12.679	1.00	38.35	C
ATOM	1255	SD	MET	A	162	27.578	41.641	11.427	1.00	54.63	S
ATOM	1256	CE	MET	A	162	26.516	40.326	12.031	1.00	43.07	C
ATOM	1257	N	PRO	A	163	29.785	39.219	15.774	1.00	24.89	N
ATOM	1258	CA	PRO	A	163	30.986	39.029	16.578	1.00	25.35	C
ATOM	1259	C	PRO	A	163	32.297	39.416	15.878	1.00	25.62	C
ATOM	1260	O	PRO	A	163	32.350	39.507	14.658	1.00	24.50	O
ATOM	1261	CB	PRO	A	163	30.971	37.536	16.912	1.00	22.76	C
ATOM	1262	CG	PRO	A	163	29.942	36.916	15.966	1.00	26.37	C
ATOM	1263	CD	PRO	A	163	29.366	37.987	15.091	1.00	25.14	C
ATOM	1264	N	THR	A	164	33.330	39.690	16.666	1.00	22.61	N
ATOM	1265	CA	THR	A	164	34.651	40.009	16.135	1.00	24.20	C
ATOM	1266	C	THR	A	164	35.365	38.645	16.015	1.00	23.13	C
ATOM	1267	O	THR	A	164	34.695	37.604	16.041	1.00	21.63	O
ATOM	1268	CB	THR	A	164	35.389	40.997	17.083	1.00	23.20	C
ATOM	1269	OG1	THR	A	164	36.649	41.376	16.509	1.00	24.95	O
ATOM	1270	CG2	THR	A	164	35.611	40.400	18.459	1.00	15.02	C
ATOM	1271	N	ASN	A	165	36.691	38.623	15.850	1.00	21.86	N
ATOM	1272	CA	ASN	A	165	37.445	37.354	15.766	1.00	17.44	C
ATOM	1273	C	ASN	A	165	37.233	36.590	17.064	1.00	18.61	C
ATOM	1274	O	ASN	A	165	37.379	37.147	18.153	1.00	20.23	O
ATOM	1275	CB	ASN	A	165	38.951	37.598	15.584	1.00	17.55	C
ATOM	1276	CG	ASN	A	165	39.272	38.393	14.347	1.00	24.23	C
ATOM	1277	OD1	ASN	A	165	38.908	38.003	13.240	1.00	29.40	O
ATOM	1278	ND2	ASN	A	165	39.945	39.519	14.523	1.00	26.65	N
ATOM	1279	N	LEU	A	166	36.882	35.318	16.949	1.00	20.56	N
ATOM	1280	CA	LEU	A	166	36.632	34.492	18.117	1.00	21.62	C
ATOM	1281	C	LEU	A	166	37.676	33.412	18.260	1.00	22.12	C
ATOM	1282	O	LEU	A	166	38.340	33.044	17.302	1.00	24.70	O
ATOM	1283	CB	LEU	A	166	35.256	33.827	18.021	1.00	23.01	C
ATOM	1284	CG	LEU	A	166	33.998	34.681	17.861	1.00	23.48	C
ATOM	1285	CD1	LEU	A	166	32.800	33.755	17.866	1.00	20.16	C
ATOM	1286	CD2	LEU	A	166	33.879	35.713	18.975	1.00	17.88	C

ATOM	1287	N	TYR	A	167	37.829	32.924	19.482	1.00	22.17	N
ATOM	1288	CA	TYR	A	167	38.769	31.853	19.769	1.00	21.75	C
ATOM	1289	C	TYR	A	167	38.278	31.157	21.037	1.00	20.77	C
ATOM	1290	O	TYR	A	167	37.424	31.679	21.750	1.00	20.48	O
ATOM	1291	CB	TYR	A	167	40.197	32.412	19.942	1.00	19.35	C
ATOM	1292	CG	TYR	A	167	40.422	33.184	21.223	1.00	21.90	C
ATOM	1293	CD1	TYR	A	167	40.070	34.536	21.323	1.00	17.98	C
ATOM	1294	CD2	TYR	A	167	40.965	32.554	22.351	1.00	18.77	C
ATOM	1295	CE1	TYR	A	167	40.253	35.234	22.516	1.00	19.87	C
ATOM	1296	CE2	TYR	A	167	41.148	33.239	23.539	1.00	18.95	C
ATOM	1297	CZ	TYR	A	167	40.792	34.575	23.614	1.00	21.48	C
ATOM	1298	OH	TYR	A	167	40.982	35.250	24.790	1.00	24.24	O
ATOM	1299	N	GLY	A	168	38.805	29.972	21.311	1.00	22.76	N
ATOM	1300	CA	GLY	A	168	38.406	29.241	22.502	1.00	22.06	C
ATOM	1301	C	GLY	A	168	38.271	27.759	22.208	1.00	23.53	C
ATOM	1302	O	GLY	A	168	38.724	27.299	21.154	1.00	21.40	O
ATOM	1303	N	PRO	A	169	37.706	26.972	23.139	1.00	23.29	N
ATOM	1304	CA	PRO	A	169	37.547	25.534	22.906	1.00	24.62	C
ATOM	1305	C	PRO	A	169	36.628	25.202	21.725	1.00	28.50	C
ATOM	1306	O	PRO	A	169	35.729	25.975	21.382	1.00	30.36	O
ATOM	1307	CB	PRO	A	169	36.992	25.028	24.240	1.00	26.39	C
ATOM	1308	CG	PRO	A	169	36.397	26.255	24.886	1.00	26.70	C
ATOM	1309	CD	PRO	A	169	37.366	27.328	24.528	1.00	21.82	C
ATOM	1310	N	HIS	A	170	36.892	24.062	21.091	1.00	28.50	N
ATOM	1311	CA	HIS	A	170	36.124	23.575	19.948	1.00	30.57	C
ATOM	1312	C	HIS	A	170	36.403	24.298	18.662	1.00	32.60	C
ATOM	1313	O	HIS	A	170	35.684	24.138	17.674	1.00	34.13	O
ATOM	1314	CB	HIS	A	170	34.633	23.545	20.255	1.00	29.85	C
ATOM	1315	CG	HIS	A	170	34.297	22.588	21.344	1.00	34.56	C
ATOM	1316	ND1	HIS	A	170	34.178	21.233	21.119	1.00	36.57	N
ATOM	1317	CD2	HIS	A	170	34.194	22.762	22.683	1.00	35.27	C
ATOM	1318	CE1	HIS	A	170	34.026	20.614	22.278	1.00	37.89	C
ATOM	1319	NE2	HIS	A	170	34.032	21.518	23.241	1.00	35.12	N
ATOM	1320	N	ASP	A	171	37.461	25.097	18.681	1.00	33.78	N
ATOM	1321	CA	ASP	A	171	37.884	25.822	17.499	1.00	33.09	C
ATOM	1322	C	ASP	A	171	38.602	24.788	16.644	1.00	35.61	C
ATOM	1323	O	ASP	A	171	38.974	23.706	17.122	1.00	35.94	O
ATOM	1324	CB	ASP	A	171	38.861	26.939	17.881	1.00	30.57	C
ATOM	1325	CG	ASP	A	171	38.976	28.012	16.814	1.00	28.37	C
ATOM	1326	OD1	ASP	A	171	38.614	27.762	15.640	1.00	29.30	O
ATOM	1327	OD2	ASP	A	171	39.424	29.123	17.164	1.00	27.76	O
ATOM	1328	N	ASN	A	172	38.791	25.118	15.380	1.00	37.89	N
ATOM	1329	CA	ASN	A	172	39.475	24.228	14.462	1.00	41.79	C
ATOM	1330	C	ASN	A	172	40.990	24.346	14.689	1.00	42.91	C
ATOM	1331	O	ASN	A	172	41.629	25.279	14.201	1.00	42.78	O
ATOM	1332	CB	ASN	A	172	39.084	24.617	13.029	1.00	45.80	C
ATOM	1333	CG	ASN	A	172	39.788	23.788	11.973	1.00	47.99	C
ATOM	1334	OD1	ASN	A	172	40.462	22.798	12.276	1.00	47.72	O
ATOM	1335	ND2	ASN	A	172	39.632	24.197	10.714	1.00	47.32	N
ATOM	1336	N	PHE	A	173	41.562	23.436	15.470	1.00	44.79	N
ATOM	1337	CA	PHE	A	173	43.004	23.492	15.712	1.00	48.38	C
ATOM	1338	C	PHE	A	173	43.815	22.768	14.651	1.00	56.73	C
ATOM	1339	O	PHE	A	173	45.039	22.668	14.768	1.00	55.79	O
ATOM	1340	CB	PHE	A	173	43.365	22.970	17.100	1.00	40.93	C
ATOM	1341	CG	PHE	A	173	43.037	23.929	18.201	1.00	40.43	C
ATOM	1342	CD1	PHE	A	173	43.964	24.879	18.607	1.00	36.88	C

ATOM	1343	CD2	PHE	A	173	41.786	23.901	18.820	1.00	37.26	C
ATOM	1344	CE1	PHE	A	173	43.646	25.782	19.607	1.00	34.47	C
ATOM	1345	CE2	PHE	A	173	41.465	24.802	19.822	1.00	32.98	C
ATOM	1346	CZ	PHE	A	173	42.391	25.741	20.215	1.00	32.95	C
ATOM	1347	N	HIS	A	174	43.128	22.293	13.607	1.00	65.42	N
ATOM	1348	CA	HIS	A	174	43.767	21.585	12.498	1.00	69.81	C
ATOM	1349	C	HIS	A	174	44.768	22.520	11.816	1.00	72.79	C
ATOM	1350	O	HIS	A	174	44.635	23.751	11.880	1.00	72.80	O
ATOM	1351	CB	HIS	A	174	42.706	21.079	11.485	1.00	67.57	C
ATOM	1352	N	PRO	A	175	45.815	21.944	11.201	1.00	76.20	N
ATOM	1353	CA	PRO	A	175	46.867	22.693	10.499	1.00	76.51	C
ATOM	1354	C	PRO	A	175	46.330	23.486	9.307	1.00	76.40	C
ATOM	1355	O	PRO	A	175	46.940	24.467	8.873	1.00	76.82	O
ATOM	1356	CB	PRO	A	175	47.820	21.587	10.051	1.00	78.84	C
ATOM	1357	CG	PRO	A	175	46.897	20.394	9.873	1.00	79.98	C
ATOM	1358	CD	PRO	A	175	46.055	20.491	11.110	1.00	76.17	C
ATOM	1359	N	SER	A	176	45.174	23.061	8.804	1.00	75.91	N
ATOM	1360	CA	SER	A	176	44.519	23.705	7.669	1.00	77.56	C
ATOM	1361	C	SER	A	176	43.935	25.084	8.022	1.00	76.71	C
ATOM	1362	O	SER	A	176	43.845	25.962	7.155	1.00	76.52	O
ATOM	1363	CB	SER	A	176	43.396	22.802	7.141	1.00	79.17	C
ATOM	1364	OG	SER	A	176	43.848	21.473	6.950	1.00	81.71	O
ATOM	1365	N	ASN	A	177	43.552	25.267	9.290	1.00	73.59	N
ATOM	1366	CA	ASN	A	177	42.957	26.521	9.762	1.00	69.18	C
ATOM	1367	C	ASN	A	177	43.878	27.733	9.675	1.00	65.23	C
ATOM	1368	O	ASN	A	177	44.978	27.738	10.234	1.00	62.73	O
ATOM	1369	CB	ASN	A	177	42.434	26.384	11.197	1.00	70.22	C
ATOM	1370	CG	ASN	A	177	41.494	27.523	11.586	1.00	71.25	C
ATOM	1371	OD1	ASN	A	177	40.987	28.244	10.722	1.00	73.62	O
ATOM	1372	ND2	ASN	A	177	41.245	27.678	12.881	1.00	68.39	N
ATOM	1373	N	SER	A	178	43.376	28.774	9.010	1.00	61.20	N
ATOM	1374	CA	SER	A	178	44.105	30.022	8.811	1.00	54.87	C
ATOM	1375	C	SER	A	178	43.889	31.068	9.910	1.00	53.61	C
ATOM	1376	O	SER	A	178	44.583	32.092	9.924	1.00	55.62	O
ATOM	1377	CB	SER	A	178	43.777	30.626	7.433	1.00	51.07	C
ATOM	1378	OG	SER	A	178	42.416	30.998	7.327	1.00	39.67	O
ATOM	1379	N	HIS	A	179	42.927	30.837	10.810	1.00	47.66	N
ATOM	1380	CA	HIS	A	179	42.674	31.790	11.894	1.00	41.46	C
ATOM	1381	C	HIS	A	179	43.904	31.828	12.778	1.00	37.33	C
ATOM	1382	O	HIS	A	179	44.441	30.791	13.184	1.00	31.30	O
ATOM	1383	CB	HIS	A	179	41.390	31.462	12.656	1.00	44.17	C
ATOM	1384	CG	HIS	A	179	40.158	31.649	11.829	1.00	49.06	C
ATOM	1385	ND1	HIS	A	179	39.234	30.647	11.630	1.00	54.66	N
ATOM	1386	CD2	HIS	A	179	39.755	32.690	11.062	1.00	49.34	C
ATOM	1387	CE1	HIS	A	179	38.320	31.059	10.768	1.00	52.87	C
ATOM	1388	NE2	HIS	A	179	38.614	32.295	10.409	1.00	49.34	N
ATOM	1389	N	VAL	A	180	44.394	33.046	12.967	1.00	32.51	N
ATOM	1390	CA	VAL	A	180	45.613	33.304	13.702	1.00	30.98	C
ATOM	1391	C	VAL	A	180	45.782	32.653	15.079	1.00	28.65	C
ATOM	1392	O	VAL	A	180	46.775	31.956	15.297	1.00	30.93	O
ATOM	1393	CB	VAL	A	180	45.937	34.834	13.708	1.00	31.66	C
ATOM	1394	CG1	VAL	A	180	45.065	35.583	14.700	1.00	27.73	C
ATOM	1395	CG2	VAL	A	180	47.407	35.060	13.967	1.00	34.52	C
ATOM	1396	N	ILE	A	181	44.815	32.802	15.982	1.00	24.81	N
ATOM	1397	CA	ILE	A	181	44.974	32.207	17.314	1.00	23.27	C
ATOM	1398	C	ILE	A	181	45.164	30.671	17.340	1.00	24.94	C

ATOM	1399	O	ILE A	181	46.168	30.181	17.874	1.00	24.17	O
ATOM	1400	CB	ILE A	181	43.892	32.702	18.312	1.00	18.80	C
ATOM	1401	CG1	ILE A	181	44.148	34.177	18.636	1.00	16.10	C
ATOM	1402	CG2	ILE A	181	43.930	31.884	19.595	1.00	15.42	C
ATOM	1403	CD1	ILE A	181	43.142	34.792	19.556	1.00	14.73	C
ATOM	1404	N	PRO A	182	44.224	29.894	16.761	1.00	23.45	N
ATOM	1405	CA	PRO A	182	44.427	28.443	16.792	1.00	22.81	C
ATOM	1406	C	PRO A	182	45.639	27.990	15.982	1.00	22.90	C
ATOM	1407	O	PRO A	182	46.269	26.988	16.321	1.00	23.51	O
ATOM	1408	CB	PRO A	182	43.105	27.890	16.240	1.00	22.99	C
ATOM	1409	CG	PRO A	182	42.561	29.012	15.425	1.00	21.74	C
ATOM	1410	CD	PRO A	182	42.873	30.214	16.271	1.00	24.85	C
ATOM	1411	N	ALA A	183	45.971	28.731	14.928	1.00	20.96	N
ATOM	1412	CA	ALA A	183	47.133	28.397	14.103	1.00	22.42	C
ATOM	1413	C	ALA A	183	48.432	28.621	14.891	1.00	23.70	C
ATOM	1414	O	ALA A	183	49.345	27.791	14.838	1.00	26.05	O
ATOM	1415	CB	ALA A	183	47.147	29.227	12.828	1.00	20.74	C
ATOM	1416	N	LEU A	184	48.508	29.732	15.627	1.00	23.85	N
ATOM	1417	CA	LEU A	184	49.697	30.036	16.421	1.00	23.21	C
ATOM	1418	C	LEU A	184	49.818	29.182	17.671	1.00	23.57	C
ATOM	1419	O	LEU A	184	50.925	28.862	18.080	1.00	25.02	O
ATOM	1420	CB	LEU A	184	49.778	31.523	16.773	1.00	22.64	C
ATOM	1421	CG	LEU A	184	50.109	32.428	15.582	1.00	26.00	C
ATOM	1422	CD1	LEU A	184	50.233	33.865	16.064	1.00	25.71	C
ATOM	1423	CD2	LEU A	184	51.393	31.973	14.903	1.00	19.37	C
ATOM	1424	N	LEU A	185	48.697	28.821	18.292	1.00	23.11	N
ATOM	1425	CA	LEU A	185	48.751	27.972	19.478	1.00	22.32	C
ATOM	1426	C	LEU A	185	49.369	26.639	19.076	1.00	23.75	C
ATOM	1427	O	LEU A	185	50.245	26.120	19.760	1.00	26.08	O
ATOM	1428	CB	LEU A	185	47.358	27.745	20.065	1.00	22.28	C
ATOM	1429	CG	LEU A	185	46.929	28.738	21.146	1.00	25.52	C
ATOM	1430	CD1	LEU A	185	45.501	28.430	21.581	1.00	26.95	C
ATOM	1431	CD2	LEU A	185	47.878	28.657	22.335	1.00	21.32	C
ATOM	1432	N	ARG A	186	48.946	26.133	17.923	1.00	24.14	N
ATOM	1433	CA	ARG A	186	49.429	24.873	17.381	1.00	27.90	C
ATOM	1434	C	ARG A	186	50.927	24.956	17.041	1.00	25.89	C
ATOM	1435	O	ARG A	186	51.714	24.126	17.482	1.00	27.42	O
ATOM	1436	CB	ARG A	186	48.618	24.534	16.123	1.00	32.27	C
ATOM	1437	CG	ARG A	186	48.923	23.202	15.492	1.00	42.10	C
ATOM	1438	CD	ARG A	186	48.360	22.085	16.353	1.00	57.29	C
ATOM	1439	NE	ARG A	186	48.602	20.757	15.789	1.00	66.34	N
ATOM	1440	CZ	ARG A	186	47.748	20.096	15.011	1.00	71.88	C
ATOM	1441	NH1	ARG A	186	46.575	20.628	14.690	1.00	77.21	N
ATOM	1442	NH2	ARG A	186	48.067	18.892	14.555	1.00	75.89	N
ATOM	1443	N	ARG A	187	51.315	25.964	16.265	1.00	23.76	N
ATOM	1444	CA	ARG A	187	52.707	26.130	15.873	1.00	23.58	C
ATOM	1445	C	ARG A	187	53.657	26.308	17.055	1.00	23.83	C
ATOM	1446	O	ARG A	187	54.722	25.695	17.094	1.00	23.85	O
ATOM	1447	CB	ARG A	187	52.858	27.306	14.916	1.00	22.92	C
ATOM	1448	CG	ARG A	187	52.109	27.131	13.627	1.00	29.91	C
ATOM	1449	CD	ARG A	187	52.386	28.289	12.699	1.00	34.96	C
ATOM	1450	NE	ARG A	187	53.813	28.394	12.398	1.00	36.36	N
ATOM	1451	CZ	ARG A	187	54.393	29.465	11.865	1.00	36.75	C
ATOM	1452	NH1	ARG A	187	53.671	30.544	11.569	1.00	32.66	N
ATOM	1453	NH2	ARG A	187	55.699	29.452	11.621	1.00	34.82	N
ATOM	1454	N	PHE A	188	53.289	27.160	18.007	1.00	21.87	N

ATOM	1455	CA	PHE	A	188	54.135	27.387	19.168	1.00	22.62	C
ATOM	1456	C	PHE	A	188	54.202	26.149	20.035	1.00	23.20	C
ATOM	1457	O	PHE	A	188	55.218	25.889	20.669	1.00	25.48	O
ATOM	1458	CB	PHE	A	188	53.674	28.613	19.961	1.00	19.85	C
ATOM	1459	CG	PHE	A	188	54.169	29.902	19.385	1.00	22.44	C
ATOM	1460	CD1	PHE	A	188	55.532	30.186	19.367	1.00	24.20	C
ATOM	1461	CD2	PHE	A	188	53.292	30.804	18.797	1.00	25.31	C
ATOM	1462	CE1	PHE	A	188	56.017	31.356	18.761	1.00	29.54	C
ATOM	1463	CE2	PHE	A	188	53.758	31.974	18.188	1.00	26.16	C
ATOM	1464	CZ	PHE	A	188	55.126	32.252	18.168	1.00	25.25	C
ATOM	1465	N	HIS	A	189	53.127	25.368	20.028	1.00	26.13	N
ATOM	1466	CA	HIS	A	189	53.077	24.129	20.795	1.00	27.61	C
ATOM	1467	C	HIS	A	189	54.109	23.142	20.244	1.00	28.91	C
ATOM	1468	O	HIS	A	189	54.890	22.556	20.999	1.00	28.51	O
ATOM	1469	CB	HIS	A	189	51.683	23.495	20.727	1.00	28.66	C
ATOM	1470	CG	HIS	A	189	51.619	22.133	21.343	1.00	29.06	C
ATOM	1471	ND1	HIS	A	189	51.561	21.939	22.705	1.00	29.42	N
ATOM	1472	CD2	HIS	A	189	51.668	20.899	20.786	1.00	26.56	C
ATOM	1473	CE1	HIS	A	189	51.582	20.644	22.963	1.00	27.30	C
ATOM	1474	NE2	HIS	A	189	51.647	19.992	21.816	1.00	27.77	N
ATOM	1475	N	GLU	A	190	54.107	22.964	18.927	1.00	27.95	N
ATOM	1476	CA	GLU	A	190	55.043	22.052	18.298	1.00	32.43	C
ATOM	1477	C	GLU	A	190	56.485	22.529	18.323	1.00	33.01	C
ATOM	1478	O	GLU	A	190	57.404	21.723	18.512	1.00	34.26	O
ATOM	1479	CB	GLU	A	190	54.601	21.734	16.886	1.00	35.18	C
ATOM	1480	CG	GLU	A	190	53.717	20.524	16.863	1.00	52.14	C
ATOM	1481	CD	GLU	A	190	52.606	20.667	15.868	1.00	62.86	C
ATOM	1482	OE1	GLU	A	190	52.895	20.745	14.649	1.00	67.43	O
ATOM	1483	OE2	GLU	A	190	51.441	20.715	16.313	1.00	71.25	O
ATOM	1484	N	ALA	A	191	56.681	23.835	18.149	1.00	30.86	N
ATOM	1485	CA	ALA	A	191	58.017	24.424	18.174	1.00	27.75	C
ATOM	1486	C	ALA	A	191	58.607	24.236	19.575	1.00	26.55	C
ATOM	1487	O	ALA	A	191	59.795	23.965	19.717	1.00	29.66	O
ATOM	1488	CB	ALA	A	191	57.960	25.915	17.802	1.00	22.11	C
ATOM	1489	N	THR	A	192	57.762	24.342	20.598	1.00	23.59	N
ATOM	1490	CA	THR	A	192	58.187	24.178	21.981	1.00	24.66	C
ATOM	1491	C	THR	A	192	58.570	22.721	22.234	1.00	30.72	C
ATOM	1492	O	THR	A	192	59.579	22.444	22.884	1.00	35.21	O
ATOM	1493	CB	THR	A	192	57.062	24.583	22.952	1.00	23.45	C
ATOM	1494	OG1	THR	A	192	56.717	25.961	22.735	1.00	25.10	O
ATOM	1495	CG2	THR	A	192	57.506	24.390	24.390	1.00	15.38	C
ATOM	1496	N	ALA	A	193	57.767	21.806	21.688	1.00	33.63	N
ATOM	1497	CA	ALA	A	193	57.962	20.358	21.811	1.00	36.84	C
ATOM	1498	C	ALA	A	193	59.205	19.858	21.064	1.00	39.73	C
ATOM	1499	O	ALA	A	193	59.942	19.004	21.563	1.00	41.67	O
ATOM	1500	CB	ALA	A	193	56.708	19.616	21.299	1.00	31.93	C
ATOM	1501	N	GLN	A	194	59.414	20.371	19.856	1.00	40.73	N
ATOM	1502	CA	GLN	A	194	60.557	19.983	19.042	1.00	42.97	C
ATOM	1503	C	GLN	A	194	61.777	20.826	19.391	1.00	43.31	C
ATOM	1504	O	GLN	A	194	62.873	20.607	18.872	1.00	45.94	O
ATOM	1505	CB	GLN	A	194	60.205	20.114	17.563	1.00	47.00	C
ATOM	1506	CG	GLN	A	194	59.064	19.189	17.139	1.00	56.83	C
ATOM	1507	CD	GLN	A	194	58.375	19.632	15.851	1.00	64.33	C
ATOM	1508	OE1	GLN	A	194	57.337	19.075	15.464	1.00	66.36	O
ATOM	1509	NE2	GLN	A	194	58.938	20.650	15.188	1.00	64.56	N
ATOM	1510	N	ASN	A	195	61.573	21.783	20.288	1.00	44.74	N

ATOM	1511	CA	ASN	A	195	62.623	22.678	20.755	1.00	46.11	C
ATOM	1512	C	ASN	A	195	63.301	23.513	19.651	1.00	43.52	C
ATOM	1513	O	ASN	A	195	64.513	23.766	19.697	1.00	41.30	O
ATOM	1514	CB	ASN	A	195	63.658	21.878	21.546	1.00	53.76	C
ATOM	1515	CG	ASN	A	195	64.323	22.706	22.618	1.00	64.83	C
ATOM	1516	OD1	ASN	A	195	65.547	22.712	22.736	1.00	72.18	O
ATOM	1517	ND2	ASN	A	195	63.518	23.427	23.404	1.00	67.60	N
ATOM	1518	N	ALA	A	196	62.499	23.967	18.686	1.00	38.39	N
ATOM	1519	CA	ALA	A	196	62.971	24.776	17.564	1.00	31.94	C
ATOM	1520	C	ALA	A	196	63.585	26.103	18.026	1.00	31.76	C
ATOM	1521	O	ALA	A	196	63.055	26.771	18.908	1.00	29.94	O
ATOM	1522	CB	ALA	A	196	61.824	25.032	16.612	1.00	31.02	C
ATOM	1523	N	PRO	A	197	64.729	26.496	17.442	1.00	31.71	N
ATOM	1524	CA	PRO	A	197	65.378	27.752	17.833	1.00	29.64	C
ATOM	1525	C	PRO	A	197	64.513	29.013	17.609	1.00	28.77	C
ATOM	1526	O	PRO	A	197	64.578	29.966	18.395	1.00	23.96	O
ATOM	1527	CB	PRO	A	197	66.658	27.747	16.981	1.00	28.41	C
ATOM	1528	CG	PRO	A	197	66.279	26.932	15.778	1.00	29.38	C
ATOM	1529	CD	PRO	A	197	65.497	25.809	16.384	1.00	28.22	C
ATOM	1530	N	ASP	A	198	63.695	28.996	16.556	1.00	27.86	N
ATOM	1531	CA	ASP	A	198	62.808	30.118	16.243	1.00	29.44	C
ATOM	1532	C	ASP	A	198	61.491	29.738	15.532	1.00	27.01	C
ATOM	1533	O	ASP	A	198	61.310	28.610	15.072	1.00	26.16	O
ATOM	1534	CB	ASP	A	198	63.561	31.194	15.436	1.00	31.17	C
ATOM	1535	CG	ASP	A	198	64.036	30.700	14.071	1.00	37.42	C
ATOM	1536	OD1	ASP	A	198	63.830	29.519	13.712	1.00	45.62	O
ATOM	1537	OD2	ASP	A	198	64.618	31.517	13.333	1.00	46.36	O
ATOM	1538	N	VAL	A	199	60.559	30.682	15.489	1.00	26.77	N
ATOM	1539	CA	VAL	A	199	59.274	30.494	14.823	1.00	24.31	C
ATOM	1540	C	VAL	A	199	59.095	31.736	13.970	1.00	22.79	C
ATOM	1541	O	VAL	A	199	59.045	32.849	14.498	1.00	23.38	O
ATOM	1542	CB	VAL	A	199	58.104	30.408	15.825	1.00	26.26	C
ATOM	1543	CG1	VAL	A	199	56.776	30.438	15.079	1.00	25.04	C
ATOM	1544	CG2	VAL	A	199	58.202	29.137	16.649	1.00	23.60	C
ATOM	1545	N	VAL	A	200	59.048	31.558	12.655	1.00	21.04	N
ATOM	1546	CA	VAL	A	200	58.900	32.695	11.755	1.00	21.73	C
ATOM	1547	C	VAL	A	200	57.456	32.928	11.386	1.00	20.35	C
ATOM	1548	O	VAL	A	200	56.768	32.012	10.968	1.00	23.64	O
ATOM	1549	CB	VAL	A	200	59.729	32.526	10.471	1.00	21.35	C
ATOM	1550	CG1	VAL	A	200	59.567	33.760	9.573	1.00	19.86	C
ATOM	1551	CG2	VAL	A	200	61.189	32.298	10.822	1.00	15.73	C
ATOM	1552	N	VAL	A	201	57.005	34.166	11.561	1.00	22.28	N
ATOM	1553	CA	VAL	A	201	55.636	34.565	11.247	1.00	16.85	C
ATOM	1554	C	VAL	A	201	55.714	35.589	10.118	1.00	18.35	C
ATOM	1555	O	VAL	A	201	56.566	36.461	10.147	1.00	19.28	O
ATOM	1556	CB	VAL	A	201	54.958	35.190	12.483	1.00	21.28	C
ATOM	1557	CG1	VAL	A	201	53.520	35.569	12.166	1.00	23.59	C
ATOM	1558	CG2	VAL	A	201	54.989	34.211	13.652	1.00	16.15	C
ATOM	1559	N	TRP	A	202	54.862	35.447	9.104	1.00	18.25	N
ATOM	1560	CA	TRP	A	202	54.838	36.359	7.957	1.00	20.16	C
ATOM	1561	C	TRP	A	202	54.323	37.740	8.365	1.00	22.18	C
ATOM	1562	O	TRP	A	202	53.381	37.839	9.153	1.00	24.30	O
ATOM	1563	CB	TRP	A	202	53.917	35.829	6.852	1.00	19.74	C
ATOM	1564	CG	TRP	A	202	54.311	34.536	6.182	1.00	20.85	C
ATOM	1565	CD1	TRP	A	202	53.470	33.686	5.525	1.00	18.15	C
ATOM	1566	CD2	TRP	A	202	55.635	33.995	6.012	1.00	23.14	C

ATOM	1567	NE1	TRP	A	202	54.176	32.667	4.943	1.00	21.00	N
ATOM	1568	CE2	TRP	A	202	55.508	32.824	5.224	1.00	21.04	C
ATOM	1569	CE3	TRP	A	202	56.917	34.388	6.439	1.00	25.98	C
ATOM	1570	CZ2	TRP	A	202	56.608	32.039	4.848	1.00	19.21	C
ATOM	1571	CZ3	TRP	A	202	58.016	33.606	6.064	1.00	26.79	C
ATOM	1572	CH2	TRP	A	202	57.849	32.445	5.273	1.00	23.50	C
ATOM	1573	N	GLY	A	203	54.935	38.793	7.814	1.00	20.13	N
ATOM	1574	CA	GLY	A	203	54.521	40.150	8.115	1.00	18.61	C
ATOM	1575	C	GLY	A	203	55.409	40.898	9.101	1.00	22.58	C
ATOM	1576	O	GLY	A	203	56.383	40.352	9.611	1.00	23.04	O
ATOM	1577	N	SER	A	204	55.049	42.148	9.391	1.00	20.41	N
ATOM	1578	CA	SER	A	204	55.812	42.984	10.308	1.00	20.32	C
ATOM	1579	C	SER	A	204	55.358	42.860	11.760	1.00	18.18	C
ATOM	1580	O	SER	A	204	56.062	43.307	12.660	1.00	20.75	O
ATOM	1581	CB	SER	A	204	55.705	44.448	9.889	1.00	18.97	C
ATOM	1582	OG	SER	A	204	54.402	44.935	10.148	1.00	21.61	O
ATOM	1583	N	GLY	A	205	54.173	42.291	11.980	1.00	18.60	N
ATOM	1584	CA	GLY	A	205	53.637	42.142	13.325	1.00	15.10	C
ATOM	1585	C	GLY	A	205	52.959	43.404	13.852	1.00	17.19	C
ATOM	1586	O	GLY	A	205	52.396	43.410	14.953	1.00	16.05	O
ATOM	1587	N	THR	A	206	52.998	44.473	13.058	1.00	17.93	N
ATOM	1588	CA	THR	A	206	52.395	45.752	13.445	1.00	18.27	C
ATOM	1589	C	THR	A	206	50.869	45.873	13.295	1.00	18.97	C
ATOM	1590	O	THR	A	206	50.257	46.691	13.989	1.00	20.39	O
ATOM	1591	CB	THR	A	206	53.040	46.955	12.704	1.00	13.92	C
ATOM	1592	OG1	THR	A	206	52.807	46.830	11.307	1.00	16.14	O
ATOM	1593	CG2	THR	A	206	54.532	46.996	12.927	1.00	14.28	C
ATOM	1594	N	PRO	A	207	50.233	45.085	12.390	1.00	18.42	N
ATOM	1595	CA	PRO	A	207	48.776	45.274	12.314	1.00	18.12	C
ATOM	1596	C	PRO	A	207	48.007	44.932	13.585	1.00	18.55	C
ATOM	1597	O	PRO	A	207	48.387	44.035	14.342	1.00	20.21	O
ATOM	1598	CB	PRO	A	207	48.364	44.455	11.079	1.00	18.43	C
ATOM	1599	CG	PRO	A	207	49.516	43.549	10.817	1.00	22.93	C
ATOM	1600	CD	PRO	A	207	50.731	44.296	11.250	1.00	19.41	C
ATOM	1601	N	MET	A	208	46.985	45.735	13.867	1.00	19.69	N
ATOM	1602	CA	MET	A	208	46.167	45.558	15.060	1.00	22.89	C
ATOM	1603	C	MET	A	208	44.842	44.818	14.850	1.00	23.57	C
ATOM	1604	O	MET	A	208	44.064	45.155	13.965	1.00	24.09	O
ATOM	1605	CB	MET	A	208	45.938	46.912	15.714	1.00	26.60	C
ATOM	1606	CG	MET	A	208	47.237	47.544	16.196	1.00	31.10	C
ATOM	1607	SD	MET	A	208	47.031	49.225	16.734	1.00	38.41	S
ATOM	1608	CE	MET	A	208	46.856	50.052	15.117	1.00	30.46	C
ATOM	1609	N	ARG	A	209	44.606	43.806	15.683	1.00	24.01	N
ATOM	1610	CA	ARG	A	209	43.404	42.986	15.609	1.00	23.35	C
ATOM	1611	C	ARG	A	209	42.704	42.894	16.959	1.00	20.65	C
ATOM	1612	O	ARG	A	209	43.300	43.137	17.991	1.00	23.21	O
ATOM	1613	CB	ARG	A	209	43.752	41.574	15.127	1.00	22.36	C
ATOM	1614	CG	ARG	A	209	44.373	41.506	13.747	1.00	22.27	C
ATOM	1615	CD	ARG	A	209	43.478	42.171	12.721	1.00	24.97	C
ATOM	1616	NE	ARG	A	209	43.993	42.041	11.354	1.00	24.14	N
ATOM	1617	CZ	ARG	A	209	44.450	43.048	10.612	1.00	24.93	C
ATOM	1618	NH1	ARG	A	209	44.474	44.280	11.100	1.00	19.88	N
ATOM	1619	NH2	ARG	A	209	44.845	42.828	9.364	1.00	21.66	N
ATOM	1620	N	GLU	A	210	41.432	42.521	16.929	1.00	20.87	N
ATOM	1621	CA	GLU	A	210	40.615	42.377	18.132	1.00	22.49	C
ATOM	1622	C	GLU	A	210	40.187	40.906	18.274	1.00	21.11	C

ATOM	1623	O	GLU	A	210	39.892	40.247	17.277	1.00	21.91	O
ATOM	1624	CB	GLU	A	210	39.388	43.286	18.019	1.00	21.02	C
ATOM	1625	CG	GLU	A	210	38.407	43.204	19.173	1.00	22.39	C
ATOM	1626	CD	GLU	A	210	37.077	43.850	18.845	1.00	25.04	C
ATOM	1627	OE1	GLU	A	210	36.739	43.955	17.650	1.00	26.31	O
ATOM	1628	OE2	GLU	A	210	36.356	44.240	19.780	1.00	28.45	O
ATOM	1629	N	PHE	A	211	40.175	40.395	19.503	1.00	16.25	N
ATOM	1630	CA	PHE	A	211	39.819	39.004	19.757	1.00	19.95	C
ATOM	1631	C	PHE	A	211	38.871	38.882	20.939	1.00	22.60	C
ATOM	1632	O	PHE	A	211	39.025	39.567	21.947	1.00	26.81	O
ATOM	1633	CB	PHE	A	211	41.082	38.167	20.017	1.00	18.58	C
ATOM	1634	CG	PHE	A	211	42.070	38.218	18.904	1.00	18.94	C
ATOM	1635	CD1	PHE	A	211	41.905	37.425	17.776	1.00	20.21	C
ATOM	1636	CD2	PHE	A	211	43.139	39.112	18.951	1.00	18.84	C
ATOM	1637	CE1	PHE	A	211	42.795	37.523	16.694	1.00	21.80	C
ATOM	1638	CE2	PHE	A	211	44.032	39.222	17.885	1.00	20.46	C
ATOM	1639	CZ	PHE	A	211	43.859	38.426	16.751	1.00	21.71	C
ATOM	1640	N	LEU	A	212	37.902	37.985	20.815	1.00	22.66	N
ATOM	1641	CA	LEU	A	212	36.916	37.766	21.861	1.00	21.98	C
ATOM	1642	C	LEU	A	212	36.839	36.277	22.146	1.00	19.87	C
ATOM	1643	O	LEU	A	212	36.788	35.468	21.215	1.00	21.14	O
ATOM	1644	CB	LEU	A	212	35.541	38.270	21.397	1.00	19.65	C
ATOM	1645	CG	LEU	A	212	34.419	38.209	22.430	1.00	20.98	C
ATOM	1646	CD1	LEU	A	212	34.647	39.260	23.513	1.00	20.33	C
ATOM	1647	CD2	LEU	A	212	33.089	38.423	21.756	1.00	20.71	C
ATOM	1648	N	HIS	A	213	36.900	35.906	23.419	1.00	19.28	N
ATOM	1649	CA	HIS	A	213	36.807	34.498	23.770	1.00	21.03	C
ATOM	1650	C	HIS	A	213	35.367	34.052	23.509	1.00	22.30	C
ATOM	1651	O	HIS	A	213	34.414	34.778	23.806	1.00	21.04	O
ATOM	1652	CB	HIS	A	213	37.181	34.277	25.231	1.00	24.69	C
ATOM	1653	CG	HIS	A	213	37.311	32.833	25.608	1.00	23.82	C
ATOM	1654	ND1	HIS	A	213	36.223	31.997	25.752	1.00	27.73	N
ATOM	1655	CD2	HIS	A	213	38.402	32.071	25.857	1.00	23.37	C
ATOM	1656	CE1	HIS	A	213	36.637	30.785	26.072	1.00	24.29	C
ATOM	1657	NE2	HIS	A	213	37.957	30.803	26.143	1.00	29.35	N
ATOM	1658	N	VAL	A	214	35.213	32.857	22.953	1.00	24.86	N
ATOM	1659	CA	VAL	A	214	33.902	32.325	22.614	1.00	23.50	C
ATOM	1660	C	VAL	A	214	32.908	32.279	23.776	1.00	25.81	C
ATOM	1661	O	VAL	A	214	31.708	32.393	23.551	1.00	30.16	O
ATOM	1662	CB	VAL	A	214	34.021	30.952	21.926	1.00	23.75	C
ATOM	1663	CG1	VAL	A	214	34.406	29.864	22.936	1.00	21.11	C
ATOM	1664	CG2	VAL	A	214	32.741	30.633	21.175	1.00	22.22	C
ATOM	1665	N	ASP	A	215	33.395	32.133	25.010	1.00	28.40	N
ATOM	1666	CA	ASP	A	215	32.498	32.097	26.171	1.00	25.39	C
ATOM	1667	C	ASP	A	215	31.910	33.468	26.437	1.00	24.44	C
ATOM	1668	O	ASP	A	215	30.765	33.579	26.866	1.00	26.54	O
ATOM	1669	CB	ASP	A	215	33.192	31.546	27.417	1.00	24.90	C
ATOM	1670	CG	ASP	A	215	33.356	30.037	27.372	1.00	26.11	C
ATOM	1671	OD1	ASP	A	215	32.653	29.357	26.596	1.00	24.29	O
ATOM	1672	OD2	ASP	A	215	34.198	29.519	28.118	1.00	32.56	O
ATOM	1673	N	ASP	A	216	32.697	34.511	26.200	1.00	22.75	N
ATOM	1674	CA	ASP	A	216	32.198	35.867	26.356	1.00	24.56	C
ATOM	1675	C	ASP	A	216	31.157	36.085	25.254	1.00	25.27	C
ATOM	1676	O	ASP	A	216	30.129	36.710	25.470	1.00	27.67	O
ATOM	1677	CB	ASP	A	216	33.321	36.883	26.180	1.00	25.84	C
ATOM	1678	CG	ASP	A	216	33.898	37.364	27.493	1.00	28.85	C

ATOM	1679	OD1	ASP	A	216	33.213	37.280	28.542	1.00	33.73	O
ATOM	1680	OD2	ASP	A	216	35.041	37.858	27.466	1.00	28.98	O
ATOM	1681	N	MET	A	217	31.451	35.575	24.066	1.00	24.12	N
ATOM	1682	CA	MET	A	217	30.560	35.690	22.923	1.00	25.65	C
ATOM	1683	C	MET	A	217	29.191	35.102	23.279	1.00	25.73	C
ATOM	1684	O	MET	A	217	28.159	35.753	23.078	1.00	24.41	O
ATOM	1685	CB	MET	A	217	31.165	34.946	21.726	1.00	27.53	C
ATOM	1686	CG	MET	A	217	30.228	34.747	20.547	1.00	31.62	C
ATOM	1687	SD	MET	A	217	29.679	36.320	19.920	1.00	44.01	S
ATOM	1688	CE	MET	A	217	28.255	35.789	19.016	1.00	46.67	C
ATOM	1689	N	ALA	A	218	29.195	33.879	23.812	1.00	22.79	N
ATOM	1690	CA	ALA	A	218	27.970	33.190	24.205	1.00	21.84	C
ATOM	1691	C	ALA	A	218	27.178	34.003	25.241	1.00	24.89	C
ATOM	1692	O	ALA	A	218	25.961	34.149	25.132	1.00	25.67	O
ATOM	1693	CB	ALA	A	218	28.303	31.813	24.753	1.00	16.38	C
ATOM	1694	N	ALA	A	219	27.888	34.559	26.220	1.00	24.44	N
ATOM	1695	CA	ALA	A	219	27.273	35.360	27.270	1.00	23.73	C
ATOM	1696	C	ALA	A	219	26.568	36.576	26.686	1.00	25.50	C
ATOM	1697	O	ALA	A	219	25.418	36.843	27.026	1.00	28.52	O
ATOM	1698	CB	ALA	A	219	28.321	35.794	28.294	1.00	19.48	C
ATOM	1699	N	ALA	A	220	27.257	37.300	25.805	1.00	26.76	N
ATOM	1700	CA	ALA	A	220	26.708	38.495	25.159	1.00	26.36	C
ATOM	1701	C	ALA	A	220	25.503	38.158	24.291	1.00	26.65	C
ATOM	1702	O	ALA	A	220	24.544	38.926	24.230	1.00	29.06	O
ATOM	1703	CB	ALA	A	220	27.772	39.190	24.329	1.00	19.93	C
ATOM	1704	N	SER	A	221	25.557	37.001	23.637	1.00	25.33	N
ATOM	1705	CA	SER	A	221	24.470	36.539	22.778	1.00	25.73	C
ATOM	1706	C	SER	A	221	23.191	36.321	23.592	1.00	24.91	C
ATOM	1707	O	SER	A	221	22.110	36.784	23.212	1.00	26.36	O
ATOM	1708	CB	SER	A	221	24.869	35.234	22.084	1.00	21.96	C
ATOM	1709	OG	SER	A	221	25.940	35.450	21.190	1.00	28.74	O
ATOM	1710	N	ILE	A	222	23.327	35.590	24.697	1.00	25.18	N
ATOM	1711	CA	ILE	A	222	22.217	35.298	25.594	1.00	25.39	C
ATOM	1712	C	ILE	A	222	21.694	36.595	26.211	1.00	27.95	C
ATOM	1713	O	ILE	A	222	20.487	36.760	26.377	1.00	31.54	O
ATOM	1714	CB	ILE	A	222	22.656	34.313	26.693	1.00	26.29	C
ATOM	1715	CG1	ILE	A	222	23.061	32.983	26.041	1.00	25.32	C
ATOM	1716	CG2	ILE	A	222	21.539	34.109	27.717	1.00	21.77	C
ATOM	1717	CD1	ILE	A	222	23.872	32.066	26.932	1.00	27.56	C
ATOM	1718	N	HIS	A	223	22.604	37.528	26.490	1.00	26.17	N
ATOM	1719	CA	HIS	A	223	22.250	38.818	27.067	1.00	25.32	C
ATOM	1720	C	HIS	A	223	21.360	39.592	26.088	1.00	29.35	C
ATOM	1721	O	HIS	A	223	20.286	40.071	26.457	1.00	29.65	O
ATOM	1722	CB	HIS	A	223	23.520	39.620	27.383	1.00	22.98	C
ATOM	1723	CG	HIS	A	223	23.258	41.011	27.883	1.00	25.35	C
ATOM	1724	ND1	HIS	A	223	23.116	41.310	29.220	1.00	26.58	N
ATOM	1725	CD2	HIS	A	223	23.104	42.183	27.220	1.00	24.11	C
ATOM	1726	CE1	HIS	A	223	22.886	42.604	29.359	1.00	25.33	C
ATOM	1727	NE2	HIS	A	223	22.872	43.157	28.160	1.00	23.16	N
ATOM	1728	N	VAL	A	224	21.824	39.715	24.845	1.00	28.95	N
ATOM	1729	CA	VAL	A	224	21.081	40.414	23.800	1.00	25.91	C
ATOM	1730	C	VAL	A	224	19.742	39.718	23.519	1.00	26.83	C
ATOM	1731	O	VAL	A	224	18.711	40.381	23.395	1.00	27.47	O
ATOM	1732	CB	VAL	A	224	21.924	40.536	22.504	1.00	26.98	C
ATOM	1733	CG1	VAL	A	224	21.064	41.047	21.332	1.00	23.82	C
ATOM	1734	CG2	VAL	A	224	23.101	41.482	22.746	1.00	22.87	C

ATOM	1735	N	MET	A	225	19.754	38.388	23.449	1.00	25.71	N
ATOM	1736	CA	MET	A	225	18.532	37.622	23.214	1.00	26.60	C
ATOM	1737	C	MET	A	225	17.466	37.875	24.302	1.00	30.38	C
ATOM	1738	O	MET	A	225	16.289	38.069	24.003	1.00	29.38	O
ATOM	1739	CB	MET	A	225	18.860	36.131	23.181	1.00	24.01	C
ATOM	1740	CG	MET	A	225	17.647	35.234	23.091	1.00	22.08	C
ATOM	1741	SD	MET	A	225	16.751	35.402	21.544	1.00	26.66	S
ATOM	1742	CE	MET	A	225	16.662	33.712	20.994	1.00	15.44	C
ATOM	1743	N	GLU	A	226	17.902	37.915	25.558	1.00	30.39	N
ATOM	1744	CA	GLU	A	226	16.996	38.092	26.686	1.00	31.31	C
ATOM	1745	C	GLU	A	226	16.658	39.503	27.120	1.00	32.01	C
ATOM	1746	O	GLU	A	226	15.851	39.694	28.020	1.00	35.73	O
ATOM	1747	CB	GLU	A	226	17.480	37.262	27.867	1.00	28.65	C
ATOM	1748	CG	GLU	A	226	17.387	35.790	27.561	1.00	27.91	C
ATOM	1749	CD	GLU	A	226	17.943	34.917	28.649	1.00	33.83	C
ATOM	1750	OE1	GLU	A	226	18.624	35.438	29.563	1.00	33.18	O
ATOM	1751	OE2	GLU	A	226	17.703	33.695	28.574	1.00	34.27	O
ATOM	1752	N	LEU	A	227	17.242	40.491	26.462	1.00	32.89	N
ATOM	1753	CA	LEU	A	227	16.963	41.892	26.769	1.00	33.35	C
ATOM	1754	C	LEU	A	227	15.474	42.160	26.500	1.00	35.07	C
ATOM	1755	O	LEU	A	227	14.854	41.497	25.656	1.00	31.47	O
ATOM	1756	CB	LEU	A	227	17.787	42.779	25.833	1.00	34.51	C
ATOM	1757	CG	LEU	A	227	18.657	43.878	26.413	1.00	36.70	C
ATOM	1758	CD1	LEU	A	227	19.595	43.289	27.441	1.00	40.83	C
ATOM	1759	CD2	LEU	A	227	19.430	44.514	25.286	1.00	38.83	C
ATOM	1760	N	ALA	A	228	14.907	43.140	27.197	1.00	36.67	N
ATOM	1761	CA	ALA	A	228	13.499	43.495	26.993	1.00	37.05	C
ATOM	1762	C	ALA	A	228	13.354	44.095	25.596	1.00	34.00	C
ATOM	1763	O	ALA	A	228	14.185	44.903	25.173	1.00	32.74	O
ATOM	1764	CB	ALA	A	228	13.032	44.504	28.055	1.00	32.56	C
ATOM	1765	N	HIS	A	229	12.293	43.705	24.896	1.00	32.47	N
ATOM	1766	CA	HIS	A	229	12.037	44.197	23.549	1.00	34.11	C
ATOM	1767	C	HIS	A	229	12.073	45.717	23.434	1.00	33.05	C
ATOM	1768	O	HIS	A	229	12.669	46.234	22.491	1.00	35.43	O
ATOM	1769	CB	HIS	A	229	10.708	43.666	23.020	1.00	35.19	C
ATOM	1770	CG	HIS	A	229	10.559	43.798	21.538	1.00	39.63	C
ATOM	1771	ND1	HIS	A	229	9.396	44.235	20.941	1.00	40.64	N
ATOM	1772	CD2	HIS	A	229	11.427	43.543	20.529	1.00	38.95	C
ATOM	1773	CE1	HIS	A	229	9.554	44.240	19.629	1.00	42.35	C
ATOM	1774	NE2	HIS	A	229	10.778	43.825	19.353	1.00	37.81	N
ATOM	1775	N	GLU	A	230	11.487	46.426	24.405	1.00	33.10	N
ATOM	1776	CA	GLU	A	230	11.477	47.896	24.382	1.00	35.45	C
ATOM	1777	C	GLU	A	230	12.872	48.463	24.500	1.00	30.25	C
ATOM	1778	O	GLU	A	230	13.160	49.511	23.922	1.00	30.21	O
ATOM	1779	CB	GLU	A	230	10.645	48.503	25.513	1.00	42.34	C
ATOM	1780	CG	GLU	A	230	9.312	47.851	25.753	1.00	60.32	C
ATOM	1781	CD	GLU	A	230	9.259	47.157	27.102	1.00	69.92	C
ATOM	1782	OE1	GLU	A	230	9.966	47.606	28.042	1.00	72.25	O
ATOM	1783	OE2	GLU	A	230	8.508	46.164	27.222	1.00	75.41	O
ATOM	1784	N	VAL	A	231	13.711	47.804	25.297	1.00	25.92	N
ATOM	1785	CA	VAL	A	231	15.088	48.244	25.496	1.00	27.64	C
ATOM	1786	C	VAL	A	231	15.922	48.063	24.224	1.00	27.94	C
ATOM	1787	O	VAL	A	231	16.743	48.920	23.876	1.00	26.76	O
ATOM	1788	CB	VAL	A	231	15.736	47.499	26.670	1.00	30.32	C
ATOM	1789	CG1	VAL	A	231	17.209	47.882	26.794	1.00	29.06	C
ATOM	1790	CG2	VAL	A	231	14.984	47.823	27.966	1.00	29.47	C

ATOM	1791	N	TRP	A	232	15.676	46.954	23.526	1.00	27.62	N
ATOM	1792	CA	TRP	A	232	16.361	46.634	22.274	1.00	27.79	C
ATOM	1793	C	TRP	A	232	15.939	47.590	21.146	1.00	28.62	C
ATOM	1794	O	TRP	A	232	16.788	48.094	20.410	1.00	27.71	O
ATOM	1795	CB	TRP	A	232	16.064	45.188	21.877	1.00	27.06	C
ATOM	1796	CG	TRP	A	232	16.727	44.743	20.601	1.00	30.83	C
ATOM	1797	CD1	TRP	A	232	18.028	44.359	20.451	1.00	29.38	C
ATOM	1798	CD2	TRP	A	232	16.121	44.628	19.304	1.00	28.58	C
ATOM	1799	NE1	TRP	A	232	18.271	44.013	19.146	1.00	29.58	N
ATOM	1800	CE2	TRP	A	232	17.122	44.169	18.419	1.00	27.18	C
ATOM	1801	CE3	TRP	A	232	14.835	44.866	18.805	1.00	28.32	C
ATOM	1802	CZ2	TRP	A	232	16.881	43.945	17.064	1.00	22.72	C
ATOM	1803	CZ3	TRP	A	232	14.595	44.643	17.457	1.00	30.94	C
ATOM	1804	CH2	TRP	A	232	15.617	44.186	16.601	1.00	28.09	C
ATOM	1805	N	LEU	A	233	14.632	47.845	21.025	1.00	27.44	N
ATOM	1806	CA	LEU	A	233	14.108	48.749	19.998	1.00	27.68	C
ATOM	1807	C	LEU	A	233	14.664	50.148	20.190	1.00	28.22	C
ATOM	1808	O	LEU	A	233	14.941	50.860	19.226	1.00	31.02	O
ATOM	1809	CB	LEU	A	233	12.583	48.813	20.068	1.00	27.39	C
ATOM	1810	CG	LEU	A	233	11.805	47.560	19.678	1.00	24.97	C
ATOM	1811	CD1	LEU	A	233	10.369	47.738	20.094	1.00	28.86	C
ATOM	1812	CD2	LEU	A	233	11.920	47.311	18.180	1.00	23.30	C
ATOM	1813	N	GLU	A	234	14.839	50.515	21.453	1.00	32.02	N
ATOM	1814	CA	GLU	A	234	15.344	51.820	21.852	1.00	35.27	C
ATOM	1815	C	GLU	A	234	16.803	52.020	21.454	1.00	34.15	C
ATOM	1816	O	GLU	A	234	17.217	53.139	21.140	1.00	33.71	O
ATOM	1817	CB	GLU	A	234	15.190	51.968	23.364	1.00	40.08	C
ATOM	1818	CG	GLU	A	234	15.501	53.337	23.925	1.00	52.17	C
ATOM	1819	CD	GLU	A	234	15.628	53.309	25.446	1.00	63.51	C
ATOM	1820	OE1	GLU	A	234	14.722	52.758	26.117	1.00	64.39	O
ATOM	1821	OE2	GLU	A	234	16.644	53.827	25.970	1.00	68.40	O
ATOM	1822	N	ASN	A	235	17.575	50.934	21.448	1.00	35.23	N
ATOM	1823	CA	ASN	A	235	18.993	51.007	21.091	1.00	35.47	C
ATOM	1824	C	ASN	A	235	19.377	50.541	19.698	1.00	33.31	C
ATOM	1825	O	ASN	A	235	20.560	50.368	19.418	1.00	35.10	O
ATOM	1826	CB	ASN	A	235	19.848	50.280	22.121	1.00	38.19	C
ATOM	1827	CG	ASN	A	235	19.905	51.013	23.435	1.00	42.27	C
ATOM	1828	OD1	ASN	A	235	19.058	50.805	24.307	1.00	42.41	O
ATOM	1829	ND2	ASN	A	235	20.890	51.901	23.578	1.00	41.04	N
ATOM	1830	N	THR	A	236	18.383	50.300	18.848	1.00	28.54	N
ATOM	1831	CA	THR	A	236	18.622	49.882	17.472	1.00	26.96	C
ATOM	1832	C	THR	A	236	17.610	50.585	16.572	1.00	29.20	C
ATOM	1833	O	THR	A	236	16.777	51.365	17.042	1.00	31.34	O
ATOM	1834	CB	THR	A	236	18.433	48.357	17.279	1.00	26.03	C
ATOM	1835	OG1	THR	A	236	17.098	48.002	17.627	1.00	23.38	O
ATOM	1836	CG2	THR	A	236	19.388	47.556	18.143	1.00	22.89	C
ATOM	1837	N	GLN	A	237	17.710	50.326	15.273	1.00	29.06	N
ATOM	1838	CA	GLN	A	237	16.791	50.884	14.291	1.00	29.54	C
ATOM	1839	C	GLN	A	237	16.272	49.706	13.483	1.00	30.42	C
ATOM	1840	O	GLN	A	237	16.981	48.732	13.278	1.00	30.34	O
ATOM	1841	CB	GLN	A	237	17.498	51.869	13.379	1.00	30.42	C
ATOM	1842	CG	GLN	A	237	17.835	53.164	14.045	1.00	38.67	C
ATOM	1843	CD	GLN	A	237	19.194	53.641	13.635	1.00	46.94	C
ATOM	1844	OE1	GLN	A	237	20.198	53.233	14.218	1.00	55.63	O
ATOM	1845	NE2	GLN	A	237	19.250	54.474	12.599	1.00	47.31	N
ATOM	1846	N	PRO	A	238	15.033	49.792	12.985	1.00	31.03	N

ATOM	1847	CA	PRO A 238	14.457	48.693	12.206	1.00	27.75	C
ATOM	1848	C	PRO A 238	15.306	48.183	11.050	1.00	26.12	C
ATOM	1849	O	PRO A 238	15.328	46.978	10.783	1.00	26.87	O
ATOM	1850	CB	PRO A 238	13.134	49.284	11.724	1.00	30.90	C
ATOM	1851	CG	PRO A 238	12.769	50.220	12.847	1.00	31.53	C
ATOM	1852	CD	PRO A 238	14.082	50.911	13.088	1.00	31.48	C
ATOM	1853	N	MET A 239	15.996	49.086	10.364	1.00	19.01	N
ATOM	1854	CA	MET A 239	16.810	48.665	9.236	1.00	20.33	C
ATOM	1855	C	MET A 239	18.317	48.745	9.492	1.00	21.00	C
ATOM	1856	O	MET A 239	19.117	48.762	8.562	1.00	22.39	O
ATOM	1857	CB	MET A 239	16.406	49.427	7.971	1.00	19.82	C
ATOM	1858	CG	MET A 239	14.969	49.130	7.518	1.00	22.16	C
ATOM	1859	SD	MET A 239	14.467	50.055	6.063	1.00	23.20	S
ATOM	1860	CE	MET A 239	14.938	48.921	4.744	1.00	22.85	C
ATOM	1861	N	LEU A 240	18.686	48.789	10.766	1.00	17.67	N
ATOM	1862	CA	LEU A 240	20.080	48.810	11.197	1.00	18.19	C
ATOM	1863	C	LEU A 240	19.999	48.244	12.614	1.00	18.81	C
ATOM	1864	O	LEU A 240	20.310	48.918	13.595	1.00	21.40	O
ATOM	1865	CB	LEU A 240	20.634	50.236	11.205	1.00	17.63	C
ATOM	1866	CG	LEU A 240	22.169	50.283	11.243	1.00	20.48	C
ATOM	1867	CD1	LEU A 240	22.717	49.854	9.888	1.00	20.33	C
ATOM	1868	CD2	LEU A 240	22.658	51.677	11.592	1.00	23.50	C
ATOM	1869	N	SER A 241	19.580	46.985	12.699	1.00	18.42	N
ATOM	1870	CA	SER A 241	19.346	46.301	13.975	1.00	20.15	C
ATOM	1871	C	SER A 241	20.448	45.447	14.608	1.00	22.66	C
ATOM	1872	O	SER A 241	20.302	45.021	15.757	1.00	20.00	O
ATOM	1873	CB	SER A 241	18.119	45.410	13.814	1.00	19.66	C
ATOM	1874	OG	SER A 241	18.365	44.419	12.822	1.00	19.00	O
ATOM	1875	N	HIS A 242	21.502	45.135	13.857	1.00	21.08	N
ATOM	1876	CA	HIS A 242	22.562	44.286	14.386	1.00	19.45	C
ATOM	1877	C	HIS A 242	23.374	44.985	15.464	1.00	21.16	C
ATOM	1878	O	HIS A 242	23.468	46.210	15.485	1.00	19.25	O
ATOM	1879	CB	HIS A 242	23.470	43.789	13.251	1.00	18.39	C
ATOM	1880	CG	HIS A 242	24.070	44.889	12.435	1.00	21.00	C
ATOM	1881	ND1	HIS A 242	25.394	45.258	12.540	1.00	24.57	N
ATOM	1882	CD2	HIS A 242	23.524	45.705	11.504	1.00	18.15	C
ATOM	1883	CE1	HIS A 242	25.640	46.253	11.706	1.00	20.48	C
ATOM	1884	NE2	HIS A 242	24.521	46.543	11.066	1.00	25.00	N
ATOM	1885	N	ILE A 243	23.919	44.198	16.387	1.00	24.11	N
ATOM	1886	CA	ILE A 243	24.742	44.733	17.471	1.00	24.72	C
ATOM	1887	C	ILE A 243	26.132	44.086	17.458	1.00	23.73	C
ATOM	1888	O	ILE A 243	26.256	42.861	17.438	1.00	19.93	O
ATOM	1889	CB	ILE A 243	24.064	44.509	18.845	1.00	25.81	C
ATOM	1890	CG1	ILE A 243	22.759	45.313	18.910	1.00	27.38	C
ATOM	1891	CG2	ILE A 243	25.001	44.911	19.992	1.00	21.68	C
ATOM	1892	CD1	ILE A 243	21.816	44.845	19.991	1.00	27.41	C
ATOM	1893	N	ASN A 244	27.168	44.923	17.403	1.00	22.92	N
ATOM	1894	CA	ASN A 244	28.556	44.458	17.405	1.00	22.89	C
ATOM	1895	C	ASN A 244	28.874	43.824	18.753	1.00	23.74	C
ATOM	1896	O	ASN A 244	28.457	44.336	19.794	1.00	25.96	O
ATOM	1897	CB	ASN A 244	29.530	45.627	17.177	1.00	18.05	C
ATOM	1898	CG	ASN A 244	29.581	46.082	15.727	1.00	19.87	C
ATOM	1899	OD1	ASN A 244	29.221	45.336	14.805	1.00	18.82	O
ATOM	1900	ND2	ASN A 244	30.033	47.317	15.517	1.00	16.28	N
ATOM	1901	N	VAL A 245	29.602	42.713	18.734	1.00	21.85	N
ATOM	1902	CA	VAL A 245	29.992	42.034	19.967	1.00	21.80	C

ATOM	1903	C	VAL	A	245	31.513	41.812	19.920	1.00	22.59	C
ATOM	1904	O	VAL	A	245	32.026	41.140	19.023	1.00	21.49	O
ATOM	1905	CB	VAL	A	245	29.235	40.682	20.145	1.00	23.76	C
ATOM	1906	CG1	VAL	A	245	29.683	39.976	21.421	1.00	24.00	C
ATOM	1907	CG2	VAL	A	245	27.742	40.916	20.200	1.00	21.35	C
ATOM	1908	N	GLY	A	246	32.222	42.438	20.857	1.00	22.67	N
ATOM	1909	CA	GLY	A	246	33.669	42.322	20.930	1.00	24.28	C
ATOM	1910	C	GLY	A	246	34.195	42.991	22.183	1.00	24.67	C
ATOM	1911	O	GLY	A	246	33.422	43.310	23.084	1.00	25.15	O
ATOM	1912	N	THR	A	247	35.503	43.225	22.238	1.00	27.41	N
ATOM	1913	CA	THR	A	247	36.130	43.859	23.406	1.00	29.81	C
ATOM	1914	C	THR	A	247	36.382	45.365	23.225	1.00	30.14	C
ATOM	1915	O	THR	A	247	36.457	46.109	24.204	1.00	30.54	O
ATOM	1916	CB	THR	A	247	37.488	43.190	23.760	1.00	27.35	C
ATOM	1917	OG1	THR	A	247	38.407	43.386	22.683	1.00	28.01	O
ATOM	1918	CG2	THR	A	247	37.317	41.696	24.002	1.00	24.20	C
ATOM	1919	N	GLY	A	248	36.522	45.800	21.975	1.00	31.26	N
ATOM	1920	CA	GLY	A	248	36.786	47.201	21.690	1.00	31.54	C
ATOM	1921	C	GLY	A	248	38.254	47.544	21.899	1.00	33.40	C
ATOM	1922	O	GLY	A	248	38.674	48.692	21.768	1.00	33.52	O
ATOM	1923	N	VAL	A	249	39.035	46.529	22.246	1.00	36.86	N
ATOM	1924	CA	VAL	A	249	40.463	46.682	22.493	1.00	33.66	C
ATOM	1925	C	VAL	A	249	41.214	45.934	21.413	1.00	31.50	C
ATOM	1926	O	VAL	A	249	40.867	44.808	21.076	1.00	29.41	O
ATOM	1927	CB	VAL	A	249	40.853	46.064	23.854	1.00	31.90	C
ATOM	1928	CG1	VAL	A	249	42.351	46.142	24.066	1.00	35.19	C
ATOM	1929	CG2	VAL	A	249	40.120	46.774	24.976	1.00	34.14	C
ATOM	1930	N	ASP	A	250	42.205	46.583	20.824	1.00	29.71	N
ATOM	1931	CA	ASP	A	250	43.009	45.915	19.821	1.00	29.00	C
ATOM	1932	C	ASP	A	250	44.439	45.705	20.324	1.00	30.13	C
ATOM	1933	O	ASP	A	250	44.849	46.277	21.343	1.00	28.85	O
ATOM	1934	CB	ASP	A	250	42.985	46.665	18.481	1.00	32.68	C
ATOM	1935	CG	ASP	A	250	43.353	48.140	18.602	1.00	37.15	C
ATOM	1936	OD1	ASP	A	250	43.761	48.607	19.691	1.00	41.60	O
ATOM	1937	OD2	ASP	A	250	43.228	48.839	17.573	1.00	38.27	O
ATOM	1938	N	CYS	A	251	45.144	44.783	19.679	1.00	27.09	N
ATOM	1939	CA	CYS	A	251	46.527	44.500	20.012	1.00	26.39	C
ATOM	1940	C	CYS	A	251	47.207	44.065	18.725	1.00	24.62	C
ATOM	1941	O	CYS	A	251	46.555	43.548	17.805	1.00	26.47	O
ATOM	1942	CB	CYS	A	251	46.644	43.422	21.107	1.00	31.27	C
ATOM	1943	SG	CYS	A	251	46.375	41.702	20.593	1.00	31.15	S
ATOM	1944	N	THR	A	252	48.506	44.330	18.638	1.00	22.64	N
ATOM	1945	CA	THR	A	252	49.285	43.977	17.460	1.00	17.62	C
ATOM	1946	C	THR	A	252	49.486	42.469	17.352	1.00	16.92	C
ATOM	1947	O	THR	A	252	49.380	41.730	18.337	1.00	19.18	O
ATOM	1948	CB	THR	A	252	50.670	44.663	17.489	1.00	15.13	C
ATOM	1949	OG1	THR	A	252	51.416	44.196	18.620	1.00	16.21	O
ATOM	1950	CG2	THR	A	252	50.515	46.170	17.601	1.00	12.20	C
ATOM	1951	N	ILE	A	253	49.763	42.015	16.139	1.00	19.17	N
ATOM	1952	CA	ILE	A	253	50.029	40.598	15.897	1.00	18.46	C
ATOM	1953	C	ILE	A	253	51.295	40.212	16.689	1.00	19.42	C
ATOM	1954	O	ILE	A	253	51.404	39.099	17.211	1.00	23.05	O
ATOM	1955	CB	ILE	A	253	50.224	40.310	14.377	1.00	16.55	C
ATOM	1956	CG1	ILE	A	253	48.971	40.716	13.606	1.00	16.12	C
ATOM	1957	CG2	ILE	A	253	50.528	38.845	14.141	1.00	16.01	C
ATOM	1958	CD1	ILE	A	253	47.705	40.184	14.230	1.00	19.29	C

ATOM	1959	N	ARG	A	254	52.228	41.153	16.804	1.00	17.56	N
ATOM	1960	CA	ARG	A	254	53.462	40.937	17.546	1.00	18.20	C
ATOM	1961	C	ARG	A	254	53.115	40.625	19.005	1.00	17.58	C
ATOM	1962	O	ARG	A	254	53.564	39.623	19.568	1.00	15.25	O
ATOM	1963	CB	ARG	A	254	54.342	42.191	17.406	1.00	19.12	C
ATOM	1964	CG	ARG	A	254	55.220	42.558	18.585	1.00	23.71	C
ATOM	1965	CD	ARG	A	254	56.626	42.051	18.456	1.00	26.61	C
ATOM	1966	NE	ARG	A	254	57.260	42.440	17.198	1.00	27.30	N
ATOM	1967	CZ	ARG	A	254	58.429	41.954	16.780	1.00	27.42	C
ATOM	1968	NH1	ARG	A	254	59.105	41.092	17.532	1.00	24.96	N
ATOM	1969	NH2	ARG	A	254	58.844	42.201	15.546	1.00	27.33	N
ATOM	1970	N	GLU	A	255	52.254	41.446	19.593	1.00	16.75	N
ATOM	1971	CA	GLU	A	255	51.859	41.230	20.974	1.00	18.00	C
ATOM	1972	C	GLU	A	255	51.137	39.902	21.168	1.00	20.69	C
ATOM	1973	O	GLU	A	255	51.319	39.233	22.191	1.00	21.51	O
ATOM	1974	CB	GLU	A	255	50.979	42.365	21.473	1.00	18.59	C
ATOM	1975	CG	GLU	A	255	50.433	42.080	22.862	1.00	26.70	C
ATOM	1976	CD	GLU	A	255	49.841	43.290	23.545	1.00	33.63	C
ATOM	1977	OE1	GLU	A	255	49.602	44.321	22.881	1.00	37.03	O
ATOM	1978	OE2	GLU	A	255	49.612	43.204	24.764	1.00	39.07	O
ATOM	1979	N	LEU	A	256	50.297	39.542	20.196	1.00	18.67	N
ATOM	1980	CA	LEU	A	256	49.550	38.290	20.232	1.00	17.89	C
ATOM	1981	C	LEU	A	256	50.494	37.083	20.199	1.00	17.20	C
ATOM	1982	O	LEU	A	256	50.412	36.193	21.052	1.00	19.20	O
ATOM	1983	CB	LEU	A	256	48.587	38.224	19.046	1.00	15.29	C
ATOM	1984	CG	LEU	A	256	47.818	36.912	18.914	1.00	18.94	C
ATOM	1985	CD1	LEU	A	256	46.805	36.771	20.047	1.00	16.63	C
ATOM	1986	CD2	LEU	A	256	47.144	36.850	17.561	1.00	19.21	C
ATOM	1987	N	ALA	A	257	51.398	37.073	19.220	1.00	16.95	N
ATOM	1988	CA	ALA	A	257	52.372	35.993	19.050	1.00	16.80	C
ATOM	1989	C	ALA	A	257	53.271	35.821	20.280	1.00	17.32	C
ATOM	1990	O	ALA	A	257	53.568	34.703	20.716	1.00	19.66	O
ATOM	1991	CB	ALA	A	257	53.228	36.277	17.813	1.00	15.44	C
ATOM	1992	N	GLN	A	258	53.703	36.950	20.829	1.00	18.58	N
ATOM	1993	CA	GLN	A	258	54.574	36.985	21.994	1.00	18.94	C
ATOM	1994	C	GLN	A	258	53.837	36.478	23.230	1.00	18.06	C
ATOM	1995	O	GLN	A	258	54.430	35.821	24.091	1.00	16.85	O
ATOM	1996	CB	GLN	A	258	55.052	38.424	22.204	1.00	23.68	C
ATOM	1997	CG	GLN	A	258	56.528	38.593	22.420	1.00	30.17	C
ATOM	1998	CD	GLN	A	258	57.394	38.018	21.303	1.00	29.06	C
ATOM	1999	OE1	GLN	A	258	57.537	38.599	20.219	1.00	25.75	O
ATOM	2000	NE2	GLN	A	258	58.037	36.906	21.600	1.00	26.88	N
ATOM	2001	N	THR	A	259	52.544	36.784	23.317	1.00	18.69	N
ATOM	2002	CA	THR	A	259	51.733	36.337	24.458	1.00	19.69	C
ATOM	2003	C	THR	A	259	51.492	34.821	24.365	1.00	21.07	C
ATOM	2004	O	THR	A	259	51.574	34.107	25.365	1.00	24.98	O
ATOM	2005	CB	THR	A	259	50.390	37.119	24.559	1.00	17.98	C
ATOM	2006	OG1	THR	A	259	50.661	38.509	24.798	1.00	19.59	O
ATOM	2007	CG2	THR	A	259	49.531	36.582	25.694	1.00	12.32	C
ATOM	2008	N	ILE	A	260	51.225	34.334	23.153	1.00	20.32	N
ATOM	2009	CA	ILE	A	260	51.020	32.906	22.928	1.00	18.40	C
ATOM	2010	C	ILE	A	260	52.314	32.163	23.264	1.00	18.29	C
ATOM	2011	O	ILE	A	260	52.276	31.133	23.935	1.00	23.03	O
ATOM	2012	CB	ILE	A	260	50.590	32.626	21.467	1.00	19.08	C
ATOM	2013	CG1	ILE	A	260	49.154	33.103	21.266	1.00	17.88	C
ATOM	2014	CG2	ILE	A	260	50.718	31.144	21.130	1.00	18.63	C

ATOM	2015	CD1	ILE	A	260	48.645	32.954	19.845	1.00	19.67	C
ATOM	2016	N	ALA	A	261	53.453	32.700	22.828	1.00	15.86	N
ATOM	2017	CA	ALA	A	261	54.751	32.092	23.114	1.00	15.07	C
ATOM	2018	C	ALA	A	261	54.900	31.901	24.617	1.00	18.31	C
ATOM	2019	O	ALA	A	261	55.300	30.829	25.078	1.00	21.16	O
ATOM	2020	CB	ALA	A	261	55.876	32.963	22.595	1.00	12.21	C
ATOM	2021	N	LYS	A	262	54.567	32.939	25.378	1.00	18.14	N
ATOM	2022	CA	LYS	A	262	54.655	32.884	26.831	1.00	16.87	C
ATOM	2023	C	LYS	A	262	53.698	31.834	27.421	1.00	21.94	C
ATOM	2024	O	LYS	A	262	54.099	31.024	28.258	1.00	23.55	O
ATOM	2025	CB	LYS	A	262	54.359	34.262	27.424	1.00	20.72	C
ATOM	2026	CG	LYS	A	262	54.286	34.286	28.956	1.00	25.19	C
ATOM	2027	CD	LYS	A	262	53.674	35.582	29.460	1.00	37.48	C
ATOM	2028	CE	LYS	A	262	53.272	35.495	30.935	1.00	44.21	C
ATOM	2029	NZ	LYS	A	262	52.634	36.770	31.409	1.00	48.78	N
ATOM	2030	N	VAL	A	263	52.438	31.857	26.988	1.00	19.95	N
ATOM	2031	CA	VAL	A	263	51.420	30.919	27.460	1.00	20.58	C
ATOM	2032	C	VAL	A	263	51.831	29.448	27.238	1.00	22.00	C
ATOM	2033	O	VAL	A	263	51.623	28.581	28.088	1.00	19.34	O
ATOM	2034	CB	VAL	A	263	50.046	31.218	26.754	1.00	19.39	C
ATOM	2035	CG1	VAL	A	263	49.056	30.073	26.936	1.00	16.70	C
ATOM	2036	CG2	VAL	A	263	49.454	32.496	27.312	1.00	17.88	C
ATOM	2037	N	VAL	A	264	52.436	29.185	26.091	1.00	20.64	N
ATOM	2038	CA	VAL	A	264	52.849	27.847	25.732	1.00	21.28	C
ATOM	2039	C	VAL	A	264	54.170	27.409	26.390	1.00	24.03	C
ATOM	2040	O	VAL	A	264	54.443	26.216	26.507	1.00	25.06	O
ATOM	2041	CB	VAL	A	264	52.892	27.738	24.194	1.00	20.52	C
ATOM	2042	CG1	VAL	A	264	53.616	26.499	23.751	1.00	27.46	C
ATOM	2043	CG2	VAL	A	264	51.465	27.734	23.656	1.00	19.97	C
ATOM	2044	N	GLY	A	265	54.940	28.371	26.891	1.00	22.67	N
ATOM	2045	CA	GLY	A	265	56.213	28.057	27.509	1.00	23.29	C
ATOM	2046	C	GLY	A	265	57.329	27.947	26.483	1.00	25.65	C
ATOM	2047	O	GLY	A	265	58.329	27.264	26.714	1.00	26.53	O
ATOM	2048	N	TYR	A	266	57.156	28.612	25.343	1.00	25.58	N
ATOM	2049	CA	TYR	A	266	58.152	28.584	24.278	1.00	24.54	C
ATOM	2050	C	TYR	A	266	59.340	29.454	24.673	1.00	24.99	C
ATOM	2051	O	TYR	A	266	59.156	30.584	25.127	1.00	24.52	O
ATOM	2052	CB	TYR	A	266	57.542	29.073	22.963	1.00	22.49	C
ATOM	2053	CG	TYR	A	266	58.510	29.051	21.807	1.00	19.00	C
ATOM	2054	CD1	TYR	A	266	59.169	27.871	21.451	1.00	22.48	C
ATOM	2055	CD2	TYR	A	266	58.788	30.209	21.084	1.00	17.81	C
ATOM	2056	CE1	TYR	A	266	60.089	27.844	20.402	1.00	20.47	C
ATOM	2057	CE2	TYR	A	266	59.703	30.195	20.033	1.00	17.70	C
ATOM	2058	CZ	TYR	A	266	60.350	29.008	19.700	1.00	21.27	C
ATOM	2059	OH	TYR	A	266	61.263	28.983	18.669	1.00	22.27	O
ATOM	2060	N	LYS	A	267	60.551	28.920	24.509	1.00	25.64	N
ATOM	2061	CA	LYS	A	267	61.766	29.647	24.881	1.00	27.14	C
ATOM	2062	C	LYS	A	267	62.572	30.148	23.699	1.00	26.30	C
ATOM	2063	O	LYS	A	267	63.564	30.852	23.881	1.00	30.44	O
ATOM	2064	CB	LYS	A	267	62.684	28.773	25.733	1.00	28.63	C
ATOM	2065	CG	LYS	A	267	62.115	28.330	27.052	1.00	30.53	C
ATOM	2066	CD	LYS	A	267	61.994	29.458	28.010	1.00	27.17	C
ATOM	2067	CE	LYS	A	267	61.705	28.911	29.387	1.00	33.31	C
ATOM	2068	NZ	LYS	A	267	61.524	30.028	30.362	1.00	40.44	N
ATOM	2069	N	GLY	A	268	62.185	29.753	22.496	1.00	25.10	N
ATOM	2070	CA	GLY	A	268	62.908	30.201	21.320	1.00	23.55	C

ATOM	2071	C	GLY	A	268	62.619	31.650	20.978	1.00	24.88	C
ATOM	2072	O	GLY	A	268	62.099	32.417	21.792	1.00	24.02	O
ATOM	2073	N	ARG	A	269	62.950	32.022	19.750	1.00	24.86	N
ATOM	2074	CA	ARG	A	269	62.735	33.377	19.286	1.00	25.94	C
ATOM	2075	C	ARG	A	269	61.558	33.484	18.342	1.00	23.02	C
ATOM	2076	O	ARG	A	269	61.336	32.607	17.526	1.00	20.55	O
ATOM	2077	CB	ARG	A	269	63.994	33.904	18.593	1.00	27.44	C
ATOM	2078	CG	ARG	A	269	65.000	34.525	19.557	1.00	37.34	C
ATOM	2079	CD	ARG	A	269	65.858	35.587	18.860	1.00	50.39	C
ATOM	2080	NE	ARG	A	269	65.068	36.564	18.088	1.00	59.23	N
ATOM	2081	CZ	ARG	A	269	64.196	37.440	18.604	1.00	60.47	C
ATOM	2082	NH1	ARG	A	269	63.989	37.504	19.922	1.00	58.26	N
ATOM	2083	NH2	ARG	A	269	63.537	38.270	17.793	1.00	55.93	N
ATOM	2084	N	VAL	A	270	60.766	34.535	18.511	1.00	23.13	N
ATOM	2085	CA	VAL	A	270	59.632	34.792	17.630	1.00	23.60	C
ATOM	2086	C	VAL	A	270	60.178	35.771	16.588	1.00	23.02	C
ATOM	2087	O	VAL	A	270	60.712	36.819	16.924	1.00	26.13	O
ATOM	2088	CB	VAL	A	270	58.433	35.422	18.387	1.00	26.15	C
ATOM	2089	CG1	VAL	A	270	57.320	35.802	17.392	1.00	19.20	C
ATOM	2090	CG2	VAL	A	270	57.906	34.440	19.441	1.00	15.68	C
ATOM	2091	N	VAL	A	271	60.098	35.405	15.320	1.00	26.09	N
ATOM	2092	CA	VAL	A	271	60.628	36.261	14.269	1.00	23.58	C
ATOM	2093	C	VAL	A	271	59.567	36.643	13.235	1.00	24.79	C
ATOM	2094	O	VAL	A	271	58.837	35.786	12.727	1.00	27.62	O
ATOM	2095	CB	VAL	A	271	61.826	35.556	13.538	1.00	24.40	C
ATOM	2096	CG1	VAL	A	271	62.425	36.465	12.463	1.00	21.77	C
ATOM	2097	CG2	VAL	A	271	62.902	35.124	14.547	1.00	17.00	C
ATOM	2098	N	PHE	A	272	59.473	37.939	12.948	1.00	25.21	N
ATOM	2099	CA	PHE	A	272	58.538	38.433	11.943	1.00	22.09	C
ATOM	2100	C	PHE	A	272	59.288	38.722	10.666	1.00	22.63	C
ATOM	2101	O	PHE	A	272	60.293	39.426	10.678	1.00	26.84	O
ATOM	2102	CB	PHE	A	272	57.800	39.675	12.434	1.00	17.47	C
ATOM	2103	CG	PHE	A	272	56.657	39.352	13.332	1.00	19.08	C
ATOM	2104	CD1	PHE	A	272	55.397	39.094	12.798	1.00	20.72	C
ATOM	2105	CD2	PHE	A	272	56.845	39.228	14.702	1.00	14.99	C
ATOM	2106	CE1	PHE	A	272	54.341	38.712	13.622	1.00	22.36	C
ATOM	2107	CE2	PHE	A	272	55.799	38.846	15.534	1.00	19.04	C
ATOM	2108	CZ	PHE	A	272	54.545	38.585	14.997	1.00	18.63	C
ATOM	2109	N	ASP	A	273	58.859	38.087	9.585	1.00	21.71	N
ATOM	2110	CA	ASP	A	273	59.479	38.276	8.291	1.00	21.05	C
ATOM	2111	C	ASP	A	273	58.739	39.419	7.608	1.00	21.52	C
ATOM	2112	O	ASP	A	273	57.683	39.221	7.005	1.00	23.03	O
ATOM	2113	CB	ASP	A	273	59.380	36.984	7.477	1.00	22.70	C
ATOM	2114	CG	ASP	A	273	60.125	37.062	6.159	1.00	23.85	C
ATOM	2115	OD1	ASP	A	273	60.469	38.175	5.712	1.00	25.22	O
ATOM	2116	OD2	ASP	A	273	60.359	36.005	5.550	1.00	31.35	O
ATOM	2117	N	ALA	A	274	59.306	40.618	7.701	1.00	23.17	N
ATOM	2118	CA	ALA	A	274	58.698	41.820	7.119	1.00	22.99	C
ATOM	2119	C	ALA	A	274	58.742	41.907	5.600	1.00	22.46	C
ATOM	2120	O	ALA	A	274	58.314	42.906	5.032	1.00	23.10	O
ATOM	2121	CB	ALA	A	274	59.321	43.077	7.731	1.00	21.48	C
ATOM	2122	N	SER	A	275	59.316	40.899	4.946	1.00	22.96	N
ATOM	2123	CA	SER	A	275	59.375	40.895	3.487	1.00	25.11	C
ATOM	2124	C	SER	A	275	58.027	40.422	2.915	1.00	25.06	C
ATOM	2125	O	SER	A	275	57.810	40.458	1.707	1.00	29.16	O
ATOM	2126	CB	SER	A	275	60.523	40.008	2.987	1.00	23.74	C

ATOM	2127	OG	SER A	275	60.223	38.632	3.132	1.00	23.99	O
ATOM	2128	N	LYS A	276	57.144	39.965	3.803	1.00	22.01	N
ATOM	2129	CA	LYS A	276	55.816	39.502	3.439	1.00	22.01	C
ATOM	2130	C	LYS A	276	54.870	40.632	3.803	1.00	24.73	C
ATOM	2131	O	LYS A	276	55.055	41.299	4.816	1.00	23.25	O
ATOM	2132	CB	LYS A	276	55.447	38.259	4.234	1.00	19.15	C
ATOM	2133	CG	LYS A	276	56.423	37.122	4.070	1.00	23.43	C
ATOM	2134	CD	LYS A	276	56.360	36.545	2.694	1.00	19.29	C
ATOM	2135	CE	LYS A	276	57.294	35.377	2.575	1.00	19.32	C
ATOM	2136	NZ	LYS A	276	57.030	34.700	1.281	1.00	20.62	N
ATOM	2137	N	PRO A	277	53.828	40.848	2.988	1.00	27.74	N
ATOM	2138	CA	PRO A	277	52.840	41.909	3.212	1.00	25.57	C
ATOM	2139	C	PRO A	277	51.945	41.721	4.432	1.00	25.62	C
ATOM	2140	O	PRO A	277	51.745	40.606	4.917	1.00	25.00	O
ATOM	2141	CB	PRO A	277	52.021	41.871	1.931	1.00	26.37	C
ATOM	2142	CG	PRO A	277	52.032	40.386	1.592	1.00	28.94	C
ATOM	2143	CD	PRO A	277	53.485	40.046	1.796	1.00	28.55	C
ATOM	2144	N	ASP A	278	51.466	42.839	4.961	1.00	25.93	N
ATOM	2145	CA	ASP A	278	50.557	42.823	6.098	1.00	27.14	C
ATOM	2146	C	ASP A	278	49.165	42.983	5.520	1.00	28.69	C
ATOM	2147	O	ASP A	278	49.010	43.296	4.341	1.00	29.84	O
ATOM	2148	CB	ASP A	278	50.808	44.016	7.022	1.00	25.70	C
ATOM	2149	CG	ASP A	278	52.077	43.886	7.830	1.00	29.46	C
ATOM	2150	OD1	ASP A	278	52.269	42.841	8.484	1.00	30.78	O
ATOM	2151	OD2	ASP A	278	52.861	44.856	7.849	1.00	31.84	O
ATOM	2152	N	GLY A	279	48.150	42.755	6.346	1.00	33.85	N
ATOM	2153	CA	GLY A	279	46.785	42.959	5.891	1.00	35.02	C
ATOM	2154	C	GLY A	279	46.497	44.415	6.207	1.00	33.99	C
ATOM	2155	O	GLY A	279	47.422	45.235	6.236	1.00	33.76	O
ATOM	2156	N	THR A	280	45.236	44.753	6.458	1.00	36.26	N
ATOM	2157	CA	THR A	280	44.893	46.133	6.803	1.00	34.69	C
ATOM	2158	C	THR A	280	45.559	46.438	8.147	1.00	33.02	C
ATOM	2159	O	THR A	280	45.689	45.559	9.009	1.00	31.79	O
ATOM	2160	CB	THR A	280	43.367	46.349	6.867	1.00	36.65	C
ATOM	2161	OG1	THR A	280	42.787	45.386	7.755	1.00	39.09	O
ATOM	2162	CG2	THR A	280	42.749	46.188	5.471	1.00	40.33	C
ATOM	2163	N	PRO A	281	45.997	47.686	8.337	1.00	31.08	N
ATOM	2164	CA	PRO A	281	46.670	48.121	9.565	1.00	32.40	C
ATOM	2165	C	PRO A	281	45.898	47.914	10.859	1.00	30.92	C
ATOM	2166	O	PRO A	281	46.474	47.578	11.891	1.00	30.49	O
ATOM	2167	CB	PRO A	281	46.894	49.621	9.320	1.00	31.76	C
ATOM	2168	CG	PRO A	281	46.865	49.751	7.834	1.00	32.42	C
ATOM	2169	CD	PRO A	281	45.753	48.833	7.448	1.00	29.66	C
ATOM	2170	N	ARG A	282	44.585	48.083	10.787	1.00	31.53	N
ATOM	2171	CA	ARG A	282	43.754	47.995	11.974	1.00	32.15	C
ATOM	2172	C	ARG A	282	42.355	47.487	11.654	1.00	30.49	C
ATOM	2173	O	ARG A	282	41.781	47.807	10.617	1.00	32.66	O
ATOM	2174	CB	ARG A	282	43.685	49.391	12.593	1.00	31.82	C
ATOM	2175	CG	ARG A	282	43.141	49.443	13.979	1.00	34.24	C
ATOM	2176	CD	ARG A	282	43.421	50.805	14.558	1.00	38.29	C
ATOM	2177	NE	ARG A	282	42.928	50.914	15.922	1.00	41.55	N
ATOM	2178	CZ	ARG A	282	42.125	51.885	16.347	1.00	44.61	C
ATOM	2179	NH1	ARG A	282	41.725	52.836	15.508	1.00	44.61	N
ATOM	2180	NH2	ARG A	282	41.706	51.894	17.603	1.00	43.85	N
ATOM	2181	N	LYS A	283	41.809	46.690	12.556	1.00	30.16	N
ATOM	2182	CA	LYS A	283	40.486	46.150	12.357	1.00	27.63	C

ATOM	2183	C	LYS	A	283	39.894	45.799	13.718	1.00	28.84	C
ATOM	2184	O	LYS	A	283	40.387	44.905	14.408	1.00	31.61	O
ATOM	2185	CB	LYS	A	283	40.576	44.921	11.456	1.00	27.98	C
ATOM	2186	CG	LYS	A	283	39.273	44.486	10.834	1.00	37.70	C
ATOM	2187	CD	LYS	A	283	39.450	43.206	10.041	1.00	48.15	C
ATOM	2188	CE	LYS	A	283	38.117	42.477	9.870	1.00	58.89	C
ATOM	2189	NZ	LYS	A	283	38.292	41.105	9.311	1.00	63.83	N
ATOM	2190	N	LEU	A	284	38.930	46.602	14.160	1.00	27.13	N
ATOM	2191	CA	LEU	A	284	38.235	46.351	15.424	1.00	26.74	C
ATOM	2192	C	LEU	A	284	36.846	46.975	15.391	1.00	24.56	C
ATOM	2193	O	LEU	A	284	36.586	47.902	14.628	1.00	24.46	O
ATOM	2194	CB	LEU	A	284	39.013	46.856	16.643	1.00	27.79	C
ATOM	2195	CG	LEU	A	284	38.943	48.326	17.029	1.00	29.30	C
ATOM	2196	CD1	LEU	A	284	39.421	48.471	18.456	1.00	25.87	C
ATOM	2197	CD2	LEU	A	284	39.770	49.171	16.073	1.00	31.37	C
ATOM	2198	N	LEU	A	285	35.954	46.436	16.209	1.00	23.49	N
ATOM	2199	CA	LEU	A	285	34.579	46.899	16.281	1.00	23.39	C
ATOM	2200	C	LEU	A	285	34.335	47.995	17.313	1.00	25.11	C
ATOM	2201	O	LEU	A	285	35.015	48.082	18.339	1.00	27.85	O
ATOM	2202	CB	LEU	A	285	33.649	45.725	16.628	1.00	17.63	C
ATOM	2203	CG	LEU	A	285	33.598	44.474	15.763	1.00	15.00	C
ATOM	2204	CD1	LEU	A	285	32.609	43.474	16.375	1.00	15.44	C
ATOM	2205	CD2	LEU	A	285	33.204	44.850	14.349	1.00	15.47	C
ATOM	2206	N	ASP	A	286	33.345	48.828	17.022	1.00	25.66	N
ATOM	2207	CA	ASP	A	286	32.916	49.867	17.933	1.00	25.25	C
ATOM	2208	C	ASP	A	286	31.832	49.112	18.720	1.00	25.87	C
ATOM	2209	O	ASP	A	286	30.847	48.633	18.147	1.00	24.18	O
ATOM	2210	CB	ASP	A	286	32.310	51.024	17.136	1.00	29.44	C
ATOM	2211	CG	ASP	A	286	31.971	52.223	17.999	1.00	31.06	C
ATOM	2212	OD1	ASP	A	286	31.528	52.034	19.149	1.00	27.73	O
ATOM	2213	OD2	ASP	A	286	32.144	53.359	17.514	1.00	34.89	O
ATOM	2214	N	VAL	A	287	32.042	48.949	20.019	1.00	26.35	N
ATOM	2215	CA	VAL	A	287	31.084	48.220	20.831	1.00	25.91	C
ATOM	2216	C	VAL	A	287	30.259	49.097	21.771	1.00	27.64	C
ATOM	2217	O	VAL	A	287	29.694	48.610	22.756	1.00	29.27	O
ATOM	2218	CB	VAL	A	287	31.787	47.078	21.593	1.00	28.95	C
ATOM	2219	CG1	VAL	A	287	32.270	46.023	20.600	1.00	27.85	C
ATOM	2220	CG2	VAL	A	287	32.977	47.622	22.367	1.00	29.30	C
ATOM	2221	N	THR	A	288	30.154	50.379	21.419	1.00	29.70	N
ATOM	2222	CA	THR	A	288	29.390	51.380	22.177	1.00	28.48	C
ATOM	2223	C	THR	A	288	27.951	50.932	22.436	1.00	29.29	C
ATOM	2224	O	THR	A	288	27.478	50.972	23.568	1.00	32.29	O
ATOM	2225	CB	THR	A	288	29.325	52.707	21.406	1.00	28.48	C
ATOM	2226	OG1	THR	A	288	30.637	53.261	21.288	1.00	27.75	O
ATOM	2227	CG2	THR	A	288	28.423	53.690	22.115	1.00	31.20	C
ATOM	2228	N	ARG	A	289	27.273	50.512	21.370	1.00	28.56	N
ATOM	2229	CA	ARG	A	289	25.893	50.051	21.425	1.00	25.44	C
ATOM	2230	C	ARG	A	289	25.736	48.907	22.433	1.00	28.20	C
ATOM	2231	O	ARG	A	289	24.858	48.936	23.299	1.00	27.08	O
ATOM	2232	CB	ARG	A	289	25.454	49.614	20.023	1.00	24.80	C
ATOM	2233	CG	ARG	A	289	23.963	49.476	19.838	1.00	28.12	C
ATOM	2234	CD	ARG	A	289	23.585	48.976	18.447	1.00	30.30	C
ATOM	2235	NE	ARG	A	289	23.274	50.048	17.491	1.00	31.95	N
ATOM	2236	CZ	ARG	A	289	22.534	49.877	16.388	1.00	36.11	C
ATOM	2237	NH1	ARG	A	289	22.023	48.681	16.100	1.00	31.94	N
ATOM	2238	NH2	ARG	A	289	22.308	50.897	15.555	1.00	35.50	N

ATOM	2239	N	LEU	A	290	26.631	47.926	22.354	1.00	30.63	N
ATOM	2240	CA	LEU	A	290	26.589	46.782	23.259	1.00	30.83	C
ATOM	2241	C	LEU	A	290	26.827	47.197	24.707	1.00	31.36	C
ATOM	2242	O	LEU	A	290	26.175	46.693	25.621	1.00	28.39	O
ATOM	2243	CB	LEU	A	290	27.620	45.729	22.851	1.00	29.98	C
ATOM	2244	CG	LEU	A	290	27.698	44.516	23.780	1.00	30.44	C
ATOM	2245	CD1	LEU	A	290	26.384	43.735	23.766	1.00	26.66	C
ATOM	2246	CD2	LEU	A	290	28.878	43.643	23.388	1.00	33.51	C
ATOM	2247	N	HIS	A	291	27.784	48.095	24.910	1.00	32.98	N
ATOM	2248	CA	HIS	A	291	28.107	48.577	26.248	1.00	35.96	C
ATOM	2249	C	HIS	A	291	26.942	49.368	26.835	1.00	39.26	C
ATOM	2250	O	HIS	A	291	26.644	49.254	28.029	1.00	39.62	O
ATOM	2251	CB	HIS	A	291	29.386	49.407	26.215	1.00	34.49	C
ATOM	2252	CG	HIS	A	291	30.624	48.582	26.059	1.00	33.27	C
ATOM	2253	ND1	HIS	A	291	31.869	49.134	25.840	1.00	32.89	N
ATOM	2254	CD2	HIS	A	291	30.809	47.239	26.102	1.00	26.67	C
ATOM	2255	CE1	HIS	A	291	32.768	48.167	25.756	1.00	31.57	C
ATOM	2256	NE2	HIS	A	291	32.149	47.009	25.911	1.00	30.81	N
ATOM	2257	N	GLN	A	292	26.249	50.121	25.981	1.00	39.60	N
ATOM	2258	CA	GLN	A	292	25.094	50.882	26.427	1.00	40.94	C
ATOM	2259	C	GLN	A	292	23.959	49.937	26.808	1.00	37.83	C
ATOM	2260	O	GLN	A	292	23.108	50.292	27.609	1.00	37.10	O
ATOM	2261	CB	GLN	A	292	24.651	51.878	25.361	1.00	44.00	C
ATOM	2262	CG	GLN	A	292	25.597	53.070	25.256	1.00	51.59	C
ATOM	2263	CD	GLN	A	292	25.192	54.069	24.174	1.00	58.20	C
ATOM	2264	OE1	GLN	A	292	25.544	55.252	24.248	1.00	58.41	O
ATOM	2265	NE2	GLN	A	292	24.465	53.595	23.156	1.00	57.53	N
ATOM	2266	N	LEU	A	293	23.973	48.727	26.251	1.00	35.06	N
ATOM	2267	CA	LEU	A	293	22.966	47.716	26.564	1.00	31.20	C
ATOM	2268	C	LEU	A	293	23.355	46.972	27.848	1.00	31.87	C
ATOM	2269	O	LEU	A	293	22.741	45.957	28.218	1.00	28.32	O
ATOM	2270	CB	LEU	A	293	22.823	46.726	25.412	1.00	33.88	C
ATOM	2271	CG	LEU	A	293	22.183	47.239	24.124	1.00	37.17	C
ATOM	2272	CD1	LEU	A	293	22.203	46.139	23.092	1.00	35.04	C
ATOM	2273	CD2	LEU	A	293	20.757	47.677	24.390	1.00	39.47	C
ATOM	2274	N	GLY	A	294	24.423	47.452	28.484	1.00	33.62	N
ATOM	2275	CA	GLY	A	294	24.891	46.879	29.737	1.00	34.29	C
ATOM	2276	C	GLY	A	294	25.719	45.604	29.749	1.00	33.47	C
ATOM	2277	O	GLY	A	294	25.724	44.883	30.746	1.00	33.94	O
ATOM	2278	N	TRP	A	295	26.417	45.306	28.662	1.00	32.35	N
ATOM	2279	CA	TRP	A	295	27.241	44.111	28.644	1.00	29.88	C
ATOM	2280	C	TRP	A	295	28.687	44.446	28.375	1.00	30.10	C
ATOM	2281	O	TRP	A	295	28.996	45.204	27.454	1.00	31.06	O
ATOM	2282	CB	TRP	A	295	26.763	43.104	27.604	1.00	26.98	C
ATOM	2283	CG	TRP	A	295	27.473	41.787	27.730	1.00	28.14	C
ATOM	2284	CD1	TRP	A	295	27.090	40.722	28.491	1.00	25.99	C
ATOM	2285	CD2	TRP	A	295	28.694	41.398	27.077	1.00	25.65	C
ATOM	2286	NE1	TRP	A	295	27.992	39.693	28.351	1.00	29.60	N
ATOM	2287	CE2	TRP	A	295	28.985	40.082	27.489	1.00	25.20	C
ATOM	2288	CE3	TRP	A	295	29.565	42.036	26.181	1.00	26.80	C
ATOM	2289	CZ2	TRP	A	295	30.108	39.389	27.037	1.00	24.14	C
ATOM	2290	CZ3	TRP	A	295	30.678	41.349	25.732	1.00	22.64	C
ATOM	2291	CH2	TRP	A	295	30.940	40.036	26.161	1.00	24.17	C
ATOM	2292	N	TYR	A	296	29.560	43.862	29.190	1.00	29.32	N
ATOM	2293	CA	TYR	A	296	31.005	44.033	29.077	1.00	28.77	C
ATOM	2294	C	TYR	A	296	31.659	42.651	29.158	1.00	29.73	C

ATOM	2295	O	TYR	A	296	31.201	41.785	29.916	1.00	30.95	O
ATOM	2296	CB	TYR	A	296	31.526	44.932	30.194	1.00	28.63	C
ATOM	2297	CG	TYR	A	296	31.191	46.388	30.010	1.00	35.13	C
ATOM	2298	CD1	TYR	A	296	29.952	46.906	30.416	1.00	35.72	C
ATOM	2299	CD2	TYR	A	296	32.114	47.259	29.435	1.00	37.60	C
ATOM	2300	CE1	TYR	A	296	29.641	48.260	30.250	1.00	37.06	C
ATOM	2301	CE2	TYR	A	296	31.817	48.616	29.268	1.00	42.99	C
ATOM	2302	CZ	TYR	A	296	30.582	49.112	29.676	1.00	43.71	C
ATOM	2303	OH	TYR	A	296	30.314	50.458	29.501	1.00	47.05	O
ATOM	2304	N	HIS	A	297	32.695	42.433	28.348	1.00	29.71	N
ATOM	2305	CA	HIS	A	297	33.396	41.153	28.328	1.00	32.32	C
ATOM	2306	C	HIS	A	297	34.166	40.957	29.617	1.00	34.54	C
ATOM	2307	O	HIS	A	297	34.608	41.930	30.227	1.00	32.74	O
ATOM	2308	CB	HIS	A	297	34.358	41.077	27.144	1.00	33.25	C
ATOM	2309	CG	HIS	A	297	35.472	42.070	27.209	1.00	33.45	C
ATOM	2310	ND1	HIS	A	297	35.274	43.422	27.025	1.00	34.24	N
ATOM	2311	CD2	HIS	A	297	36.797	41.911	27.438	1.00	31.57	C
ATOM	2312	CE1	HIS	A	297	36.430	44.053	27.136	1.00	31.26	C
ATOM	2313	NE2	HIS	A	297	37.370	43.159	27.386	1.00	28.92	N
ATOM	2314	N	GLU	A	298	34.337	39.697	30.009	1.00	35.11	N
ATOM	2315	CA	GLU	A	298	35.050	39.354	31.233	1.00	38.13	C
ATOM	2316	C	GLU	A	298	36.411	38.696	31.039	1.00	36.62	C
ATOM	2317	O	GLU	A	298	37.288	38.818	31.893	1.00	39.28	O
ATOM	2318	CB	GLU	A	298	34.195	38.435	32.099	1.00	42.57	C
ATOM	2319	CG	GLU	A	298	32.984	39.116	32.700	1.00	56.55	C
ATOM	2320	CD	GLU	A	298	32.192	38.188	33.596	1.00	63.39	C
ATOM	2321	OE1	GLU	A	298	32.626	37.965	34.747	1.00	69.05	O
ATOM	2322	OE2	GLU	A	298	31.142	37.676	33.150	1.00	67.36	O
ATOM	2323	N	ILE	A	299	36.590	38.005	29.920	1.00	33.15	N
ATOM	2324	CA	ILE	A	299	37.829	37.289	29.657	1.00	28.71	C
ATOM	2325	C	ILE	A	299	38.899	38.075	28.912	1.00	30.47	C
ATOM	2326	O	ILE	A	299	38.712	38.461	27.756	1.00	29.27	O
ATOM	2327	CB	ILE	A	299	37.523	35.973	28.927	1.00	26.40	C
ATOM	2328	CG1	ILE	A	299	36.569	35.127	29.785	1.00	24.94	C
ATOM	2329	CG2	ILE	A	299	38.793	35.225	28.631	1.00	24.43	C
ATOM	2330	CD1	ILE	A	299	35.864	33.994	29.039	1.00	26.53	C
ATOM	2331	N	SER	A	300	40.025	38.304	29.590	1.00	30.54	N
ATOM	2332	CA	SER	A	300	41.159	39.025	28.999	1.00	30.46	C
ATOM	2333	C	SER	A	300	41.938	38.078	28.076	1.00	28.34	C
ATOM	2334	O	SER	A	300	41.867	36.852	28.218	1.00	28.24	O
ATOM	2335	CB	SER	A	300	42.096	39.546	30.087	1.00	27.63	C
ATOM	2336	OG	SER	A	300	42.755	38.464	30.725	1.00	34.47	O
ATOM	2337	N	LEU	A	301	42.733	38.653	27.180	1.00	28.69	N
ATOM	2338	CA	LEU	A	301	43.495	37.869	26.221	1.00	27.42	C
ATOM	2339	C	LEU	A	301	44.406	36.790	26.818	1.00	29.59	C
ATOM	2340	O	LEU	A	301	44.315	35.627	26.425	1.00	28.46	O
ATOM	2341	CB	LEU	A	301	44.297	38.791	25.303	1.00	26.04	C
ATOM	2342	CG	LEU	A	301	44.982	38.076	24.132	1.00	30.13	C
ATOM	2343	CD1	LEU	A	301	43.940	37.536	23.150	1.00	24.15	C
ATOM	2344	CD2	LEU	A	301	45.924	39.020	23.431	1.00	30.75	C
ATOM	2345	N	GLU	A	302	45.259	37.166	27.772	1.00	30.96	N
ATOM	2346	CA	GLU	A	302	46.193	36.224	28.387	1.00	33.25	C
ATOM	2347	C	GLU	A	302	45.449	35.068	29.033	1.00	29.75	C
ATOM	2348	O	GLU	A	302	45.797	33.903	28.813	1.00	28.90	O
ATOM	2349	CB	GLU	A	302	47.072	36.904	29.445	1.00	40.61	C
ATOM	2350	CG	GLU	A	302	47.527	38.323	29.119	1.00	58.01	C

ATOM	2351	CD	GLU	A	302	46.440	39.379	29.381	1.00	65.75	C
ATOM	2352	OE1	GLU	A	302	45.931	39.444	30.532	1.00	72.24	O
ATOM	2353	OE2	GLU	A	302	46.102	40.140	28.439	1.00	63.01	O
ATOM	2354	N	ALA	A	303	44.425	35.403	29.824	1.00	24.88	N
ATOM	2355	CA	ALA	A	303	43.606	34.408	30.526	1.00	24.71	C
ATOM	2356	C	ALA	A	303	42.865	33.484	29.560	1.00	25.54	C
ATOM	2357	O	ALA	A	303	42.791	32.271	29.789	1.00	29.66	O
ATOM	2358	CB	ALA	A	303	42.616	35.098	31.458	1.00	21.89	C
ATOM	2359	N	GLY	A	304	42.340	34.057	28.476	1.00	23.60	N
ATOM	2360	CA	GLY	A	304	41.615	33.276	27.488	1.00	22.00	C
ATOM	2361	C	GLY	A	304	42.518	32.350	26.698	1.00	24.00	C
ATOM	2362	O	GLY	A	304	42.111	31.247	26.326	1.00	24.61	O
ATOM	2363	N	LEU	A	305	43.735	32.806	26.415	1.00	22.18	N
ATOM	2364	CA	LEU	A	305	44.695	31.997	25.675	1.00	22.81	C
ATOM	2365	C	LEU	A	305	45.192	30.854	26.550	1.00	23.51	C
ATOM	2366	O	LEU	A	305	45.345	29.724	26.083	1.00	21.91	O
ATOM	2367	CB	LEU	A	305	45.862	32.854	25.187	1.00	23.16	C
ATOM	2368	CG	LEU	A	305	45.563	33.826	24.040	1.00	22.90	C
ATOM	2369	CD1	LEU	A	305	46.771	34.725	23.816	1.00	23.25	C
ATOM	2370	CD2	LEU	A	305	45.210	33.054	22.767	1.00	19.28	C
ATOM	2371	N	ALA	A	306	45.407	31.140	27.829	1.00	22.44	N
ATOM	2372	CA	ALA	A	306	45.863	30.114	28.755	1.00	23.30	C
ATOM	2373	C	ALA	A	306	44.805	29.003	28.904	1.00	25.38	C
ATOM	2374	O	ALA	A	306	45.127	27.813	28.799	1.00	27.64	O
ATOM	2375	CB	ALA	A	306	46.200	30.735	30.107	1.00	17.87	C
ATOM	2376	N	SER	A	307	43.538	29.376	29.097	1.00	25.23	N
ATOM	2377	CA	SER	A	307	42.491	28.366	29.242	1.00	26.15	C
ATOM	2378	C	SER	A	307	42.228	27.591	27.948	1.00	25.13	C
ATOM	2379	O	SER	A	307	41.934	26.392	27.983	1.00	28.37	O
ATOM	2380	CB	SER	A	307	41.196	28.980	29.785	1.00	25.82	C
ATOM	2381	OG	SER	A	307	40.598	29.852	28.850	1.00	34.44	O
ATOM	2382	N	THR	A	308	42.322	28.275	26.812	1.00	22.65	N
ATOM	2383	CA	THR	A	308	42.126	27.643	25.505	1.00	22.04	C
ATOM	2384	C	THR	A	308	43.255	26.631	25.264	1.00	23.92	C
ATOM	2385	O	THR	A	308	43.024	25.565	24.687	1.00	25.72	O
ATOM	2386	CB	THR	A	308	42.165	28.693	24.348	1.00	21.15	C
ATOM	2387	OG1	THR	A	308	41.155	29.685	24.552	1.00	19.89	O
ATOM	2388	CG2	THR	A	308	41.939	28.030	23.008	1.00	17.69	C
ATOM	2389	N	TYR	A	309	44.481	26.987	25.665	1.00	25.33	N
ATOM	2390	CA	TYR	A	309	45.636	26.102	25.493	1.00	26.21	C
ATOM	2391	C	TYR	A	309	45.420	24.846	26.330	1.00	26.41	C
ATOM	2392	O	TYR	A	309	45.711	23.730	25.898	1.00	23.91	O
ATOM	2393	CB	TYR	A	309	46.944	26.787	25.918	1.00	23.36	C
ATOM	2394	CG	TYR	A	309	48.166	25.943	25.605	1.00	21.24	C
ATOM	2395	CD1	TYR	A	309	48.328	25.367	24.340	1.00	18.75	C
ATOM	2396	CD2	TYR	A	309	49.131	25.681	26.582	1.00	21.27	C
ATOM	2397	CE1	TYR	A	309	49.411	24.551	24.052	1.00	19.56	C
ATOM	2398	CE2	TYR	A	309	50.223	24.866	26.311	1.00	17.57	C
ATOM	2399	CZ	TYR	A	309	50.361	24.302	25.045	1.00	21.33	C
ATOM	2400	OH	TYR	A	309	51.456	23.502	24.767	1.00	20.21	O
ATOM	2401	N	GLN	A	310	44.897	25.056	27.531	1.00	27.89	N
ATOM	2402	CA	GLN	A	310	44.594	23.978	28.451	1.00	31.81	C
ATOM	2403	C	GLN	A	310	43.607	23.018	27.789	1.00	31.36	C
ATOM	2404	O	GLN	A	310	43.820	21.810	27.808	1.00	33.37	O
ATOM	2405	CB	GLN	A	310	44.006	24.560	29.734	1.00	38.01	C
ATOM	2406	CG	GLN	A	310	44.110	23.639	30.916	1.00	51.59	C

ATOM	2407	CD	GLN	A	31.0	45.498	23.054	31.042	1.00	60.30	C
ATOM	2408	OE1	GLN	A	31.0	45.655	21.839	31.196	1.00	64.67	O
ATOM	2409	NE2	GLN	A	31.0	46.521	23.908	30.930	1.00	60.71	N
ATOM	2410	N	TRP	A	31.1	42.554	23.556	27.166	1.00	30.58	N
ATOM	2411	CA	TRP	A	31.1	41.565	22.721	26.482	1.00	29.94	C
ATOM	2412	C	TRP	A	31.1	42.243	21.969	25.333	1.00	30.11	C
ATOM	2413	O	TRP	A	31.1	41.993	20.779	25.134	1.00	31.81	O
ATOM	2414	CB	TRP	A	31.1	40.389	23.560	25.940	1.00	26.63	C
ATOM	2415	CG	TRP	A	31.1	39.327	22.736	25.219	1.00	27.45	C
ATOM	2416	CD1	TRP	A	31.1	38.227	22.153	25.782	1.00	25.65	C
ATOM	2417	CD2	TRP	A	31.1	39.311	22.352	23.828	1.00	25.38	C
ATOM	2418	NE1	TRP	A	31.1	37.539	21.423	24.841	1.00	27.93	N
ATOM	2419	CE2	TRP	A	31.1	38.182	21.525	23.635	1.00	25.85	C
ATOM	2420	CE3	TRP	A	31.1	40.145	22.617	22.734	1.00	24.20	C
ATOM	2421	CZ2	TRP	A	31.1	37.866	20.961	22.397	1.00	26.13	C
ATOM	2422	CZ3	TRP	A	31.1	39.831	22.053	21.501	1.00	26.01	C
ATOM	2423	CH2	TRP	A	31.1	38.701	21.234	21.344	1.00	27.42	C
ATOM	2424	N	PHE	A	31.2	43.064	22.678	24.558	1.00	31.15	N
ATOM	2425	CA	PHE	A	31.2	43.790	22.071	23.443	1.00	29.26	C
ATOM	2426	C	PHE	A	31.2	44.630	20.871	23.913	1.00	31.45	C
ATOM	2427	O	PHE	A	31.2	44.669	19.841	23.233	1.00	30.12	O
ATOM	2428	CB	PHE	A	31.2	44.700	23.094	22.758	1.00	28.80	C
ATOM	2429	CG	PHE	A	31.2	45.604	22.489	21.727	1.00	29.23	C
ATOM	2430	CD1	PHE	A	31.2	45.090	22.051	20.509	1.00	29.28	C
ATOM	2431	CD2	PHE	A	31.2	46.960	22.296	21.996	1.00	30.23	C
ATOM	2432	CE1	PHE	A	31.2	45.907	21.423	19.571	1.00	30.71	C
ATOM	2433	CE2	PHE	A	31.2	47.789	21.669	21.067	1.00	29.70	C
ATOM	2434	CZ	PHE	A	31.2	47.261	21.231	19.852	1.00	27.73	C
ATOM	2435	N	LEU	A	31.3	45.291	21.006	25.068	1.00	31.69	N
ATOM	2436	CA	LEU	A	31.3	46.119	19.933	25.631	1.00	33.26	C
ATOM	2437	C	LEU	A	31.3	45.330	18.661	25.939	1.00	35.99	C
ATOM	2438	O	LEU	A	31.3	45.790	17.558	25.652	1.00	38.67	O
ATOM	2439	CB	LEU	A	31.3	46.855	20.401	26.891	1.00	26.85	C
ATOM	2440	CG	LEU	A	31.3	48.001	21.388	26.663	1.00	27.01	C
ATOM	2441	CD1	LEU	A	31.3	48.648	21.781	27.985	1.00	25.82	C
ATOM	2442	CD2	LEU	A	31.3	49.020	20.769	25.729	1.00	20.94	C
ATOM	2443	N	GLU	A	31.4	44.131	18.814	26.490	1.00	38.83	N
ATOM	2444	CA	GLU	A	31.4	43.291	17.666	26.817	1.00	42.85	C
ATOM	2445	C	GLU	A	31.4	42.578	17.057	25.606	1.00	42.97	C
ATOM	2446	O	GLU	A	31.4	42.068	15.944	25.682	1.00	45.49	O
ATOM	2447	CB	GLU	A	31.4	42.256	18.067	27.862	1.00	46.26	C
ATOM	2448	CG	GLU	A	31.4	42.863	18.587	29.151	1.00	56.81	C
ATOM	2449	CD	GLU	A	31.4	41.852	19.291	30.054	1.00	64.34	C
ATOM	2450	OE1	GLU	A	31.4	40.679	19.464	29.644	1.00	67.08	O
ATOM	2451	OE2	GLU	A	31.4	42.241	19.686	31.179	1.00	67.29	O
ATOM	2452	N	ASN	A	31.5	42.579	17.766	24.483	1.00	43.89	N
ATOM	2453	CA	ASN	A	31.5	41.893	17.296	23.284	1.00	42.94	C
ATOM	2454	C	ASN	A	31.5	42.754	17.260	22.050	1.00	46.04	C
ATOM	2455	O	ASN	A	31.5	42.219	17.283	20.944	1.00	45.53	O
ATOM	2456	CB	ASN	A	31.5	40.711	18.213	22.978	1.00	40.44	C
ATOM	2457	CG	ASN	A	31.5	39.601	18.086	23.983	1.00	41.48	C
ATOM	2458	OD1	ASN	A	31.5	38.661	17.316	23.781	1.00	44.84	O
ATOM	2459	ND2	ASN	A	31.5	39.693	18.841	25.072	1.00	37.23	N
ATOM	2460	N	GLN	A	31.6	44.071	17.201	22.209	1.00	52.36	N
ATOM	2461	CA	GLN	A	31.6	44.925	17.219	21.029	1.00	59.50	C
ATOM	2462	C	GLN	A	31.6	44.820	16.005	20.123	1.00	64.25	C

ATOM	2463	O	GLN	A	316	45.172	16.080	18.942	1.00	64.94	O
ATOM	2464	CB	GLN	A	316	46.376	17.549	21.379	1.00	58.71	C
ATOM	2465	CG	GLN	A	316	47.016	16.649	22.393	1.00	59.40	C
ATOM	2466	CD	GLN	A	316	48.429	17.084	22.718	1.00	59.51	C
ATOM	2467	OE1	GLN	A	316	48.777	17.256	23.884	1.00	60.21	O
ATOM	2468	NE2	GLN	A	316	49.251	17.271	21.686	1.00	56.65	N
ATOM	2469	N	ASP	A	317	44.312	14.897	20.658	1.00	71.12	N
ATOM	2470	CA	ASP	A	317	44.142	13.698	19.846	1.00	77.85	C
ATOM	2471	C	ASP	A	317	42.781	13.744	19.166	1.00	78.64	C
ATOM	2472	O	ASP	A	317	41.908	12.910	19.406	1.00	80.62	O
ATOM	2473	CB	ASP	A	317	44.328	12.424	20.674	1.00	83.34	C
ATOM	2474	CG	ASP	A	317	45.800	12.039	20.824	1.00	89.99	C
ATOM	2475	OD1	ASP	A	317	46.517	12.001	19.796	1.00	92.40	O
ATOM	2476	OD2	ASP	A	317	46.246	11.784	21.964	1.00	92.85	O
ATOM	2477	N	ARG	A	318	42.621	14.780	18.348	1.00	77.41	N
ATOM	2478	CA	ARG	A	318	41.419	15.058	17.573	1.00	74.69	C
ATOM	2479	C	ARG	A	318	41.878	15.849	16.357	1.00	73.27	C
ATOM	2480	O	ARG	A	318	41.164	15.940	15.357	1.00	73.07	O
ATOM	2481	CB	ARG	A	318	40.436	15.905	18.392	1.00	72.86	C
ATOM	2482	CG	ARG	A	318	39.720	15.139	19.496	1.00	73.72	C
ATOM	2483	CD	ARG	A	318	38.963	16.058	20.429	1.00	75.04	C
ATOM	2484	NE	ARG	A	318	38.091	16.982	19.710	1.00	77.68	N
ATOM	2485	CZ	ARG	A	318	36.926	17.428	20.171	1.00	79.28	C
ATOM	2486	NH1	ARG	A	318	36.479	17.027	21.355	1.00	77.37	N
ATOM	2487	NH2	ARG	A	318	36.226	18.314	19.468	1.00	81.27	N
ATOM	2488	N	PHE	A	319	43.099	16.379	16.444	1.00	71.81	N
ATOM	2489	CA	PHE	A	319	43.693	17.187	15.380	1.00	71.58	C
ATOM	2490	C	PHE	A	319	44.983	16.571	14.830	1.00	71.04	C
ATOM	2491	O	PHE	A	319	45.714	15.872	15.538	1.00	70.70	O
ATOM	2492	CB	PHE	A	319	43.965	18.605	15.904	1.00	67.34	C
ATOM	2493	CG	PHE	A	319	42.827	19.184	16.709	1.00	61.35	C
ATOM	2494	CD1	PHE	A	319	41.690	19.687	16.079	1.00	60.62	C
ATOM	2495	CD2	PHE	A	319	42.884	19.202	18.099	1.00	60.16	C
ATOM	2496	CE1	PHE	A	319	40.626	20.196	16.820	1.00	57.05	C
ATOM	2497	CE2	PHE	A	319	41.827	19.709	18.850	1.00	58.76	C
ATOM	2498	CZ	PHE	A	319	40.695	20.206	18.208	1.00	58.40	C
TER	2499		PHE	A	319						
HETATM	2500	PA	NAP		350	31.315	25.650	13.389	1.00	34.76	P
HETATM	2501	O1A	NAP		350	31.563	25.016	12.043	1.00	31.65	O
HETATM	2502	O2A	NAP		350	32.085	25.166	14.562	1.00	37.84	O
HETATM	2503	O5B	NAP		350	29.684	25.558	13.650	1.00	39.24	O
HETATM	2504	C5B	NAP		350	28.750	25.313	12.566	1.00	36.88	C
HETATM	2505	C4B	NAP		350	27.842	24.205	13.036	1.00	35.36	C
HETATM	2506	O4B	NAP		350	26.718	24.160	12.128	1.00	36.40	O
HETATM	2507	C3B	NAP		350	28.498	22.848	12.994	1.00	35.93	C
HETATM	2508	O3B	NAP		350	28.280	22.123	14.231	1.00	34.09	O
HETATM	2509	C2B	NAP		350	27.823	22.165	11.864	1.00	39.63	C
HETATM	2510	O2B	NAP		350	27.698	20.766	12.111	1.00	47.76	O
HETATM	2511	O1B	NAP		350	26.459	22.787	11.809	1.00	35.60	C
HETATM	2512	N9A	NAP		350	25.866	22.654	10.439	1.00	33.14	N
HETATM	2513	C8A	NAP		350	26.342	23.165	9.236	1.00	30.10	C
HETATM	2514	N7A	NAP		350	25.580	22.847	8.223	1.00	32.59	N
HETATM	2515	C5A	NAP		350	24.548	22.085	8.771	1.00	31.41	C
HETATM	2516	C6A	NAP		350	23.419	21.453	8.194	1.00	30.25	C
HETATM	2517	N6A	NAP		350	23.180	21.507	6.891	1.00	29.06	N
HETATM	2518	N1A	NAP		350	22.576	20.769	9.014	1.00	28.70	N

HETATM	2519	C2A	NAP	350	22.831	20.718	10.330	1.00	28.43	C
HETATM	2520	N3A	NAP	350	23.865	21.280	10.954	1.00	30.51	N
HETATM	2521	C4A	NAP	350	24.696	21.965	10.107	1.00	31.90	C
HETATM	2522	O3	NAP	350	31.431	27.248	13.257	1.00	37.22	O
HETATM	2523	PN	NAP	350	31.468	28.504	14.272	1.00	35.69	P
HETATM	2524	O1N	NAP	350	32.940	28.921	14.381	1.00	40.67	O
HETATM	2525	O2N	NAP	350	30.791	28.014	15.557	1.00	35.97	O
HETATM	2526	O5D	NAP	350	30.642	29.696	13.569	1.00	41.76	O
HETATM	2527	C5D	NAP	350	29.194	29.797	13.621	1.00	38.01	C
HETATM	2528	C4D	NAP	350	28.817	31.252	13.326	1.00	41.09	C
HETATM	2529	O4D	NAP	350	29.468	32.058	14.355	1.00	41.66	O
HETATM	2530	C3D	NAP	350	29.433	31.777	12.022	1.00	42.10	C
HETATM	2531	O3D	NAP	350	28.658	31.471	10.835	1.00	38.55	O
HETATM	2532	C2D	NAP	350	29.570	33.266	12.272	1.00	42.29	C
HETATM	2533	O2D	NAP	350	28.363	33.916	11.954	1.00	45.57	O
HETATM	2534	C1D	NAP	350	29.908	33.315	13.798	1.00	41.41	C
HETATM	2535	N1N	NAP	350	31.359	33.479	13.921	1.00	41.86	N
HETATM	2536	C2N	NAP	350	31.799	34.743	13.573	1.00	43.61	C
HETATM	2537	C3N	NAP	350	33.189	35.007	13.653	1.00	44.66	C
HETATM	2538	C7N	NAP	350	33.656	36.335	13.282	1.00	48.04	C
HETATM	2539	O7N	NAP	350	32.753	37.260	12.896	1.00	50.66	O
HETATM	2540	N7N	NAP	350	34.863	36.682	13.302	1.00	52.50	N
HETATM	2541	C4N	NAP	350	34.070	33.999	14.067	1.00	42.95	C
HETATM	2542	C5N	NAP	350	33.626	32.752	14.411	1.00	44.60	C
HETATM	2543	C6N	NAP	350	32.263	32.485	14.334	1.00	44.58	C
HETATM	2544	P2B	NAP	350	28.713	19.674	11.451	1.00	52.24	P
HETATM	2545	O1X	NAP	350	30.120	20.272	11.538	1.00	50.46	O
HETATM	2546	O2X	NAP	350	28.435	18.481	12.338	1.00	53.78	O
HETATM	2547	O3X	NAP	350	28.235	19.553	10.022	1.00	50.69	O
HETATM	2548	O	HOH	3	16.326	46.059	6.381	1.00	16.89	O
HETATM	2549	O	HOH	4	61.533	39.995	15.192	1.00	21.68	O
HETATM	2550	O	HOH	5	36.872	37.741	25.626	1.00	22.16	O
HETATM	2551	O	HOH	6	29.237	45.581	4.261	1.00	22.68	O
HETATM	2552	O	HOH	7	21.608	46.154	9.463	1.00	18.04	O
HETATM	2553	O	HOH	8	11.571	47.882	2.388	1.00	23.36	O
HETATM	2554	O	HOH	9	29.141	46.051	1.373	1.00	22.48	O
HETATM	2555	O	HOH	10	40.653	26.941	4.663	1.00	29.01	O
HETATM	2556	O	HOH	11	39.982	37.473	25.247	1.00	26.28	O
HETATM	2557	O	HOH	12	13.736	45.140	5.926	1.00	15.18	O
HETATM	2558	O	HOH	13	8.855	48.580	12.080	1.00	38.11	O
HETATM	2559	O	HOH	14	55.911	44.474	15.232	1.00	26.77	O
HETATM	2560	O	HOH	15	17.775	32.273	25.692	1.00	35.56	O
HETATM	2561	O	HOH	16	40.798	42.277	21.746	1.00	30.77	O
HETATM	2562	O	HOH	17	33.186	44.489	25.689	1.00	25.27	O
HETATM	2563	O	HOH	18	40.227	42.267	14.187	1.00	25.08	O
HETATM	2564	O	HOH	19	14.481	45.145	12.683	1.00	24.39	O
HETATM	2565	O	HOH	20	21.727	49.624	2.552	1.00	23.58	O
HETATM	2566	O	HOH	21	28.009	47.180	20.039	1.00	31.78	O
HETATM	2567	O	HOH	22	55.235	38.968	30.303	1.00	31.54	O
HETATM	2568	O	HOH	23	20.253	42.828	17.183	1.00	18.81	O
HETATM	2569	O	HOH	24	18.161	41.680	13.459	1.00	22.68	O
HETATM	2570	O	HOH	25	60.844	36.217	20.812	1.00	22.17	O
HETATM	2571	O	HOH	26	61.525	26.415	23.436	1.00	28.05	O
HETATM	2572	O	HOH	27	9.862	49.495	16.055	1.00	29.82	O
HETATM	2573	O	HOH	28	4.997	38.912	16.336	1.00	62.85	O
HETATM	2574	O	HOH	29	25.400	31.296	12.074	1.00	41.46	O

HETATM	2575	O	HON	30	24.605	36.292	29.442	1.00	31.75	O
HETATM	2576	O	HON	31	52.258	40.744	10.813	1.00	28.10	O
HETATM	2577	O	HON	32	28.510	50.472	18.599	1.00	25.40	O
HETATM	2578	O	HON	33	24.456	31.179	8.274	1.00	39.37	O
HETATM	2579	O	HON	34	53.348	32.774	9.272	1.00	34.82	O
HETATM	2580	O	HON	35	9.013	27.922	0.782	1.00	59.23	O
HETATM	2581	O	HON	36	49.684	45.671	20.703	1.00	54.40	O
HETATM	2582	O	HON	37	28.274	26.933	16.157	1.00	26.41	O
HETATM	2583	O	HON	38	48.615	49.190	12.585	1.00	57.60	O
HETATM	2584	O	HON	39	27.305	50.883	30.129	1.00	80.77	O
HETATM	2585	O	HON	40	14.791	37.777	20.135	1.00	24.63	O
HETATM	2586	O	HON	41	58.836	26.482	29.243	1.00	30.33	O
HETATM	2587	O	HON	42	29.869	28.999	27.315	1.00	31.54	O
HETATM	2588	O	HON	43	59.314	29.151	11.354	1.00	48.32	O
HETATM	2589	O	HON	44	40.913	29.037	19.585	1.00	19.90	O
HETATM	2590	O	HON	46	27.296	20.878	22.102	1.00	27.78	O
HETATM	2591	O	HON	47	34.925	42.289	4.172	1.00	31.35	O
HETATM	2592	O	HON	48	39.562	54.767	10.562	1.00	55.88	O
HETATM	2593	O	HON	49	6.679	46.246	12.513	1.00	39.35	O
HETATM	2594	O	HON	50	47.645	26.949	29.660	1.00	37.74	O
HETATM	2595	O	HON	51	53.077	48.894	15.755	1.00	72.97	O
HETATM	2596	O	HON	52	57.009	36.229	24.515	1.00	29.76	O
HETATM	2597	O	HON	53	63.450	27.712	33.414	1.00	55.50	O
HETATM	2598	O	HON	54	60.411	39.030	18.977	1.00	36.40	O
HETATM	2599	O	HON	55	14.626	48.458	15.987	1.00	32.90	O
HETATM	2600	O	HON	56	32.983	53.371	11.919	1.00	35.06	O
HETATM	2601	O	HON	57	13.156	46.110	15.070	1.00	40.18	O
HETATM	2602	O	HON	58	1.780	40.262	5.360	1.00	68.99	O
HETATM	2603	O	HON	59	53.241	19.437	26.942	1.00	55.71	O
HETATM	2604	O	HON	60	49.782	28.984	30.240	1.00	31.55	O
HETATM	2605	O	HON	61	33.206	33.012	0.803	1.00	32.86	O
HETATM	2606	O	HON	62	20.073	49.510	6.142	1.00	50.79	O
HETATM	2607	O	HON	64	30.893	22.188	24.753	1.00	69.01	O
HETATM	2608	O	HON	66	9.313	39.417	21.861	1.00	38.81	O
HETATM	2609	O	HON	67	13.155	16.008	15.399	1.00	64.57	O
HETATM	2610	O	HON	68	41.811	33.507	15.483	1.00	30.96	O
HETATM	2611	O	HON	69	55.349	43.715	6.074	1.00	27.98	O
HETATM	2612	O	HON	70	39.825	31.318	15.523	1.00	37.16	O
HETATM	2613	O	HON	71	44.794	38.590	11.312	1.00	76.74	O
HETATM	2614	O	HON	72	63.211	26.438	21.348	1.00	40.93	O
HETATM	2615	O	HON	73	42.497	49.542	8.832	1.00	61.72	O
HETATM	2616	O	HON	74	20.997	22.346	14.536	1.00	27.47	O
HETATM	2617	O	HON	75	63.537	36.837	22.163	1.00	35.85	O
HETATM	2618	O	HON	76	50.500	20.192	31.793	1.00	57.25	O
HETATM	2619	O	HON	77	54.819	22.298	24.157	1.00	32.35	O
HETATM	2620	O	HON	78	25.951	21.139	15.523	1.00	40.44	O
HETATM	2621	O	HON	79	8.286	32.441	20.329	1.00	44.66	O
HETATM	2622	O	HON	80	10.336	42.096	25.866	1.00	73.09	O
HETATM	2623	O	HON	81	33.522	31.263	6.723	1.00	44.11	O
HETATM	2624	O	HON	82	37.121	42.237	13.398	1.00	49.83	O
HETATM	2625	O	HON	83	32.615	33.472	10.935	1.00	31.04	O
HETATM	2626	O	HON	84	30.882	25.099	9.566	1.00	47.19	O
HETATM	2627	O	HON	85	23.744	20.856	13.717	1.00	47.66	O
HETATM	2628	O	HON	86	20.375	19.785	12.785	1.00	40.92	O
HETATM	2629	O	HON	87	20.549	21.496	17.091	1.00	32.28	O
HETATM	2630	O	HON	88	25.698	17.952	13.720	1.00	57.70	O

CONNECT 2500 2501 2502 2503 2522
CONNECT 2501 2500
CONNECT 2502 2500
CONNECT 2503 2500 2504
CONNECT 2504 2503 2505
CONNECT 2505 2504 2506 2507
CONNECT 2506 2505 2511
CONNECT 2507 2505 2508 2509
CONNECT 2508 2507
CONNECT 2509 2507 2510 2511
CONNECT 2510 2509 2544
CONNECT 2511 2506 2509 2512
CONNECT 2512 2511 2513 2521
CONNECT 2513 2512 2514
CONNECT 2514 2513 2515
CONNECT 2515 2514 2516 2521
CONNECT 2516 2515 2517 2518
CONNECT 2517 2516
CONNECT 2518 2516 2519
CONNECT 2519 2518 2520
CONNECT 2520 2519 2521
CONNECT 2521 2512 2515 2520
CONNECT 2522 2500 2523
CONNECT 2523 2522 2524 2525 2526
CONNECT 2524 2523
CONNECT 2525 2523
CONNECT 2526 2523 2527
CONNECT 2527 2526 2528
CONNECT 2528 2527 2529 2530
CONNECT 2529 2528 2534
CONNECT 2530 2528 2531 2532
CONNECT 2531 2530
CONNECT 2532 2530 2533 2534
CONNECT 2533 2532
CONNECT 2534 2529 2532 2535
CONNECT 2535 2534 2536 2543
CONNECT 2536 2535 2537
CONNECT 2537 2536 2538 2541
CONNECT 2538 2537 2539 2540
CONNECT 2539 2538
CONNECT 2540 2538
CONNECT 2541 2537 2542
CONNECT 2542 2541 2543
CONNECT 2543 2535 2542
CONNECT 2544 2510 2545 2546 2547
CONNECT 2545 2544
CONNECT 2546 2544
CONNECT 2547 2544
MASTER 273 0 1 13 10 0 0 6 2629 1 48 25
END

```

HEADER      OXIDOREDUCTASE                      31-AUG-98  1BSV
TITLE       GDP-FUCOSE SYNTHETASE FROM ESCHERICHIA COLI COMPLEX WITH
TITLE       2 NADPH
COMPND      MOL_ID: 1;
COMPND      2 MOLECULE: PROTEIN (GDP-FUCOSE SYNTHETASE);
COMPND      3 CHAIN: A;
COMPND      4 SYNONYM: WCAG, GDP-4-KETO 6-DEOXY-MANNOSE 3,5-EPIMERASE 4-
COMPND      5 REDUCTASE;
COMPND      6 ENGINEERED: YES
SOURCE      MOL_ID: 1;
SOURCE      2 ORGANISM_SCIENTIFIC: ESCHERICHIA COLI;
SOURCE      3 ORGANISM_COMMON: BACTERIA;
SOURCE      4 STRAIN: K12;
SOURCE      5 CELLULAR_LOCATION: CYTOPLASM;
SOURCE      6 GENE: WCAG;
SOURCE      7 EXPRESSION_SYSTEM: ESCHERICHIA COLI;
SOURCE      8 EXPRESSION_SYSTEM_COMMON: BACTERIA;
SOURCE      9 EXPRESSION_SYSTEM_STRAIN: BL-21;
SOURCE     10 EXPRESSION_SYSTEM_CELLULAR_LOCATION: CYTOPLASM;
SOURCE     11 EXPRESSION_SYSTEM_PLASMID: PSEWCAG;
SOURCE     12 EXPRESSION_SYSTEM_GENE: WCAG
KEYWDS      EPIMERASE-REDUCTASE, NADPH, GDP-FUCOSE
EXPDTA      X-RAY DIFFRACTION
AUTHOR      W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
REVDAT      2 27-DEC-00 1BSV 1 COMPND SOURCE REMARK
REVDAT      1 26-AUG-99 1BSV 0
JRNL        AUTH W.S.SOMERS,M.L.STAHL,F.X.SULLIVAN
JRNL        TITL GDP-FUCOSE SYNTHETASE FROM ESCHERICHIA COLI:
JRNL        TITL 2 STRUCTURE OF A UNIQUE MEMBER OF THE SHORT-CHAIN
JRNL        TITL 3 DEHYDROGENASE/REDUCTASE FAMILY THAT CATALYZES TWO
JRNL        TITL 4 DISTINCT REACTIONS AT THE SAME ACTIVE SITE.
JRNL        REF STRUCTURE V. 6 1601 1998
JRNL        REFN ASTM STRUE6 UK ISSN 0969-2126
REMARK      1
REMARK      2
REMARK      2 RESOLUTION. 2.20 ANGSTROMS.
REMARK      3
REMARK      3 REFINEMENT.
REMARK      3 PROGRAM : X-PLOR 3.843
REMARK      3 AUTHORS : BRUNGER
REMARK      3
REMARK      3 DATA USED IN REFINEMENT.
REMARK      3 RESOLUTION RANGE HIGH (ANGSTROMS) : 2.20
REMARK      3 RESOLUTION RANGE LOW (ANGSTROMS) : 14.00
REMARK      3 DATA CUTOFF (SIGMA(F)) : 2.000
REMARK      3 DATA CUTOFF HIGH (ABS(F)) : NULL
REMARK      3 DATA CUTOFF LOW (ABS(F)) : NULL
REMARK      3 COMPLETENESS (WORKING+TEST) (%) : 98.4
REMARK      3 NUMBER OF REFLECTIONS : 23752
REMARK      3
REMARK      3 FIT TO DATA USED IN REFINEMENT.
REMARK      3 CROSS-VALIDATION METHOD : NULL
REMARK      3 FREE R VALUE TEST SET SELECTION : NULL
REMARK      3 R VALUE (WORKING SET) : 0.170

```

REMARK 3 FREE R VALUE : NULL
REMARK 3 FREE R VALUE TEST SET SIZE (%) : NULL
REMARK 3 FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF FREE R VALUE : NULL
REMARK 3
REMARK 3 FIT IN THE HIGHEST RESOLUTION BIN.
REMARK 3 TOTAL NUMBER OF BINS USED : NULL
REMARK 3 BIN RESOLUTION RANGE HIGH (A) : NULL
REMARK 3 BIN RESOLUTION RANGE LOW (A) : NULL
REMARK 3 BIN COMPLETENESS (WORKING+TEST) (%) : NULL
REMARK 3 REFLECTIONS IN BIN (WORKING SET) : NULL
REMARK 3 BIN R VALUE (WORKING SET) : NULL
REMARK 3 BIN FREE R VALUE : NULL
REMARK 3 BIN FREE R VALUE TEST SET SIZE (%) : NULL
REMARK 3 BIN FREE R VALUE TEST SET COUNT : NULL
REMARK 3 ESTIMATED ERROR OF BIN FREE R VALUE : NULL
REMARK 3
REMARK 3 NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK 3 PROTEIN ATOMS : 2498
REMARK 3 NUCLEIC ACID ATOMS : 0
REMARK 3 HETEROGEN ATOMS : 48
REMARK 3 SOLVENT ATOMS : 84
REMARK 3
REMARK 3 B VALUES.
REMARK 3 FROM WILSON PLOT (A**2) : NULL
REMARK 3 MEAN B VALUE (OVERALL, A**2) : NULL
REMARK 3 OVERALL ANISOTROPIC B VALUE.
REMARK 3 B11 (A**2) : NULL
REMARK 3 B22 (A**2) : NULL
REMARK 3 B33 (A**2) : NULL
REMARK 3 B12 (A**2) : NULL
REMARK 3 B13 (A**2) : NULL
REMARK 3 B23 (A**2) : NULL
REMARK 3
REMARK 3 ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM SIGMAA (A) : NULL
REMARK 3 LOW RESOLUTION CUTOFF (A) : NULL
REMARK 3
REMARK 3 CROSS-VALIDATED ESTIMATED COORDINATE ERROR.
REMARK 3 ESD FROM C-V LUZZATI PLOT (A) : NULL
REMARK 3 ESD FROM C-V SIGMAA (A) : NULL
REMARK 3
REMARK 3 RMS DEVIATIONS FROM IDEAL VALUES.
REMARK 3 BOND LENGTHS (A) : 0.009
REMARK 3 BOND ANGLES (DEGREES) : 1.38
REMARK 3 DIHEDRAL ANGLES (DEGREES) : NULL
REMARK 3 IMPROPER ANGLES (DEGREES) : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL MODEL : NULL
REMARK 3
REMARK 3 ISOTROPIC THERMAL FACTOR RESTRAINTS. RMS SIGMA
REMARK 3 MAIN-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 MAIN-CHAIN ANGLE (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN BOND (A**2) : NULL ; NULL
REMARK 3 SIDE-CHAIN ANGLE (A**2) : NULL ; NULL

REMARK 3
REMARK 3 NCS MODEL : NULL
REMARK 3
REMARK 3 NCS RESTRAINTS. RMS SIGMA/WEIGHT
REMARK 3 GROUP 1 POSITIONAL (A) : NULL ; NULL
REMARK 3 GROUP 1 B-FACTOR (A**2) : NULL ; NULL
REMARK 3
REMARK 3 PARAMETER FILE 1 : PARHSCDX.PRO
REMARK 3 PARAMETER FILE 2 : NULL
REMARK 3 TOPOLOGY FILE 1 : TOPHSCDX.PRO
REMARK 3 TOPOLOGY FILE 2 : NULL
REMARK 3
REMARK 3 OTHER REFINEMENT REMARKS: NULL
REMARK 4
REMARK 4 1BSV COMPLIES WITH FORMAT V. 3.0, 1-DEC-2006
REMARK 4
REMARK 4 THIS IS THE REMEDIATED VERSION OF THIS PDB ENTRY.
REMARK 4 REMEDIATED DATA FILE REVISION 3.100 (2007-03-16)
REMARK 100
REMARK 100 THIS ENTRY HAS BEEN PROCESSED BY RCSB .
REMARK 100 THE RCSB ID CODE IS RCSB007104.
REMARK 200
REMARK 200 EXPERIMENTAL DETAILS
REMARK 200 EXPERIMENT TYPE : X-RAY DIFFRACTION
REMARK 200 DATE OF DATA COLLECTION : 15-JUL-1997
REMARK 200 TEMPERATURE (KELVIN) : 291.0
REMARK 200 PH : 7.00
REMARK 200 NUMBER OF CRYSTALS USED : 1
REMARK 200
REMARK 200 SYNCHROTRON (Y/N) : N
REMARK 200 RADIATION SOURCE : ROTATING ANODE
REMARK 200 BEAMLINE : NULL
REMARK 200 X-RAY GENERATOR MODEL : RIGAKU RU200
REMARK 200 MONOCHROMATIC OR LAUE (M/L) : M
REMARK 200 WAVELENGTH OR RANGE (A) : 1.5418
REMARK 200 MONOCHROMATOR : NI FILTER
REMARK 200 OPTICS : MIRRORS
REMARK 200
REMARK 200 DETECTOR TYPE : IMAGE PLATE
REMARK 200 DETECTOR MANUFACTURER : RIGAKU RAXIS II
REMARK 200 INTENSITY-INTEGRATION SOFTWARE : DENZO
REMARK 200 DATA SCALING SOFTWARE : SCALEPACK
REMARK 200
REMARK 200 NUMBER OF UNIQUE REFLECTIONS : 24049
REMARK 200 RESOLUTION RANGE HIGH (A) : 2.200
REMARK 200 RESOLUTION RANGE LOW (A) : 14.000
REMARK 200 REJECTION CRITERIA (SIGMA(I)) : 0.000
REMARK 200
REMARK 200 OVERALL.
REMARK 200 COMPLETENESS FOR RANGE (%) : 99.6
REMARK 200 DATA REDUNDANCY : 6.900
REMARK 200 R MERGE (I) : 0.05600
REMARK 200 R SYM (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR THE DATA SET : 26.4000
REMARK 200
REMARK 200 IN THE HIGHEST RESOLUTION SHELL.


```

REMARK 200 HIGHEST RESOLUTION SHELL, RANGE HIGH (A) : 2.20
REMARK 200 HIGHEST RESOLUTION SHELL, RANGE LOW (A) : 2.28
REMARK 200 COMPLETENESS FOR SHELL (%) : 96.7
REMARK 200 DATA REDUNDANCY IN SHELL : NULL
REMARK 200 R MERGE FOR SHELL (I) : NULL
REMARK 200 R SYM FOR SHELL (I) : NULL
REMARK 200 <I/SIGMA(I)> FOR SHELL : 4.400
REMARK 200
REMARK 200 DIFFRACTION PROTOCOL: SINGLE WAVELENGTH
REMARK 200 METHOD USED TO DETERMINE THE STRUCTURE: MOLECULAR REPLACEMENT
REMARK 200 SOFTWARE USED: NULL
REMARK 200 STARTING MODEL: 1GFS
REMARK 200
REMARK 200 REMARK: NULL
REMARK 280
REMARK 280 CRYSTAL
REMARK 280 SOLVENT CONTENT, VS (%) : 62.14
REMARK 280 MATTHEWS COEFFICIENT, VM (ANGSTROMS**3/DA) : 3.25
REMARK 280
REMARK 280 CRYSTALLIZATION CONDITIONS: 4.0 M SODIUM FORMATE, PH 7
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY
REMARK 290 SYMMETRY OPERATORS FOR SPACE GROUP: P 32 2 1
REMARK 290
REMARK 290      SYMOP      SYMMETRY
REMARK 290      NNNMMM      OPERATOR
REMARK 290      1555      X,Y,Z
REMARK 290      2555      -Y,X-Y,2/3+Z
REMARK 290      3555      -X+Y,-X,1/3+Z
REMARK 290      4555      Y,X,-Z
REMARK 290      5555      X-Y,-Y,1/3-Z
REMARK 290      6555      -X,-X+Y,2/3-Z
REMARK 290
REMARK 290      WHERE NNN -> OPERATOR NUMBER
REMARK 290      MMM -> TRANSLATION VECTOR
REMARK 290
REMARK 290 CRYSTALLOGRAPHIC SYMMETRY TRANSFORMATIONS
REMARK 290 THE FOLLOWING TRANSFORMATIONS OPERATE ON THE ATOM/HETATM
REMARK 290 RECORDS IN THIS ENTRY TO PRODUCE CRYSTALLOGRAPHICALLY
REMARK 290 RELATED MOLECULES.
REMARK 290 SMTRY1 1 1.000000 0.000000 0.000000 0.000000
REMARK 290 SMTRY2 1 0.000000 1.000000 0.000000 0.000000
REMARK 290 SMTRY3 1 0.000000 0.000000 1.000000 0.000000
REMARK 290 SMTRY1 2 -0.500000 -0.866025 0.000000 0.000000
REMARK 290 SMTRY2 2 0.866025 -0.500000 0.000000 0.000000
REMARK 290 SMTRY3 2 0.000000 0.000000 1.000000 49.93333
REMARK 290 SMTRY1 3 -0.500000 0.866025 0.000000 0.000000
REMARK 290 SMTRY2 3 -0.866025 -0.500000 0.000000 0.000000
REMARK 290 SMTRY3 3 0.000000 0.000000 1.000000 24.96667
REMARK 290 SMTRY1 4 -0.500000 0.866025 0.000000 0.000000
REMARK 290 SMTRY2 4 0.866025 0.500000 0.000000 0.000000
REMARK 290 SMTRY3 4 0.000000 0.000000 -1.000000 0.000000
REMARK 290 SMTRY1 5 1.000000 0.000000 0.000000 0.000000
REMARK 290 SMTRY2 5 0.000000 -1.000000 0.000000 0.000000
REMARK 290 SMTRY3 5 0.000000 0.000000 -1.000000 24.96667
REMARK 290 SMTRY1 6 -0.500000 -0.866025 0.000000 0.000000

```

REMARK 290 SMTRY2 6 -0.866025 0.500000 0.000000 0.000000
REMARK 290 SMTRY3 6 0.000000 0.000000 -1.000000 49.93333
REMARK 290
REMARK 290 REMARK: NULL
REMARK 300
REMARK 300 BIOMOLECULE: 1
REMARK 300 THIS ENTRY CONTAINS THE CRYSTALLOGRAPHIC ASYMMETRIC UNIT
REMARK 300 WHICH CONSISTS OF 1 CHAIN(S). SEE REMARK 350 FOR
REMARK 300 INFORMATION ON GENERATING THE BIOLOGICAL MOLECULE(S).
REMARK 350
REMARK 350 GENERATING THE BIOMOLECULE
REMARK 350 COORDINATES FOR A COMPLETE MULTIMER REPRESENTING THE KNOWN
REMARK 350 BIOLOGICALLY SIGNIFICANT OLIGOMERIZATION STATE OF THE
REMARK 350 MOLECULE CAN BE GENERATED BY APPLYING BIOMT TRANSFORMATIONS
REMARK 350 GIVEN BELOW. BOTH NON-CRYSTALLOGRAPHIC AND
REMARK 350 CRYSTALLOGRAPHIC OPERATIONS ARE GIVEN.
REMARK 350
REMARK 350 BIOMOLECULE: 1
REMARK 350 APPLY THE FOLLOWING TO CHAINS: A
REMARK 350 BIOMT1 1 1.000000 0.000000 0.000000 0.000000
REMARK 350 BIOMT2 1 0.000000 1.000000 0.000000 0.000000
REMARK 350 BIOMT3 1 0.000000 0.000000 1.000000 0.000000
REMARK 350 BIOMT1 2 -0.500000 0.866025 0.000000 0.000000
REMARK 350 BIOMT2 2 0.866025 0.500000 0.000000 0.000000
REMARK 350 BIOMT3 2 0.000000 0.000000 -1.000000 0.000000
REMARK 465
REMARK 465 MISSING RESIDUES
REMARK 465 THE FOLLOWING RESIDUES WERE NOT LOCATED IN THE
REMARK 465 EXPERIMENT. (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 465 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE.)
REMARK 465
REMARK 465 M RES C SSEQ I
REMARK 465 MET A 1
REMARK 465 SER A 2
REMARK 465 ARG A 320
REMARK 465 GLY A 321
REMARK 470
REMARK 470 MISSING ATOM
REMARK 470 THE FOLLOWING RESIDUES HAVE MISSING ATOMS (M=MODEL NUMBER;
REMARK 470 RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE NUMBER;
REMARK 470 I=INSERTION CODE):
REMARK 470 M RES CSSEQI ATOMS
REMARK 470 ARG A 45 CG CD NE CZ NH1 NH2
REMARK 470 ARG A 55 CG CD NE CZ NH1 NH2
REMARK 470 HIS A 174 CG ND1 CD2 CE1 NE2
REMARK 500
REMARK 500 GEOMETRY AND STEREOCHEMISTRY
REMARK 500 SUBTOPIC: COVALENT BOND LENGTHS
REMARK 500
REMARK 500 THE STEREOCHEMICAL PARAMETERS OF THE FOLLOWING RESIDUES
REMARK 500 HAVE VALUES WHICH DEVIATE FROM EXPECTED VALUES BY MORE
REMARK 500 THAN 6*RMSD (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
REMARK 500 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE).
REMARK 500
REMARK 500 STANDARD TABLE:
REMARK 500 FORMAT: (10X, I3, 1X, 2 (A3, 1X, A1, I4, A1, 1X, A4, 3X), F6.3)

REMARK 500
 REMARK 500 EXPECTED VALUES: ENGH AND HUBER, 1991
 REMARK 500
 REMARK 500 M RES CSSEQI ATM1 RES CSSEQI ATM2 DEVIATION
 REMARK 500 ILE A 110 CB ILE A 110 CG2 -0.051
 REMARK 500
 REMARK 500 GEOMETRY AND STEREOCHEMISTRY
 REMARK 500 SUBTOPIC: COVALENT BOND ANGLES
 REMARK 500
 REMARK 500 THE STEREOCHEMICAL PARAMETERS OF THE FOLLOWING RESIDUES
 REMARK 500 HAVE VALUES WHICH DEVIATE FROM EXPECTED VALUES BY MORE
 REMARK 500 THAN 6°RMSD (M=MODEL NUMBER; RES=RESIDUE NAME; C=CHAIN
 REMARK 500 IDENTIFIER; SSEQ=SEQUENCE NUMBER; I=INSERTION CODE).
 REMARK 500
 REMARK 500 STANDARD TABLE:
 REMARK 500 FORMAT: (10X,I3,1X,A3,1X,A1,I4,A1,3(1X,A4,2X),12X,F5.1)
 REMARK 500
 REMARK 500 EXPECTED VALUES: ENGH AND HUBER, 1991
 REMARK 500
 REMARK 500 M RES CSSEQI ATM1 ATM2 ATM3
 REMARK 500 TYR A 60 N - CA - C ANGL. DEV. = -8.3 DEGREES
 REMARK 500 LYS A 65 N - CA - C ANGL. DEV. = -11.5 DEGREES
 REMARK 500 ASP A 98 N - CA - C ANGL. DEV. = 10.7 DEGREES
 REMARK 500 VAL A 99 N - CA - C ANGL. DEV. = -9.4 DEGREES
 REMARK 500 GLU A 134 N - CA - C ANGL. DEV. = 8.5 DEGREES
 REMARK 500 GLU A 226 N - CA - C ANGL. DEV. = 8.6 DEGREES
 REMARK 500 LEU A 240 N - CA - C ANGL. DEV. = -9.2 DEGREES
 REMARK 500 SER A 241 N - CA - C ANGL. DEV. = 9.4 DEGREES
 REMARK 500 ASP A 286 N - CA - C ANGL. DEV. = -11.7 DEGREES
 REMARK 525
 REMARK 525 SOLVENT
 REMARK 525 THE FOLLOWING SOLVENT MOLECULES LIE FARTHER THAN EXPECTED
 REMARK 525 FROM THE PROTEIN OR NUCLEIC ACID MOLECULE AND MAY BE
 REMARK 525 ASSOCIATED WITH A SYMMETRY RELATED MOLECULE (M=MODEL
 REMARK 525 NUMBER; RES=RESIDUE NAME; C=CHAIN IDENTIFIER; SSEQ=SEQUENCE
 REMARK 525 NUMBER; I=INSERTION CODE):
 REMARK 525
 REMARK 525 M RES CSSEQI
 REMARK 525 HOH 420 DISTANCE = 5.47 ANGSTROMS
 REMARK 525 HOH 427 DISTANCE = 6.09 ANGSTROMS
 REMARK 525 HOH 459 DISTANCE = 5.18 ANGSTROMS
 DBREF 1BSV A 1 321 UNP P32055 FCL_ECOLI 1 321
 SEQRES 1 A 321 MET SER LYS GLN ARG VAL PHE ILE ALA GLY HIS ARG GLY
 SEQRES 2 A 321 MET VAL GLY SER ALA ILE ARG ARG GLN LEU GLU GLN ARG
 SEQRES 3 A 321 GLY ASP VAL GLU LEU VAL LEU ARG THR ARG ASP GLU LEU
 SEQRES 4 A 321 ASN LEU LEU ASP SER ARG ALA VAL HIS ASP PHE PHE ALA
 SEQRES 5 A 321 SER GLU ARG ILE ASP GLN VAL TYR LEU ALA ALA LYS
 SEQRES 6 A 321 VAL GLY GLY ILE VAL ALA ASN ASN THR TYR PRO ALA ASP
 SEQRES 7 A 321 PHE ILE TYR GLN ASN MET MET ILE GLU SER ASN ILE ILE
 SEQRES 8 A 321 HIS ALA ALA HIS GLN ASN ASP VAL ASN LYS LEU LEU PHE
 SEQRES 9 A 321 LEU GLY SER SER CYS ILE TYR PRO LYS LEU ALA LYS GLN
 SEQRES 10 A 321 PRO MET ALA GLU SER GLU LEU LEU GLN GLY THR LEU GLU
 SEQRES 11 A 321 PRO THR ASN GLU PRO TYR ALA ILE ALA LYS ILE ALA GLY
 SEQRES 12 A 321 ILE LYS LEU CYS GLU SER TYR ASN ARG GLN TYR GLY ARG
 SEQRES 13 A 321 ASP TYR ARG SER VAL MET PRO THR ASN LEU TYR GLY PRO
 SEQRES 14 A 321 HIS ASP ASN PHE HIS PRO SER ASN SER HIS VAL ILE PRO

```

SEQRES 15 A 321 ALA LEU LEU ARG ARG PHE HIS GLU ALA THR ALA GLN ASN
SEQRES 16 A 321 ALA PRO ASP VAL VAL VAL TRP GLY SER GLY THR PRO MET
SEQRES 17 A 321 ARG GLU PHE LEU HIS VAL ASP ASP MET ALA ALA ALA SER
SEQRES 18 A 321 ILE HIS VAL MET GLU LEU ALA HIS GLU VAL TRP LEU GLU
SEQRES 19 A 321 ASN THR GLN PRO MET LEU SER HIS ILE ASN VAL GLY THR
SEQRES 20 A 321 GLY VAL ASP CYS THR ILE ARG GLU LEU ALA GLN THR ILE
SEQRES 21 A 321 ALA LYS VAL VAL GLY TYR LYS GLY ARG VAL VAL PHE ASP
SEQRES 22 A 321 ALA SER LYS PRO ASP GLY THR PRO ARG LYS LEU LEU ASP
SEQRES 23 A 321 VAL THR ARG LEU HIS GLN LEU GLY TRP TYR HIS GLU ILE
SEQRES 24 A 321 SER LEU GLU ALA GLY LEU ALA SER THR TYR GLN TRP PHE
SEQRES 25 A 321 LEU GLU ASN GLN ASP ARG PHE ARG GLY
HET NDP 350 48
HETNAM NDP NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE
HETNAM 2 NDP PHOSPHATE
FORMUL 2 NDP C21 H30 N7 O17 P3
FORMUL 3 HOH *84(H2 O)
HELIX 1 1 MET A 14 GLU A 24 1 11
HELIX 2 2 SER A 44 SER A 53 1 10
HELIX 3 3 ILE A 69 THR A 74 1 6
HELIX 4 4 PRO A 76 ASN A 97 1 22
HELIX 5 5 SER A 108 ILE A 110 5 3
HELIX 6 6 GLU A 121 GLU A 123 5 3
HELIX 7 7 PRO A 131 TYR A 154 5 24
HELIX 8 8 VAL A 180 ALA A 193 1 14
HELIX 9 9 VAL A 214 GLU A 226 1 13
HELIX 10 10 HIS A 229 ASN A 235 1 7
HELIX 11 11 ILE A 253 VAL A 264 1 12
HELIX 12 12 THR A 288 GLN A 292 1 5
HELIX 13 13 LEU A 301 GLU A 314 1 14
SHEET 1 A 6 VAL A 29 VAL A 32 0
SHEET 2 A 6 GLN A 4 ALA A 9 1 N GLN A 4 O GLU A 30
SHEET 3 A 6 GLN A 58 LEU A 61 1 N GLN A 58 O PHE A 7
SHEET 4 A 6 LYS A 101 LEU A 105 1 N LYS A 101 O VAL A 59
SHEET 5 A 6 ASP A 157 PRO A 163 1 N ASP A 157 O LEU A 102
SHEET 6 A 6 ILE A 243 VAL A 245 1 N ILE A 243 O MET A 162
SHEET 1 B 2 ASN A 165 TYR A 167 0
SHEET 2 B 2 PHE A 211 HIS A 213 1 N LEU A 212 O ASN A 165
SHEET 1 C 2 ASP A 198 TRP A 202 0
SHEET 2 C 2 ARG A 269 ASP A 273 1 N ARG A 269 O VAL A 199
CISPEP 1 GLN A 117 PRO A 118 0 -0.17
CRYST1 104.300 104.300 74.900 90.00 90.00 120.00 P 32 2 1 6
ORIGX1 1.000000 0.000000 0.000000 0.000000
ORIGX2 0.000000 1.000000 0.000000 0.000000
ORIGX3 0.000000 0.000000 1.000000 0.000000
SCALE1 0.009588 0.005535 0.000000 0.000000
SCALE2 0.000000 0.011071 0.000000 0.000000
SCALE3 0.000000 0.000000 0.013351 0.000000
ATOM 1 N LYS A 3 8.814 27.418 31.593 1.00 62.99 N
ATOM 2 CA LYS A 3 10.166 26.993 31.124 1.00 64.49 C
ATOM 3 C LYS A 3 10.337 27.108 29.598 1.00 63.28 C
ATOM 4 O LYS A 3 9.731 26.358 28.819 1.00 64.40 O
ATOM 5 CB LYS A 3 10.471 25.562 31.576 1.00 64.00 C
ATOM 6 CG LYS A 3 11.806 25.050 31.073 1.00 66.50 C
ATOM 7 CD LYS A 3 12.036 23.598 31.422 1.00 69.96 C
ATOM 8 CE LYS A 3 12.218 23.408 32.913 1.00 72.33 C
ATOM 9 NZ LYS A 3 12.644 22.017 33.224 1.00 73.75 N

```

ATOM	10	N	GLN	A	4	11.215	28.026	29.203	1.00	58.48	N
ATOM	11	CA	GLN	A	4	11.548	28.326	27.813	1.00	51.85	C
ATOM	12	C	GLN	A	4	12.184	27.171	27.042	1.00	48.03	C
ATOM	13	O	GLN	A	4	13.185	26.610	27.480	1.00	49.95	O
ATOM	14	CB	GLN	A	4	12.534	29.492	27.807	1.00	53.77	C
ATOM	15	CG	GLN	A	4	12.087	30.690	27.015	1.00	62.44	C
ATOM	16	CD	GLN	A	4	10.741	31.197	27.453	1.00	62.62	C
ATOM	17	OE1	GLN	A	4	9.908	31.561	26.629	1.00	63.42	O
ATOM	18	NE2	GLN	A	4	10.512	31.213	28.758	1.00	66.55	N
ATOM	19	N	ARG	A	5	11.611	26.815	25.897	1.00	41.37	N
ATOM	20	CA	ARG	A	5	12.190	25.763	25.065	1.00	41.20	C
ATOM	21	C	ARG	A	5	13.063	26.415	23.978	1.00	41.40	C
ATOM	22	O	ARG	A	5	12.558	27.075	23.061	1.00	38.26	O
ATOM	23	CB	ARG	A	5	11.103	24.882	24.459	1.00	42.29	C
ATOM	24	CG	ARG	A	5	10.594	23.833	25.427	1.00	44.79	C
ATOM	25	CD	ARG	A	5	9.360	23.117	24.902	1.00	50.21	C
ATOM	26	NE	ARG	A	5	9.572	22.382	23.650	1.00	51.40	N
ATOM	27	CZ	ARG	A	5	10.239	21.234	23.541	1.00	51.72	C
ATOM	28	NH1	ARG	A	5	10.789	20.669	24.609	1.00	51.20	N
ATOM	29	NH2	ARG	A	5	10.305	20.618	22.368	1.00	48.25	N
ATOM	30	N	VAL	A	6	14.377	26.242	24.112	1.00	38.40	N
ATOM	31	CA	VAL	A	6	15.355	26.829	23.200	1.00	33.75	C
ATOM	32	C	VAL	A	6	16.028	25.873	22.211	1.00	35.52	C
ATOM	33	O	VAL	A	6	16.567	24.832	22.595	1.00	37.14	O
ATOM	34	CB	VAL	A	6	16.451	27.536	24.006	1.00	30.08	C
ATOM	35	CG1	VAL	A	6	17.447	28.220	23.092	1.00	27.75	C
ATOM	36	CG2	VAL	A	6	15.822	28.522	24.951	1.00	30.98	C
ATOM	37	N	PHE	A	7	15.983	26.245	20.932	1.00	34.47	N
ATOM	38	CA	PHE	A	7	16.625	25.483	19.863	1.00	29.57	C
ATOM	39	C	PHE	A	7	17.907	26.215	19.501	1.00	30.16	C
ATOM	40	O	PHE	A	7	17.882	27.402	19.172	1.00	31.57	O
ATOM	41	CB	PHE	A	7	15.743	25.420	18.613	1.00	27.56	C
ATOM	42	CG	PHE	A	7	16.427	24.819	17.403	1.00	27.44	C
ATOM	43	CD1	PHE	A	7	17.130	23.618	17.499	1.00	27.34	C
ATOM	44	CD2	PHE	A	7	16.326	25.432	16.150	1.00	26.01	C
ATOM	45	CE1	PHE	A	7	17.720	23.031	16.364	1.00	23.75	C
ATOM	46	CE2	PHE	A	7	16.911	24.854	15.012	1.00	26.58	C
ATOM	47	CZ	PHE	A	7	17.606	23.651	15.119	1.00	25.98	C
ATOM	48	N	ILE	A	8	19.031	25.522	19.624	1.00	29.12	N
ATOM	49	CA	ILE	A	8	20.314	26.085	19.255	1.00	26.49	C
ATOM	50	C	ILE	A	8	20.713	25.314	18.011	1.00	24.35	C
ATOM	51	O	ILE	A	8	20.977	24.116	18.083	1.00	27.37	O
ATOM	52	CB	ILE	A	8	21.383	25.868	20.344	1.00	28.91	C
ATOM	53	CG1	ILE	A	8	20.940	26.496	21.667	1.00	27.52	C
ATOM	54	CG2	ILE	A	8	22.713	26.490	19.899	1.00	31.48	C
ATOM	55	CD1	ILE	A	8	21.852	26.162	22.830	1.00	25.68	C
ATOM	56	N	ALA	A	9	20.651	25.974	16.860	1.00	25.39	N
ATOM	57	CA	ALA	A	9	21.021	25.340	15.597	1.00	25.85	C
ATOM	58	C	ALA	A	9	22.545	25.299	15.566	1.00	26.61	C
ATOM	59	O	ALA	A	9	23.191	26.272	15.947	1.00	30.10	O
ATOM	60	CB	ALA	A	9	20.488	26.148	14.428	1.00	23.29	C
ATOM	61	N	GLY	A	10	23.114	24.170	15.149	1.00	25.76	N
ATOM	62	CA	GLY	A	10	24.559	24.034	15.105	1.00	22.84	C
ATOM	63	C	GLY	A	10	25.174	24.039	16.491	1.00	26.20	C
ATOM	64	O	GLY	A	10	26.200	24.675	16.710	1.00	27.87	O
ATOM	65	N	HIS	A	11	24.567	23.300	17.416	1.00	24.58	N

ATOM	66	CA	HIS	A	11	25.034	23.227	18.809	1.00	28.86	C
ATOM	67	C	HIS	A	11	26.407	22.557	19.001	1.00	29.65	C
ATOM	68	O	HIS	A	11	26.985	22.646	20.082	1.00	30.53	O
ATOM	69	CB	HIS	A	11	23.982	22.526	19.692	1.00	27.63	C
ATOM	70	CG	HIS	A	11	23.752	21.090	19.324	1.00	30.54	C
ATOM	71	ND1	HIS	A	11	24.250	20.042	20.068	1.00	34.18	N
ATOM	72	CD2	HIS	A	11	23.170	20.534	18.236	1.00	27.15	C
ATOM	73	CE1	HIS	A	11	23.997	18.903	19.447	1.00	31.05	C
ATOM	74	NE2	HIS	A	11	23.344	19.175	18.333	1.00	33.79	N
ATOM	75	N	ARG	A	12	26.898	21.866	17.970	1.00	31.33	N
ATOM	76	CA	ARG	A	12	28.192	21.186	18.017	1.00	33.17	C
ATOM	77	C	ARG	A	12	29.346	22.089	17.598	1.00	32.79	C
ATOM	78	O	ARG	A	12	30.504	21.770	17.848	1.00	34.69	O
ATOM	79	CB	ARG	A	12	28.183	19.960	17.104	1.00	40.96	C
ATOM	80	CG	ARG	A	12	27.341	18.821	17.603	1.00	54.63	C
ATOM	81	CD	ARG	A	12	27.978	18.236	18.847	1.00	71.23	C
ATOM	82	NE	ARG	A	12	27.024	17.489	19.662	1.00	84.20	N
ATOM	83	CZ	ARG	A	12	26.537	16.291	19.348	1.00	90.48	C
ATOM	84	NH1	ARG	A	12	26.917	15.682	18.225	1.00	90.63	N
ATOM	85	NH2	ARG	A	12	25.666	15.701	20.164	1.00	90.23	N
ATOM	86	N	GLY	A	13	29.031	23.189	16.922	1.00	30.40	N
ATOM	87	CA	GLY	A	13	30.059	24.107	16.475	1.00	25.39	C
ATOM	88	C	GLY	A	13	30.695	24.875	17.612	1.00	26.60	C
ATOM	89	O	GLY	A	13	30.259	24.767	18.754	1.00	27.40	O
ATOM	90	N	MET	A	14	31.715	25.667	17.291	1.00	25.20	N
ATOM	91	CA	MET	A	14	32.429	26.464	18.275	1.00	27.06	C
ATOM	92	C	MET	A	14	31.521	27.414	19.042	1.00	27.75	C
ATOM	93	O	MET	A	14	31.489	27.390	20.278	1.00	29.79	O
ATOM	94	CB	MET	A	14	33.570	27.250	17.617	1.00	26.09	C
ATOM	95	CG	MET	A	14	34.351	28.106	18.607	1.00	31.81	C
ATOM	96	SD	MET	A	14	35.825	28.895	17.942	1.00	36.87	S
ATOM	97	CE	MET	A	14	35.110	30.010	16.777	1.00	38.38	C
ATOM	98	N	VAL	A	15	30.791	28.249	18.305	1.00	30.68	N
ATOM	99	CA	VAL	A	15	29.878	29.228	18.900	1.00	30.45	C
ATOM	100	C	VAL	A	15	28.618	28.545	19.454	1.00	29.29	C
ATOM	101	O	VAL	A	15	28.167	28.857	20.562	1.00	27.30	O
ATOM	102	CB	VAL	A	15	29.483	30.343	17.873	1.00	28.63	C
ATOM	103	CG1	VAL	A	15	28.662	31.418	18.548	1.00	31.29	C
ATOM	104	CG2	VAL	A	15	30.728	30.975	17.282	1.00	29.91	C
ATOM	105	N	GLY	A	16	28.068	27.610	18.681	1.00	25.10	N
ATOM	106	CA	GLY	A	16	26.883	26.898	19.110	1.00	27.18	C
ATOM	107	C	GLY	A	16	27.079	26.194	20.439	1.00	29.83	C
ATOM	108	O	GLY	A	16	26.257	26.343	21.347	1.00	27.54	O
ATOM	109	N	SER	A	17	28.180	25.452	20.565	1.00	29.97	N
ATOM	110	CA	SER	A	17	28.495	24.713	21.787	1.00	27.89	C
ATOM	111	C	SER	A	17	28.730	25.614	22.998	1.00	27.51	C
ATOM	112	O	SER	A	17	28.393	25.246	24.117	1.00	27.85	O
ATOM	113	CB	SER	A	17	29.699	23.794	21.562	1.00	27.72	C
ATOM	114	OG	SER	A	17	30.899	24.530	21.447	1.00	32.49	O
ATOM	115	N	ALA	A	18	29.303	26.793	22.772	1.00	26.72	N
ATOM	116	CA	ALA	A	18	29.558	27.731	23.856	1.00	23.25	C
ATOM	117	C	ALA	A	18	28.255	28.270	24.414	1.00	27.51	C
ATOM	118	O	ALA	A	18	28.141	28.509	25.613	1.00	32.73	O
ATOM	119	CB	ALA	A	18	30.432	28.876	23.375	1.00	23.92	C
ATOM	120	N	ILE	A	19	27.289	28.515	23.537	1.00	27.22	N
ATOM	121	CA	ILE	A	19	25.989	29.008	23.964	1.00	27.26	C

ATOM	122	C	ILE	A	19	25.309	27.885	24.746	1.00	30.95	C
ATOM	123	O	ILE	A	19	24.722	28.121	25.802	1.00	31.85	O
ATOM	124	CB	ILE	A	19	25.124	29.426	22.758	1.00	24.40	C
ATOM	125	CG1	ILE	A	19	25.687	30.717	22.152	1.00	26.80	C
ATOM	126	CG2	ILE	A	19	23.658	29.618	23.175	1.00	22.10	C
ATOM	127	CD1	ILE	A	19	25.031	31.129	20.834	1.00	27.70	C
ATOM	128	N	ARG	A	20	25.453	26.660	24.245	1.00	33.43	N
ATOM	129	CA	ARG	A	20	24.877	25.480	24.868	1.00	34.66	C
ATOM	130	C	ARG	A	20	25.439	25.257	26.272	1.00	36.46	C
ATOM	131	O	ARG	A	20	24.684	25.028	27.210	1.00	37.71	O
ATOM	132	CB	ARG	A	20	25.112	24.254	23.987	1.00	35.12	C
ATOM	133	CG	ARG	A	20	24.389	23.022	24.466	1.00	42.11	C
ATOM	134	CD	ARG	A	20	25.326	22.086	25.192	1.00	49.73	C
ATOM	135	NE	ARG	A	20	25.823	21.037	24.304	1.00	58.77	N
ATOM	136	CZ	ARG	A	20	25.282	19.820	24.204	1.00	63.42	C
ATOM	137	NH1	ARG	A	20	24.227	19.493	24.946	1.00	61.95	N
ATOM	138	NH2	ARG	A	20	25.773	18.933	23.339	1.00	62.99	N
ATOM	139	N	ARG	A	21	26.755	25.370	26.421	1.00	36.56	N
ATOM	140	CA	ARG	A	21	27.402	25.186	27.716	1.00	34.60	C
ATOM	141	C	ARG	A	21	26.833	26.104	28.780	1.00	35.46	C
ATOM	142	O	ARG	A	21	26.672	25.698	29.927	1.00	38.07	O
ATOM	143	CB	ARG	A	21	28.906	25.431	27.611	1.00	30.90	C
ATOM	144	CG	ARG	A	21	29.710	24.190	27.306	1.00	30.19	C
ATOM	145	CD	ARG	A	21	31.175	24.533	27.156	1.00	28.95	C
ATOM	146	NE	ARG	A	21	31.566	24.636	25.754	1.00	36.91	N
ATOM	147	CZ	ARG	A	21	32.235	25.658	25.242	1.00	33.76	C
ATOM	148	NH1	ARG	A	21	32.584	26.669	26.020	1.00	38.80	N
ATOM	149	NH2	ARG	A	21	32.572	25.660	23.958	1.00	44.47	N
ATOM	150	N	GLN	A	22	26.529	27.338	28.397	1.00	36.46	N
ATOM	151	CA	GLN	A	22	25.994	28.316	29.330	1.00	39.08	C
ATOM	152	C	GLN	A	22	24.515	28.207	29.614	1.00	41.81	C
ATOM	153	O	GLN	A	22	24.063	28.607	30.686	1.00	43.56	O
ATOM	154	CB	GLN	A	22	26.313	29.722	28.868	1.00	40.00	C
ATOM	155	CG	GLN	A	22	27.581	30.237	29.461	1.00	47.83	C
ATOM	156	CD	GLN	A	22	27.908	31.610	28.972	1.00	50.44	C
ATOM	157	OE1	GLN	A	22	28.967	31.832	28.378	1.00	54.03	O
ATOM	158	NE2	GLN	A	22	26.998	32.550	29.203	1.00	51.37	N
ATOM	159	N	LEU	A	23	23.753	27.708	28.649	1.00	41.76	N
ATOM	160	CA	LEU	A	23	22.318	27.564	28.843	1.00	45.71	C
ATOM	161	C	LEU	A	23	21.988	26.261	29.566	1.00	49.37	C
ATOM	162	O	LEU	A	23	20.936	26.129	30.198	1.00	52.41	O
ATOM	163	CB	LEU	A	23	21.562	27.657	27.515	1.00	39.19	C
ATOM	164	CG	LEU	A	23	21.473	29.028	26.837	1.00	35.15	C
ATOM	165	CD1	LEU	A	23	20.498	28.931	25.679	1.00	32.29	C
ATOM	166	CD2	LEU	A	23	21.012	30.092	27.808	1.00	30.41	C
ATOM	167	N	GLU	A	24	22.900	25.303	29.480	1.00	52.04	N
ATOM	168	CA	GLU	A	24	22.722	24.026	30.145	1.00	57.09	C
ATOM	169	C	GLU	A	24	22.812	24.268	31.649	1.00	59.69	C
ATOM	170	O	GLU	A	24	22.184	23.569	32.440	1.00	59.79	O
ATOM	171	CB	GLU	A	24	23.828	23.080	29.709	1.00	58.51	C
ATOM	172	CG	GLU	A	24	23.376	21.663	29.479	1.00	63.84	C
ATOM	173	CD	GLU	A	24	24.291	20.940	28.514	1.00	68.43	C
ATOM	174	OE1	GLU	A	24	25.532	21.092	28.629	1.00	67.19	O
ATOM	175	OE2	GLU	A	24	23.764	20.240	27.622	1.00	70.80	O
ATOM	176	N	GLN	A	25	23.561	25.303	32.020	1.00	63.22	N
ATOM	177	CA	GLN	A	25	23.770	25.681	33.413	1.00	66.53	C

ATOM	178	C	GLN	A	25	22.643	26.535	34.009	1.00	67.56	C
ATOM	179	O	GLN	A	25	22.894	27.547	34.668	1.00	67.76	O
ATOM	180	CB	GLN	A	25	25.122	26.389	33.553	1.00	69.35	C
ATOM	181	CG	GLN	A	25	26.298	25.521	33.114	1.00	77.88	C
ATOM	182	CD	GLN	A	25	27.632	26.252	33.141	1.00	82.94	C
ATOM	183	OE1	GLN	A	25	28.435	26.067	34.057	1.00	85.78	O
ATOM	184	NE2	GLN	A	25	27.883	27.072	32.123	1.00	83.64	N
ATOM	185	N	ARG	A	26	21.402	26.138	33.735	1.00	67.00	N
ATOM	186	CA	ARG	A	26	20.206	26.811	34.246	1.00	65.87	C
ATOM	187	C	ARG	A	26	18.943	26.059	33.853	1.00	65.99	C
ATOM	188	O	ARG	A	26	18.753	25.685	32.693	1.00	66.80	O
ATOM	189	CB	ARG	A	26	20.131	28.291	33.842	1.00	63.65	C
ATOM	190	CG	ARG	A	26	20.686	28.647	32.484	1.00	58.79	C
ATOM	191	CD	ARG	A	26	20.670	30.150	32.294	1.00	53.82	C
ATOM	192	NE	ARG	A	26	19.327	30.623	31.978	1.00	50.88	N
ATOM	193	CZ	ARG	A	26	19.057	31.782	31.386	1.00	48.98	C
ATOM	194	NH1	ARG	A	26	20.033	32.616	31.049	1.00	44.90	N
ATOM	195	NH2	ARG	A	26	17.811	32.070	31.050	1.00	47.12	N
ATOM	196	N	GLY	A	27	18.097	25.828	34.852	1.00	67.01	N
ATOM	197	CA	GLY	A	27	16.868	25.081	34.656	1.00	67.12	C
ATOM	198	C	GLY	A	27	15.635	25.821	34.183	1.00	67.63	C
ATOM	199	O	GLY	A	27	14.587	25.194	33.999	1.00	68.33	O
ATOM	200	N	ASP	A	28	15.728	27.138	34.014	1.00	66.03	N
ATOM	201	CA	ASP	A	28	14.580	27.913	33.535	1.00	64.38	C
ATOM	202	C	ASP	A	28	14.477	27.812	32.014	1.00	61.71	C
ATOM	203	O	ASP	A	28	13.629	28.457	31.390	1.00	61.13	O
ATOM	204	CB	ASP	A	28	14.683	29.384	33.970	1.00	65.70	C
ATOM	205	CG	ASP	A	28	15.896	30.101	33.386	1.00	66.15	C
ATOM	206	OD1	ASP	A	28	16.975	29.482	33.246	1.00	66.43	O
ATOM	207	OD2	ASP	A	28	15.767	31.306	33.083	1.00	66.47	O
ATOM	208	N	VAL	A	29	15.324	26.950	31.449	1.00	56.84	N
ATOM	209	CA	VAL	A	29	15.415	26.716	30.014	1.00	51.99	C
ATOM	210	C	VAL	A	29	15.528	25.220	29.717	1.00	48.66	C
ATOM	211	O	VAL	A	29	16.215	24.492	30.428	1.00	51.10	O
ATOM	212	CB	VAL	A	29	16.683	27.430	29.439	1.00	51.38	C
ATOM	213	CG1	VAL	A	29	16.912	27.053	27.987	1.00	49.25	C
ATOM	214	CG2	VAL	A	29	16.560	28.942	29.583	1.00	47.60	C
ATOM	215	N	GLU	A	30	14.854	24.775	28.664	1.00	46.51	N
ATOM	216	CA	GLU	A	30	14.910	23.380	28.236	1.00	48.07	C
ATOM	217	C	GLU	A	30	15.451	23.378	26.802	1.00	45.23	C
ATOM	218	O	GLU	A	30	14.853	23.989	25.919	1.00	46.59	O
ATOM	219	CB	GLU	A	30	13.517	22.755	28.256	1.00	54.73	C
ATOM	220	CG	GLU	A	30	13.541	21.239	28.116	1.00	64.89	C
ATOM	221	CD	GLU	A	30	12.210	20.651	27.679	1.00	70.38	C
ATOM	222	OE1	GLU	A	30	11.149	21.254	27.970	1.00	73.58	O
ATOM	223	OE2	GLU	A	30	12.236	19.576	27.036	1.00	71.02	O
ATOM	224	N	LEU	A	31	16.555	22.672	26.564	1.00	40.43	N
ATOM	225	CA	LEU	A	31	17.177	22.645	25.238	1.00	38.79	C
ATOM	226	C	LEU	A	31	16.708	21.580	24.249	1.00	39.05	C
ATOM	227	O	LEU	A	31	16.612	20.405	24.581	1.00	43.94	O
ATOM	228	CB	LEU	A	31	18.701	22.559	25.375	1.00	38.55	C
ATOM	229	CG	LEU	A	31	19.421	23.657	26.167	1.00	39.30	C
ATOM	230	CD1	LEU	A	31	20.881	23.294	26.303	1.00	42.53	C
ATOM	231	CD2	LEU	A	31	19.278	25.010	25.492	1.00	39.73	C
ATOM	232	N	VAL	A	32	16.432	22.010	23.020	1.00	39.83	N
ATOM	233	CA	VAL	A	32	16.011	21.120	21.932	1.00	37.75	C

ATOM	234	C	VAL	A	32	17.186	21.164	20.960	1.00	38.86	C
ATOM	235	O	VAL	A	32	17.497	22.216	20.404	1.00	40.67	O
ATOM	236	CB	VAL	A	32	14.726	21.643	21.228	1.00	38.00	C
ATOM	237	CG1	VAL	A	32	14.294	20.692	20.117	1.00	29.60	C
ATOM	238	CG2	VAL	A	32	13.608	21.833	22.247	1.00	34.28	C
ATOM	239	N	LEU	A	33	17.881	20.043	20.817	1.00	38.26	N
ATOM	240	CA	LEU	A	33	19.051	19.984	19.951	1.00	37.51	C
ATOM	241	C	LEU	A	33	18.917	18.884	18.917	1.00	39.70	C
ATOM	242	O	LEU	A	33	18.350	17.831	19.195	1.00	42.91	O
ATOM	243	CB	LEU	A	33	20.307	19.757	20.796	1.00	37.35	C
ATOM	244	CG	LEU	A	33	20.475	20.665	22.026	1.00	37.37	C
ATOM	245	CD1	LEU	A	33	21.648	20.193	22.860	1.00	35.76	C
ATOM	246	CD2	LEU	A	33	20.654	22.126	21.624	1.00	36.53	C
ATOM	247	N	ARG	A	34	19.478	19.118	17.737	1.00	38.49	N
ATOM	248	CA	ARG	A	34	19.421	18.165	16.638	1.00	39.48	C
ATOM	249	C	ARG	A	34	20.757	18.167	15.917	1.00	42.28	C
ATOM	250	O	ARG	A	34	21.274	19.228	15.586	1.00	43.64	O
ATOM	251	CB	ARG	A	34	18.329	18.592	15.659	1.00	40.22	C
ATOM	252	CG	ARG	A	34	17.155	17.649	15.534	1.00	43.09	C
ATOM	253	CD	ARG	A	34	16.710	17.180	16.879	1.00	44.23	C
ATOM	254	NE	ARG	A	34	15.293	16.867	16.922	1.00	44.49	N
ATOM	255	CZ	ARG	A	34	14.573	16.906	18.034	1.00	46.08	C
ATOM	256	NH1	ARG	A	34	15.146	17.236	19.187	1.00	46.87	N
ATOM	257	NH2	ARG	A	34	13.273	16.662	17.989	1.00	47.09	N
ATOM	258	N	THR	A	35	21.329	16.989	15.689	1.00	43.97	N
ATOM	259	CA	THR	A	35	22.602	16.904	14.974	1.00	45.87	C
ATOM	260	C	THR	A	35	22.336	17.035	13.478	1.00	47.43	C
ATOM	261	O	THR	A	35	21.181	16.994	13.041	1.00	45.83	O
ATOM	262	CB	THR	A	35	23.313	15.559	15.205	1.00	43.91	C
ATOM	263	OG1	THR	A	35	22.489	14.491	14.720	1.00	45.89	O
ATOM	264	CG2	THR	A	35	23.625	15.354	16.673	1.00	39.73	C
ATOM	265	N	ARG	A	36	23.408	17.184	12.694	1.00	48.50	N
ATOM	266	CA	ARG	A	36	23.271	17.308	11.242	1.00	49.16	C
ATOM	267	C	ARG	A	36	22.631	16.037	10.687	1.00	49.57	C
ATOM	268	O	ARG	A	36	21.870	16.072	9.692	1.00	48.38	O
ATOM	269	CB	ARG	A	36	24.628	17.525	10.577	1.00	49.50	C
ATOM	270	CG	ARG	A	36	24.510	17.511	9.053	1.00	53.20	C
ATOM	271	CD	ARG	A	36	25.877	17.333	8.397	1.00	54.57	C
ATOM	272	NE	ARG	A	36	26.708	18.530	8.547	1.00	54.62	N
ATOM	273	CZ	ARG	A	36	26.838	19.470	7.603	1.00	54.52	C
ATOM	274	NH1	ARG	A	36	26.173	19.357	6.446	1.00	54.97	N
ATOM	275	NH2	ARG	A	36	27.699	20.473	7.766	1.00	53.24	N
ATOM	276	N	ASP	A	37	22.946	14.904	11.322	1.00	51.90	N
ATOM	277	CA	ASP	A	37	22.364	13.631	10.887	1.00	54.11	C
ATOM	278	C	ASP	A	37	20.888	13.520	11.271	1.00	50.88	C
ATOM	279	O	ASP	A	37	20.115	12.844	10.565	1.00	50.88	O
ATOM	280	CB	ASP	A	37	23.148	12.448	11.463	1.00	61.89	C
ATOM	281	CG	ASP	A	37	24.477	12.223	10.733	1.00	68.54	C
ATOM	282	OD1	ASP	A	37	24.540	12.518	9.482	1.00	70.79	O
ATOM	283	OD2	ASP	A	37	25.469	11.768	11.410	1.00	72.97	O
ATOM	284	N	GLU	A	38	20.500	14.168	12.369	1.00	48.31	N
ATOM	285	CA	GLU	A	38	19.112	14.140	12.806	1.00	45.48	C
ATOM	286	C	GLU	A	38	18.261	15.157	12.040	1.00	44.85	C
ATOM	287	O	GLU	A	38	17.081	14.917	11.775	1.00	44.04	O
ATOM	288	CB	GLU	A	38	19.011	14.427	14.301	1.00	48.73	C
ATOM	289	CG	GLU	A	38	19.594	13.362	15.199	1.00	53.37	C

ATOM	290	CD	GLU	A	38	19.430	13.711	16.664	1.00	58.58	C
ATOM	291	OE1	GLU	A	38	20.295	14.423	17.218	1.00	60.16	O
ATOM	292	OE2	GLU	A	38	18.419	13.292	17.265	1.00	62.76	O
ATOM	293	N	LEU	A	39	18.855	16.293	11.687	1.00	41.50	N
ATOM	294	CA	LEU	A	39	18.113	17.321	10.968	1.00	38.30	C
ATOM	295	C	LEU	A	39	19.001	18.089	10.006	1.00	37.08	C
ATOM	296	O	LEU	A	39	19.888	18.829	10.430	1.00	34.86	O
ATOM	297	CB	LEU	A	39	17.475	18.303	11.957	1.00	34.87	C
ATOM	298	CG	LEU	A	39	16.656	19.464	11.373	1.00	35.83	C
ATOM	299	CD1	LEU	A	39	15.423	18.927	10.673	1.00	33.47	C
ATOM	300	CD2	LEU	A	39	16.265	20.449	12.472	1.00	31.29	C
ATOM	301	N	ASN	A	40	18.779	17.897	8.711	1.00	37.68	N
ATOM	302	CA	ASN	A	40	19.562	18.617	7.719	1.00	36.32	C
ATOM	303	C	ASN	A	40	18.935	19.992	7.503	1.00	32.98	C
ATOM	304	O	ASN	A	40	17.858	20.108	6.907	1.00	29.82	O
ATOM	305	CB	ASN	A	40	19.618	17.855	6.397	1.00	40.22	C
ATOM	306	CG	ASN	A	40	20.536	18.522	5.390	1.00	43.35	C
ATOM	307	OD1	ASN	A	40	21.367	19.362	5.750	1.00	42.66	O
ATOM	308	ND2	ASN	A	40	20.383	18.162	4.120	1.00	43.07	N
ATOM	309	N	LEU	A	41	19.626	21.030	7.967	1.00	29.70	N
ATOM	310	CA	LEU	A	41	19.134	22.395	7.858	1.00	28.83	C
ATOM	311	C	LEU	A	41	18.995	22.938	6.434	1.00	29.73	C
ATOM	312	O	LEU	A	41	18.363	23.968	6.222	1.00	28.44	O
ATOM	313	CB	LEU	A	41	19.973	23.332	8.723	1.00	24.99	C
ATOM	314	CG	LEU	A	41	19.959	23.045	10.226	1.00	24.91	C
ATOM	315	CD1	LEU	A	41	20.864	24.012	10.938	1.00	25.14	C
ATOM	316	CD2	LEU	A	41	18.559	23.150	10.792	1.00	24.69	C
ATOM	317	N	LEU	A	42	19.577	22.251	5.457	1.00	32.21	N
ATOM	318	CA	LEU	A	42	19.455	22.675	4.057	1.00	33.93	C
ATOM	319	C	LEU	A	42	18.115	22.218	3.477	1.00	35.76	C
ATOM	320	O	LEU	A	42	17.639	22.763	2.478	1.00	37.82	O
ATOM	321	CB	LEU	A	42	20.591	22.103	3.207	1.00	31.23	C
ATOM	322	CG	LEU	A	42	21.990	22.664	3.460	1.00	36.80	C
ATOM	323	CD1	LEU	A	42	22.999	21.943	2.592	1.00	35.14	C
ATOM	324	CD2	LEU	A	42	22.000	24.149	3.157	1.00	33.92	C
ATOM	325	N	ASP	A	43	17.517	21.214	4.112	1.00	36.08	N
ATOM	326	CA	ASP	A	43	16.239	20.659	3.684	1.00	37.80	C
ATOM	327	C	ASP	A	43	15.070	21.476	4.261	1.00	38.26	C
ATOM	328	O	ASP	A	43	14.749	21.370	5.449	1.00	37.57	O
ATOM	329	CB	ASP	A	43	16.162	19.190	4.132	1.00	39.46	C
ATOM	330	CG	ASP	A	43	14.967	18.426	3.537	1.00	40.27	C
ATOM	331	OD1	ASP	A	43	14.109	18.999	2.825	1.00	42.87	O
ATOM	332	OD2	ASP	A	43	14.894	17.212	3.795	1.00	43.06	O
ATOM	333	N	SER	A	44	14.418	22.256	3.397	1.00	37.79	N
ATOM	334	CA	SER	A	44	13.282	23.098	3.784	1.00	39.19	C
ATOM	335	C	SER	A	44	12.146	22.340	4.481	1.00	38.48	C
ATOM	336	O	SER	A	44	11.696	22.757	5.549	1.00	37.63	O
ATOM	337	CB	SER	A	44	12.722	23.831	2.560	1.00	39.04	C
ATOM	338	OG	SER	A	44	13.722	24.604	1.926	1.00	46.91	O
ATOM	339	N	ARG	A	45	11.689	21.239	3.873	1.00	36.92	N
ATOM	340	CA	ARG	A	45	10.597	20.423	4.422	1.00	36.41	C
ATOM	341	C	ARG	A	45	10.936	19.847	5.795	1.00	34.11	C
ATOM	342	O	ARG	A	45	10.115	19.883	6.707	1.00	36.39	O
ATOM	343	CB	ARG	A	45	10.202	19.293	3.433	1.00	35.35	C
ATOM	344	N	ALA	A	46	12.166	19.373	5.955	1.00	33.82	N
ATOM	345	CA	ALA	A	46	12.607	18.810	7.228	1.00	33.22	C

ATOM	346	C	ALA	A	46	12.586	19.870	8.333	1.00	33.66	C
ATOM	347	O	ALA	A	46	12.149	19.605	9.464	1.00	35.07	O
ATOM	348	CB	ALA	A	46	14.006	18.226	7.084	1.00	32.17	C
ATOM	349	N	VAL	A	47	13.041	21.074	7.991	1.00	31.27	N
ATOM	350	CA	VAL	A	47	13.077	22.174	8.946	1.00	30.24	C
ATOM	351	C	VAL	A	47	11.665	22.606	9.352	1.00	31.13	C
ATOM	352	O	VAL	A	47	11.403	22.827	10.537	1.00	32.08	O
ATOM	353	CB	VAL	A	47	13.913	23.365	8.400	1.00	29.11	C
ATOM	354	CG1	VAL	A	47	13.929	24.533	9.385	1.00	29.36	C
ATOM	355	CG2	VAL	A	47	15.337	22.909	8.155	1.00	25.20	C
ATOM	356	N	HIS	A	48	10.751	22.715	8.388	1.00	35.31	N
ATOM	357	CA	HIS	A	48	9.376	23.096	8.717	1.00	38.94	C
ATOM	358	C	HIS	A	48	8.721	22.004	9.562	1.00	38.54	C
ATOM	359	O	HIS	A	48	8.069	22.301	10.559	1.00	38.19	O
ATOM	360	CB	HIS	A	48	8.558	23.397	7.458	1.00	41.94	C
ATOM	361	CG	HIS	A	48	8.829	24.754	6.876	1.00	56.13	C
ATOM	362	ND1	HIS	A	48	9.990	25.058	6.190	1.00	59.59	N
ATOM	363	CD2	HIS	A	48	8.098	25.896	6.892	1.00	58.33	C
ATOM	364	CE1	HIS	A	48	9.962	26.324	5.812	1.00	57.68	C
ATOM	365	NE2	HIS	A	48	8.824	26.856	6.226	1.00	57.78	N
ATOM	366	N	ASP	A	49	8.965	20.742	9.210	1.00	41.61	N
ATOM	367	CA	ASP	A	49	8.408	19.616	9.959	1.00	42.36	C
ATOM	368	C	ASP	A	49	8.860	19.645	11.405	1.00	41.75	C
ATOM	369	O	ASP	A	49	8.058	19.428	12.313	1.00	42.14	O
ATOM	370	CB	ASP	A	49	8.809	18.288	9.330	1.00	45.77	C
ATOM	371	CG	ASP	A	49	7.985	17.948	8.094	1.00	52.81	C
ATOM	372	OD1	ASP	A	49	7.091	18.742	7.709	1.00	53.04	O
ATOM	373	OD2	ASP	A	49	8.235	16.870	7.506	1.00	56.26	O
ATOM	374	N	PHE	A	50	10.146	19.921	11.609	1.00	38.69	N
ATOM	375	CA	PHE	A	50	10.714	20.005	12.945	1.00	35.96	C
ATOM	376	C	PHE	A	50	10.061	21.131	13.754	1.00	36.38	C
ATOM	377	O	PHE	A	50	9.643	20.921	14.889	1.00	36.72	O
ATOM	378	CB	PHE	A	50	12.230	20.217	12.856	1.00	34.10	C
ATOM	379	CG	PHE	A	50	12.850	20.720	14.131	1.00	34.38	C
ATOM	380	CD1	PHE	A	50	13.101	19.857	15.188	1.00	34.43	C
ATOM	381	CD2	PHE	A	50	13.172	22.070	14.280	1.00	36.91	C
ATOM	382	CE1	PHE	A	50	13.664	20.332	16.381	1.00	35.07	C
ATOM	383	CE2	PHE	A	50	13.734	22.558	15.468	1.00	35.30	C
ATOM	384	CZ	PHE	A	50	13.980	21.688	16.517	1.00	35.27	C
ATOM	385	N	PHE	A	51	9.985	22.327	13.179	1.00	36.53	N
ATOM	386	CA	PHE	A	51	9.388	23.462	13.880	1.00	36.38	C
ATOM	387	C	PHE	A	51	7.903	23.247	14.159	1.00	39.77	C
ATOM	388	O	PHE	A	51	7.341	23.802	15.119	1.00	36.92	O
ATOM	389	CB	PHE	A	51	9.602	24.752	13.091	1.00	34.24	C
ATOM	390	CG	PHE	A	51	10.905	25.447	13.400	1.00	33.88	C
ATOM	391	CD1	PHE	A	51	11.046	26.210	14.556	1.00	32.20	C
ATOM	392	CD2	PHE	A	51	11.990	25.350	12.530	1.00	33.92	C
ATOM	393	CE1	PHE	A	51	12.254	26.873	14.841	1.00	36.14	C
ATOM	394	CE2	PHE	A	51	13.200	26.011	12.809	1.00	34.40	C
ATOM	395	CZ	PHE	A	51	13.328	26.772	13.966	1.00	28.85	C
ATOM	396	N	ALA	A	52	7.277	22.435	13.309	1.00	41.91	N
ATOM	397	CA	ALA	A	52	5.860	22.106	13.443	1.00	45.03	C
ATOM	398	C	ALA	A	52	5.613	21.070	14.551	1.00	46.49	C
ATOM	399	O	ALA	A	52	4.607	21.145	15.254	1.00	49.13	O
ATOM	400	CB	ALA	A	52	5.308	21.598	12.113	1.00	42.39	C
ATOM	401	N	SER	A	53	6.532	20.114	14.700	1.00	46.86	N

ATOM	402	CA	SER	A	53	6.417	19.068	15.713	1.00	46.18	C
ATOM	403	C	SER	A	53	6.841	19.528	17.091	1.00	47.30	C
ATOM	404	O	SER	A	53	6.224	19.149	18.076	1.00	50.58	O
ATOM	405	CB	SER	A	53	7.252	17.859	15.326	1.00	46.02	C
ATOM	406	OG	SER	A	53	6.846	17.376	14.064	1.00	55.98	O
ATOM	407	N	GLU	A	54	7.929	20.289	17.166	1.00	46.61	N
ATOM	408	CA	GLU	A	54	8.427	20.789	18.443	1.00	47.30	C
ATOM	409	C	GLU	A	54	7.778	22.111	18.795	1.00	48.35	C
ATOM	410	O	GLU	A	54	7.229	22.795	17.928	1.00	53.70	O
ATOM	411	CB	GLU	A	54	9.945	20.971	18.404	1.00	47.96	C
ATOM	412	CG	GLU	A	54	10.719	19.709	18.095	1.00	49.95	C
ATOM	413	CD	GLU	A	54	10.381	18.567	19.033	1.00	56.61	C
ATOM	414	OE1	GLU	A	54	10.360	18.777	20.264	1.00	53.61	O
ATOM	415	OE2	GLU	A	54	10.127	17.454	18.529	1.00	63.34	O
ATOM	416	N	ARG	A	55	7.828	22.469	20.071	1.00	46.72	N
ATOM	417	CA	ARG	A	55	7.250	23.727	20.513	1.00	48.22	C
ATOM	418	C	ARG	A	55	8.415	24.620	20.925	1.00	47.65	C
ATOM	419	O	ARG	A	55	8.802	24.656	22.093	1.00	52.64	O
ATOM	420	CB	ARG	A	55	6.284	23.494	21.679	1.00	49.08	C
ATOM	421	N	ILE	A	56	8.986	25.316	19.945	1.00	44.38	N
ATOM	422	CA	ILE	A	56	10.137	26.193	20.167	1.00	38.21	C
ATOM	423	C	ILE	A	56	9.743	27.600	20.594	1.00	34.25	C
ATOM	424	O	ILE	A	56	8.851	28.214	20.011	1.00	35.06	O
ATOM	425	CB	ILE	A	56	11.027	26.295	18.888	1.00	36.14	C
ATOM	426	CG1	ILE	A	56	11.429	24.901	18.383	1.00	35.12	C
ATOM	427	CG2	ILE	A	56	12.276	27.104	19.180	1.00	34.57	C
ATOM	428	CD1	ILE	A	56	12.127	24.062	19.424	1.00	36.54	C
ATOM	429	N	ASP	A	57	10.414	28.108	21.619	1.00	31.45	N
ATOM	430	CA	ASP	A	57	10.148	29.456	22.096	1.00	33.09	C
ATOM	431	C	ASP	A	57	11.223	30.428	21.604	1.00	34.76	C
ATOM	432	O	ASP	A	57	10.916	31.568	21.259	1.00	33.91	O
ATOM	433	CB	ASP	A	57	10.060	29.489	23.626	1.00	36.39	C
ATOM	434	CG	ASP	A	57	8.905	28.659	24.160	1.00	37.50	C
ATOM	435	OD1	ASP	A	57	7.743	28.993	23.856	1.00	45.83	O
ATOM	436	OD2	ASP	A	57	9.153	27.660	24.863	1.00	38.82	O
ATOM	437	N	GLN	A	58	12.477	29.975	21.566	1.00	32.90	N
ATOM	438	CA	GLN	A	58	13.602	30.808	21.121	1.00	29.00	C
ATOM	439	C	GLN	A	58	14.524	30.032	20.200	1.00	26.40	C
ATOM	440	O	GLN	A	58	14.606	28.809	20.285	1.00	25.66	O
ATOM	441	CB	GLN	A	58	14.419	31.291	22.315	1.00	30.53	C
ATOM	442	CG	GLN	A	58	13.667	32.158	23.291	1.00	33.88	C
ATOM	443	CD	GLN	A	58	14.518	32.547	24.476	1.00	37.21	C
ATOM	444	OE1	GLN	A	58	15.749	32.485	24.421	1.00	42.50	O
ATOM	445	NE2	GLN	A	58	13.871	32.953	25.557	1.00	39.12	N
ATOM	446	N	VAL	A	59	15.193	30.746	19.301	1.00	26.05	N
ATOM	447	CA	VAL	A	59	16.137	30.122	18.374	1.00	22.51	C
ATOM	448	C	VAL	A	59	17.455	30.887	18.314	1.00	23.59	C
ATOM	449	O	VAL	A	59	17.470	32.115	18.157	1.00	21.64	O
ATOM	450	CB	VAL	A	59	15.589	30.050	16.933	1.00	18.55	C
ATOM	451	CG1	VAL	A	59	16.663	29.503	15.993	1.00	19.71	C
ATOM	452	CG2	VAL	A	59	14.365	29.173	16.866	1.00	17.82	C
ATOM	453	N	TYR	A	60	18.548	30.168	18.544	1.00	23.40	N
ATOM	454	CA	TYR	A	60	19.885	30.739	18.431	1.00	23.22	C
ATOM	455	C	TYR	A	60	20.402	30.137	17.131	1.00	22.40	C
ATOM	456	O	TYR	A	60	20.632	28.930	17.046	1.00	22.12	O
ATOM	457	CB	TYR	A	60	20.784	30.329	19.593	1.00	22.37	C

ATOM	458	CG	TYR	A	60	20.551	31.126	20.848	1.00	23.48	C
ATOM	459	CD1	TYR	A	60	19.590	30.726	21.779	1.00	30.06	C
ATOM	460	CD2	TYR	A	60	21.299	32.267	21.125	1.00	23.94	C
ATOM	461	CE1	TYR	A	60	19.377	31.448	22.960	1.00	27.36	C
ATOM	462	CE2	TYR	A	60	21.098	32.994	22.308	1.00	24.58	C
ATOM	463	CZ	TYR	A	60	20.132	32.573	23.216	1.00	27.54	C
ATOM	464	OH	TYR	A	60	19.917	33.263	24.385	1.00	28.85	O
ATOM	465	N	LEU	A	61	20.512	30.966	16.097	1.00	22.99	N
ATOM	466	CA	LEU	A	61	20.961	30.487	14.799	1.00	25.82	C
ATOM	467	C	LEU	A	61	22.475	30.549	14.729	1.00	22.08	C
ATOM	468	O	LEU	A	61	23.044	31.570	14.352	1.00	21.76	O
ATOM	469	CB	LEU	A	61	20.270	31.301	13.690	1.00	24.75	C
ATOM	470	CG	LEU	A	61	20.471	31.019	12.192	1.00	29.56	C
ATOM	471	CD1	LEU	A	61	20.868	29.581	11.898	1.00	31.09	C
ATOM	472	CD2	LEU	A	61	19.207	31.410	11.446	1.00	23.57	C
ATOM	473	N	ALA	A	62	23.113	29.453	15.141	1.00	22.39	N
ATOM	474	CA	ALA	A	62	24.578	29.344	15.164	1.00	22.94	C
ATOM	475	C	ALA	A	62	25.120	28.339	14.156	1.00	23.39	C
ATOM	476	O	ALA	A	62	26.289	27.973	14.210	1.00	27.97	O
ATOM	477	CB	ALA	A	62	25.072	28.989	16.579	1.00	19.79	C
ATOM	478	N	ALA	A	63	24.257	27.863	13.267	1.00	24.40	N
ATOM	479	CA	ALA	A	63	24.659	26.923	12.231	1.00	26.04	C
ATOM	480	C	ALA	A	63	25.142	27.736	11.028	1.00	27.62	C
ATOM	481	O	ALA	A	63	24.532	28.744	10.672	1.00	29.22	O
ATOM	482	CB	ALA	A	63	23.485	26.037	11.825	1.00	20.58	C
ATOM	483	N	ALA	A	64	26.243	27.294	10.426	1.00	26.22	N
ATOM	484	CA	ALA	A	64	26.828	27.959	9.269	1.00	27.08	C
ATOM	485	C	ALA	A	64	27.922	27.119	8.640	1.00	28.18	C
ATOM	486	O	ALA	A	64	28.433	26.175	9.241	1.00	30.26	O
ATOM	487	CB	ALA	A	64	27.406	29.333	9.669	1.00	22.21	C
ATOM	488	N	LYS	A	65	28.227	27.435	7.390	1.00	28.72	N
ATOM	489	CA	LYS	A	65	29.304	26.791	6.652	1.00	28.54	C
ATOM	490	C	LYS	A	65	30.407	27.826	6.851	1.00	28.48	C
ATOM	491	O	LYS	A	65	30.325	28.939	6.344	1.00	28.49	O
ATOM	492	CB	LYS	A	65	28.933	26.656	5.174	1.00	33.53	C
ATOM	493	CG	LYS	A	65	30.090	26.346	4.236	1.00	36.98	C
ATOM	494	CD	LYS	A	65	30.525	24.925	4.377	1.00	38.88	C
ATOM	495	CE	LYS	A	65	31.520	24.579	3.300	1.00	40.88	C
ATOM	496	NZ	LYS	A	65	31.750	23.117	3.262	1.00	46.04	N
ATOM	497	N	VAL	A	66	31.372	27.480	7.694	1.00	29.22	N
ATOM	498	CA	VAL	A	66	32.483	28.355	8.062	1.00	27.65	C
ATOM	499	C	VAL	A	66	33.849	27.785	7.639	1.00	27.24	C
ATOM	500	O	VAL	A	66	34.011	26.572	7.494	1.00	29.34	O
ATOM	501	CB	VAL	A	66	32.445	28.554	9.593	1.00	28.25	C
ATOM	502	CG1	VAL	A	66	33.584	29.406	10.070	1.00	34.57	C
ATOM	503	CG2	VAL	A	66	31.133	29.171	9.981	1.00	27.37	C
ATOM	504	N	GLY	A	67	34.826	28.661	7.438	1.00	25.22	N
ATOM	505	CA	GLY	A	67	36.147	28.201	7.053	1.00	25.93	C
ATOM	506	C	GLY	A	67	37.162	29.321	6.971	1.00	28.18	C
ATOM	507	O	GLY	A	67	36.842	30.485	7.224	1.00	27.61	O
ATOM	508	N	GLY	A	68	38.397	28.946	6.631	1.00	27.98	N
ATOM	509	CA	GLY	A	68	39.476	29.905	6.499	1.00	25.02	C
ATOM	510	C	GLY	A	68	39.638	30.474	5.095	1.00	26.32	C
ATOM	511	O	GLY	A	68	38.799	30.260	4.215	1.00	26.88	O
ATOM	512	N	ILE	A	69	40.734	31.201	4.896	1.00	26.63	N
ATOM	513	CA	ILE	A	69	41.082	31.838	3.629	1.00	25.70	C

ATOM	514	C	ILE	A	69	41.072	30.872	2.444	1.00	24.70	C
ATOM	515	O	ILE	A	69	40.489	31.177	1.409	1.00	21.68	O
ATOM	516	CB	ILE	A	69	42.454	32.557	3.762	1.00	30.40	C
ATOM	517	CG1	ILE	A	69	42.286	33.791	4.647	1.00	32.78	C
ATOM	518	CG2	ILE	A	69	43.016	32.945	2.410	1.00	31.41	C
ATOM	519	CD1	ILE	A	69	43.586	34.423	5.080	1.00	40.98	C
ATOM	520	N	VAL	A	70	41.678	29.699	2.605	1.00	22.48	N
ATOM	521	CA	VAL	A	70	41.702	28.714	1.521	1.00	22.87	C
ATOM	522	C	VAL	A	70	40.299	28.201	1.156	1.00	24.18	C
ATOM	523	O	VAL	A	70	39.928	28.181	-0.020	1.00	24.50	O
ATOM	524	CB	VAL	A	70	42.655	27.517	1.839	1.00	21.52	C
ATOM	525	CG1	VAL	A	70	42.551	26.432	0.767	1.00	20.34	C
ATOM	526	CG2	VAL	A	70	44.093	28.011	1.911	1.00	19.88	C
ATOM	527	N	ALA	A	71	39.509	27.844	2.166	1.00	22.21	N
ATOM	528	CA	ALA	A	71	38.166	27.331	1.939	1.00	21.76	C
ATOM	529	C	ALA	A	71	37.254	28.351	1.261	1.00	21.94	C
ATOM	530	O	ALA	A	71	36.580	28.026	0.279	1.00	24.88	O
ATOM	531	CB	ALA	A	71	37.561	26.846	3.251	1.00	20.17	C
ATOM	532	N	ASN	A	72	37.247	29.585	1.759	1.00	21.74	N
ATOM	533	CA	ASN	A	72	36.405	30.632	1.171	1.00	24.24	C
ATOM	534	C	ASN	A	72	36.683	30.926	-0.304	1.00	25.08	C
ATOM	535	O	ASN	A	72	35.764	31.252	-1.053	1.00	27.00	O
ATOM	536	CB	ASN	A	72	36.467	31.915	2.002	1.00	24.90	C
ATOM	537	CG	ASN	A	72	35.587	31.842	3.231	1.00	27.78	C
ATOM	538	OD1	ASN	A	72	36.016	31.370	4.281	1.00	27.90	O
ATOM	539	ND2	ASN	A	72	34.334	32.265	3.094	1.00	21.38	N
ATOM	540	N	ASN	A	73	37.946	30.810	-0.711	1.00	22.93	N
ATOM	541	CA	ASN	A	73	38.336	31.030	-2.099	1.00	22.83	C
ATOM	542	C	ASN	A	73	38.244	29.749	-2.936	1.00	24.17	C
ATOM	543	O	ASN	A	73	38.204	29.810	-4.164	1.00	26.68	O
ATOM	544	CB	ASN	A	73	39.762	31.560	-2.181	1.00	21.59	C
ATOM	545	CG	ASN	A	73	39.857	33.043	-1.908	1.00	25.57	C
ATOM	546	OD1	ASN	A	73	39.280	33.867	-2.627	1.00	28.53	O
ATOM	547	ND2	ASN	A	73	40.631	33.400	-0.887	1.00	27.04	N
ATOM	548	N	THR	A	74	38.248	28.594	-2.275	1.00	23.32	N
ATOM	549	CA	THR	A	74	38.168	27.315	-2.973	1.00	22.31	C
ATOM	550	C	THR	A	74	36.730	26.833	-3.200	1.00	22.04	C
ATOM	551	O	THR	A	74	36.413	26.317	-4.274	1.00	20.28	O
ATOM	552	CB	THR	A	74	38.978	26.237	-2.240	1.00	24.22	C
ATOM	553	OG1	THR	A	74	40.342	26.658	-2.171	1.00	20.49	O
ATOM	554	CG2	THR	A	74	38.894	24.895	-2.968	1.00	20.05	C
ATOM	555	N	TYR	A	75	35.853	27.037	-2.216	1.00	19.87	N
ATOM	556	CA	TYR	A	75	34.459	26.618	-2.350	1.00	20.36	C
ATOM	557	C	TYR	A	75	33.489	27.789	-2.189	1.00	21.70	C
ATOM	558	O	TYR	A	75	32.560	27.713	-1.394	1.00	21.56	O
ATOM	559	CB	TYR	A	75	34.128	25.573	-1.293	1.00	23.53	C
ATOM	560	CG	TYR	A	75	35.165	24.493	-1.136	1.00	29.07	C
ATOM	561	CD1	TYR	A	75	35.107	23.337	-1.908	1.00	33.08	C
ATOM	562	CD2	TYR	A	75	36.201	24.621	-0.207	1.00	30.54	C
ATOM	563	CE1	TYR	A	75	36.055	22.321	-1.762	1.00	37.73	C
ATOM	564	CE2	TYR	A	75	37.154	23.619	-0.053	1.00	34.16	C
ATOM	565	CZ	TYR	A	75	37.073	22.472	-0.834	1.00	38.19	C
ATOM	566	OH	TYR	A	75	37.997	21.466	-0.694	1.00	41.23	O
ATOM	567	N	PRO	A	76	33.665	28.872	-2.969	1.00	20.81	N
ATOM	568	CA	PRO	A	76	32.755	30.020	-2.837	1.00	20.59	C
ATOM	569	C	PRO	A	76	31.256	29.719	-2.996	1.00	20.19	C

ATOM	570	O	PRO	A	76	30.432	30.251	-2.242	1.00	21.87	O
ATOM	571	CB	PRO	A	76	33.276	30.991	-3.905	1.00	20.53	C
ATOM	572	CG	PRO	A	76	33.899	30.062	-4.947	1.00	21.36	C
ATOM	573	CD	PRO	A	76	34.640	29.098	-4.052	1.00	17.99	C
ATOM	574	N	ALA	A	77	30.899	28.888	-3.971	1.00	19.86	N
ATOM	575	CA	ALA	A	77	29.496	28.543	-4.182	1.00	20.50	C
ATOM	576	C	ALA	A	77	28.877	27.832	-2.973	1.00	20.68	C
ATOM	577	O	ALA	A	77	27.754	28.132	-2.586	1.00	22.16	O
ATOM	578	CB	ALA	A	77	29.345	27.706	-5.410	1.00	17.32	C
ATOM	579	N	ASP	A	78	29.609	26.895	-2.379	1.00	21.88	N
ATOM	580	CA	ASP	A	78	29.116	26.169	-1.213	1.00	22.52	C
ATOM	581	C	ASP	A	78	28.895	27.119	-0.043	1.00	21.68	C
ATOM	582	O	ASP	A	78	27.948	26.960	0.718	1.00	22.49	O
ATOM	583	CB	ASP	A	78	30.115	25.090	-0.779	1.00	22.77	C
ATOM	584	CG	ASP	A	78	30.338	24.024	-1.840	1.00	27.96	C
ATOM	585	OD1	ASP	A	78	29.621	24.010	-2.871	1.00	29.89	O
ATOM	586	OD2	ASP	A	78	31.243	23.191	-1.638	1.00	31.95	O
ATOM	587	N	PHE	A	79	29.775	28.109	0.091	1.00	22.83	N
ATOM	588	CA	PHE	A	79	29.687	29.081	1.181	1.00	26.07	C
ATOM	589	C	PHE	A	79	28.503	30.036	1.077	1.00	24.72	C
ATOM	590	O	PHE	A	79	27.843	30.310	2.080	1.00	23.94	O
ATOM	591	CB	PHE	A	79	30.992	29.865	1.328	1.00	27.33	C
ATOM	592	CG	PHE	A	79	32.047	29.139	2.117	1.00	28.99	C
ATOM	593	CD1	PHE	A	79	32.930	28.267	1.493	1.00	29.18	C
ATOM	594	CD2	PHE	A	79	32.160	29.328	3.489	1.00	28.73	C
ATOM	595	CE1	PHE	A	79	33.910	27.591	2.227	1.00	29.59	C
ATOM	596	CE2	PHE	A	79	33.142	28.653	4.231	1.00	29.66	C
ATOM	597	CZ	PHE	A	79	34.015	27.786	3.597	1.00	25.22	C
ATOM	598	N	ILE	A	80	28.245	30.563	-0.118	1.00	19.51	N
ATOM	599	CA	ILE	A	80	27.107	31.457	-0.286	1.00	17.67	C
ATOM	600	C	ILE	A	80	25.796	30.662	-0.307	1.00	18.36	C
ATOM	601	O	ILE	A	80	24.870	30.978	0.435	1.00	18.58	O
ATOM	602	CB	ILE	A	80	27.234	32.378	-1.545	1.00	17.62	C
ATOM	603	CG1	ILE	A	80	26.039	33.345	-1.601	1.00	16.59	C
ATOM	604	CG2	ILE	A	80	27.341	31.544	-2.817	1.00	10.69	C
ATOM	605	CD1	ILE	A	80	26.212	34.533	-2.530	1.00	15.24	C
ATOM	606	N	TYR	A	81	25.744	29.581	-1.080	1.00	17.96	N
ATOM	607	CA	TYR	A	81	24.528	28.785	-1.154	1.00	16.81	C
ATOM	608	C	TYR	A	81	24.062	28.157	0.163	1.00	18.60	C
ATOM	609	O	TYR	A	81	22.904	28.309	0.550	1.00	21.74	O
ATOM	610	CB	TYR	A	81	24.645	27.700	-2.219	1.00	15.40	C
ATOM	611	CG	TYR	A	81	23.453	26.777	-2.222	1.00	21.05	C
ATOM	612	CD1	TYR	A	81	22.264	27.149	-2.849	1.00	20.46	C
ATOM	613	CD2	TYR	A	81	23.497	25.541	-1.566	1.00	19.54	C
ATOM	614	CE1	TYR	A	81	21.143	26.315	-2.825	1.00	21.23	C
ATOM	615	CE2	TYR	A	81	22.382	24.698	-1.536	1.00	21.66	C
ATOM	616	CZ	TYR	A	81	21.211	25.096	-2.169	1.00	22.93	C
ATOM	617	OH	TYR	A	81	20.105	24.279	-2.152	1.00	27.15	O
ATOM	618	N	GLN	A	82	24.948	27.449	0.850	1.00	18.03	N
ATOM	619	CA	GLN	A	82	24.565	26.786	2.093	1.00	19.13	C
ATOM	620	C	GLN	A	82	24.153	27.733	3.187	1.00	19.98	C
ATOM	621	O	GLN	A	82	23.198	27.464	3.910	1.00	24.00	O
ATOM	622	CB	GLN	A	82	25.670	25.854	2.586	1.00	20.98	C
ATOM	623	CG	GLN	A	82	25.773	24.595	1.760	1.00	22.59	C
ATOM	624	CD	GLN	A	82	26.929	23.721	2.158	1.00	24.30	C
ATOM	625	OE1	GLN	A	82	27.604	23.143	1.308	1.00	28.72	O

ATOM	626	NE2	GLN	A	82	27.171	23.618	3.451	1.00	23.64	N
ATOM	627	N	ASN	A	83	24.879	28.830	3.331	1.00	18.93	N
ATOM	628	CA	ASN	A	83	24.532	29.783	4.359	1.00	20.46	C
ATOM	629	C	ASN	A	83	23.205	30.466	4.046	1.00	21.81	C
ATOM	630	O	ASN	A	83	22.395	30.682	4.950	1.00	22.83	O
ATOM	631	CB	ASN	A	83	25.667	30.774	4.607	1.00	17.46	C
ATOM	632	CG	ASN	A	83	26.818	30.143	5.396	1.00	26.97	C
ATOM	633	OD1	ASN	A	83	26.646	29.731	6.541	1.00	28.76	O
ATOM	634	ND2	ASN	A	83	27.987	30.035	4.770	1.00	27.76	N
ATOM	635	N	MET	A	84	22.958	30.757	2.770	1.00	21.20	N
ATOM	636	CA	MET	A	84	21.698	31.379	2.378	1.00	20.82	C
ATOM	637	C	MET	A	84	20.521	30.440	2.672	1.00	21.23	C
ATOM	638	O	MET	A	84	19.513	30.872	3.224	1.00	20.25	O
ATOM	639	CB	MET	A	84	21.709	31.760	0.898	1.00	20.35	C
ATOM	640	CG	MET	A	84	22.265	33.161	0.582	1.00	19.61	C
ATOM	641	SD	MET	A	84	22.376	33.445	-1.236	1.00	25.63	S
ATOM	642	CE	MET	A	84	20.657	33.569	-1.744	1.00	20.78	C
ATOM	643	N	MET	A	85	20.658	29.156	2.338	1.00	19.67	N
ATOM	644	CA	MET	A	85	19.580	28.189	2.583	1.00	22.63	C
ATOM	645	C	MET	A	85	19.310	27.972	4.056	1.00	23.29	C
ATOM	646	O	MET	A	85	18.158	27.999	4.476	1.00	24.37	O
ATOM	647	CB	MET	A	85	19.869	26.836	1.931	1.00	24.77	C
ATOM	648	CG	MET	A	85	19.660	26.830	0.433	1.00	31.83	C
ATOM	649	SD	MET	A	85	17.946	27.126	-0.024	1.00	39.36	S
ATOM	650	CE	MET	A	85	17.184	25.689	0.707	1.00	27.72	C
ATOM	651	N	ILE	A	86	20.366	27.741	4.832	1.00	21.32	N
ATOM	652	CA	ILE	A	86	20.224	27.522	6.271	1.00	22.10	C
ATOM	653	C	ILE	A	86	19.510	28.701	6.933	1.00	23.88	C
ATOM	654	O	ILE	A	86	18.578	28.509	7.709	1.00	24.74	O
ATOM	655	CB	ILE	A	86	21.594	27.300	6.946	1.00	21.35	C
ATOM	656	CG1	ILE	A	86	22.232	26.012	6.433	1.00	19.79	C
ATOM	657	CG2	ILE	A	86	21.446	27.241	8.462	1.00	20.61	C
ATOM	658	CD1	ILE	A	86	23.653	25.809	6.957	1.00	23.69	C
ATOM	659	N	GLU	A	87	19.937	29.920	6.612	1.00	23.12	N
ATOM	660	CA	GLU	A	87	19.318	31.125	7.164	1.00	25.34	C
ATOM	661	C	GLU	A	87	17.842	31.214	6.795	1.00	24.41	C
ATOM	662	O	GLU	A	87	16.994	31.348	7.673	1.00	26.08	O
ATOM	663	CB	GLU	A	87	20.034	32.373	6.650	1.00	25.52	C
ATOM	664	CG	GLU	A	87	21.360	32.630	7.320	1.00	28.43	C
ATOM	665	CD	GLU	A	87	22.257	33.544	6.504	1.00	27.90	C
ATOM	666	OE1	GLU	A	87	21.751	34.213	5.565	1.00	22.10	O
ATOM	667	OE2	GLU	A	87	23.478	33.556	6.794	1.00	27.69	O
ATOM	668	N	SER	A	88	17.561	31.149	5.490	1.00	24.56	N
ATOM	669	CA	SER	A	88	16.209	31.213	4.930	1.00	24.58	C
ATOM	670	C	SER	A	88	15.280	30.186	5.536	1.00	26.05	C
ATOM	671	O	SER	A	88	14.187	30.524	5.979	1.00	26.30	O
ATOM	672	CB	SER	A	88	16.250	30.988	3.418	1.00	24.78	C
ATOM	673	OG	SER	A	88	16.962	32.027	2.788	1.00	31.47	O
ATOM	674	N	ASN	A	89	15.717	28.929	5.539	1.00	24.50	N
ATOM	675	CA	ASN	A	89	14.922	27.833	6.084	1.00	26.71	C
ATOM	676	C	ASN	A	89	14.546	28.046	7.547	1.00	27.04	C
ATOM	677	O	ASN	A	89	13.375	27.962	7.904	1.00	27.03	O
ATOM	678	CB	ASN	A	89	15.663	26.498	5.941	1.00	19.99	C
ATOM	679	CG	ASN	A	89	15.729	26.009	4.511	1.00	22.24	C
ATOM	680	OD1	ASN	A	89	16.512	25.117	4.195	1.00	27.99	O
ATOM	681	ND2	ASN	A	89	14.894	26.563	3.646	1.00	20.02	N

ATOM	682	N	ILE	A	90	15.537	28.336	8.386	1.00	27.67	N
ATOM	683	CA	ILE	A	90	15.285	28.543	9.812	1.00	27.15	C
ATOM	684	C	ILE	A	90	14.414	29.761	10.103	1.00	25.83	C
ATOM	685	O	ILE	A	90	13.410	29.657	10.809	1.00	28.80	O
ATOM	686	CB	ILE	A	90	16.614	28.615	10.632	1.00	24.87	C
ATOM	687	CG1	ILE	A	90	17.270	27.235	10.659	1.00	25.41	C
ATOM	688	CG2	ILE	A	90	16.354	29.091	12.062	1.00	21.02	C
ATOM	689	CD1	ILE	A	90	18.511	27.166	11.490	1.00	26.66	C
ATOM	690	N	ILE	A	91	14.784	30.907	9.546	1.00	25.29	N
ATOM	691	CA	ILE	A	91	14.034	32.131	9.780	1.00	24.17	C
ATOM	692	C	ILE	A	91	12.586	32.060	9.307	1.00	23.51	C
ATOM	693	O	ILE	A	91	11.672	32.466	10.028	1.00	24.39	O
ATOM	694	CB	ILE	A	91	14.771	33.348	9.176	1.00	22.16	C
ATOM	695	CG1	ILE	A	91	16.050	33.611	9.975	1.00	16.91	C
ATOM	696	CG2	ILE	A	91	13.880	34.580	9.184	1.00	24.10	C
ATOM	697	CD1	ILE	A	91	16.980	34.617	9.360	1.00	17.53	C
ATOM	698	N	HIS	A	92	12.363	31.525	8.116	1.00	22.94	N
ATOM	699	CA	HIS	A	92	11.007	31.434	7.609	1.00	22.11	C
ATOM	700	C	HIS	A	92	10.198	30.376	8.358	1.00	25.59	C
ATOM	701	O	HIS	A	92	9.039	30.613	8.693	1.00	26.57	O
ATOM	702	CB	HIS	A	92	10.998	31.157	6.115	1.00	18.75	C
ATOM	703	CG	HIS	A	92	9.648	31.304	5.487	1.00	23.25	C
ATOM	704	ND1	HIS	A	92	9.011	30.268	4.839	1.00	24.14	N
ATOM	705	CD2	HIS	A	92	8.817	32.368	5.401	1.00	19.46	C
ATOM	706	CE1	HIS	A	92	7.848	30.690	4.377	1.00	22.47	C
ATOM	707	NE2	HIS	A	92	7.707	31.959	4.706	1.00	25.02	N
ATOM	708	N	ALA	A	93	10.803	29.218	8.629	1.00	25.00	N
ATOM	709	CA	ALA	A	93	10.107	28.156	9.363	1.00	24.44	C
ATOM	710	C	ALA	A	93	9.740	28.640	10.754	1.00	25.17	C
ATOM	711	O	ALA	A	93	8.635	28.388	11.226	1.00	29.28	O
ATOM	712	CB	ALA	A	93	10.964	26.910	9.463	1.00	22.12	C
ATOM	713	N	ALA	A	94	10.665	29.341	11.405	1.00	24.20	N
ATOM	714	CA	ALA	A	94	10.425	29.872	12.740	1.00	23.89	C
ATOM	715	C	ALA	A	94	9.170	30.747	12.717	1.00	27.51	C
ATOM	716	O	ALA	A	94	8.241	30.536	13.490	1.00	30.52	O
ATOM	717	CB	ALA	A	94	11.630	30.674	13.211	1.00	18.65	C
ATOM	718	N	HIS	A	95	9.124	31.689	11.782	1.00	27.72	N
ATOM	719	CA	HIS	A	95	7.979	32.584	11.653	1.00	27.48	C
ATOM	720	C	HIS	A	95	6.676	31.838	11.377	1.00	24.17	C
ATOM	721	O	HIS	A	95	5.648	32.163	11.953	1.00	26.36	O
ATOM	722	CB	HIS	A	95	8.210	33.614	10.545	1.00	22.08	C
ATOM	723	CG	HIS	A	95	6.980	34.393	10.203	1.00	25.88	C
ATOM	724	ND1	HIS	A	95	6.263	34.178	9.044	1.00	27.08	C
ATOM	725	CD2	HIS	A	95	6.287	35.318	10.909	1.00	20.90	N
ATOM	726	CE1	HIS	A	95	5.178	34.933	9.055	1.00	23.25	C
ATOM	727	NE2	HIS	A	95	5.170	35.634	10.176	1.00	24.87	N
ATOM	728	N	GLN	A	96	6.725	30.896	10.438	1.00	24.84	N
ATOM	729	CA	GLN	A	96	5.578	30.077	10.051	1.00	28.43	C
ATOM	730	C	GLN	A	96	4.998	29.286	11.222	1.00	28.91	C
ATOM	731	O	GLN	A	96	3.828	28.909	11.195	1.00	30.39	O
ATOM	732	CB	GLN	A	96	5.997	29.060	8.999	1.00	29.94	C
ATOM	733	CG	GLN	A	96	6.382	29.636	7.689	1.00	40.30	C
ATOM	734	CD	GLN	A	96	5.190	29.950	6.841	1.00	47.03	C
ATOM	735	OE1	GLN	A	96	4.591	31.019	6.973	1.00	50.29	O
ATOM	736	NE2	GLN	A	96	4.830	29.020	5.952	1.00	48.01	N
ATOM	737	N	ASN	A	97	5.837	28.986	12.211	1.00	28.24	N

ATOM	738	CA	ASN	A	97	5.419	28.217	13.376	1.00	27.91	C
ATOM	739	C	ASN	A	97	5.374	29.031	14.661	1.00	29.77	C
ATOM	740	O	ASN	A	97	5.495	28.500	15.765	1.00	32.39	O
ATOM	741	CB	ASN	A	97	6.286	26.972	13.522	1.00	23.46	C
ATOM	742	CG	ASN	A	97	6.030	25.970	12.414	1.00	32.45	C
ATOM	743	OD1	ASN	A	97	6.692	25.982	11.370	1.00	35.48	O
ATOM	744	ND2	ASN	A	97	5.035	25.115	12.616	1.00	31.80	N
ATOM	745	N	ASP	A	98	5.212	30.337	14.502	1.00	31.63	N
ATOM	746	CA	ASP	A	98	5.094	31.247	15.620	1.00	35.66	C
ATOM	747	C	ASP	A	98	6.211	31.430	16.624	1.00	36.34	C
ATOM	748	O	ASP	A	98	5.945	31.787	17.780	1.00	39.08	O
ATOM	749	CB	ASP	A	98	3.785	31.001	16.350	1.00	46.22	C
ATOM	750	CG	ASP	A	98	2.633	31.695	15.686	1.00	53.60	C
ATOM	751	OD1	ASP	A	98	2.659	32.946	15.643	1.00	57.85	O
ATOM	752	OD2	ASP	A	98	1.724	30.993	15.189	1.00	61.27	O
ATOM	753	N	VAL	A	99	7.451	31.186	16.209	1.00	33.10	N
ATOM	754	CA	VAL	A	99	8.582	31.426	17.095	1.00	28.72	C
ATOM	755	C	VAL	A	99	8.823	32.919	16.894	1.00	27.70	C
ATOM	756	O	VAL	A	99	9.099	33.365	15.777	1.00	31.03	O
ATOM	757	CB	VAL	A	99	9.815	30.637	16.672	1.00	29.82	C
ATOM	758	CG1	VAL	A	99	10.914	30.797	17.715	1.00	27.68	C
ATOM	759	CG2	VAL	A	99	9.451	29.175	16.486	1.00	30.52	C
ATOM	760	N	ASN	A	100	8.689	33.694	17.963	1.00	24.37	N
ATOM	761	CA	ASN	A	100	8.826	35.142	17.870	1.00	24.60	C
ATOM	762	C	ASN	A	100	10.223	35.674	18.177	1.00	25.47	C
ATOM	763	O	ASN	A	100	10.568	36.793	17.782	1.00	24.55	O
ATOM	764	CB	ASN	A	100	7.801	35.791	18.812	1.00	23.88	C
ATOM	765	CG	ASN	A	100	7.503	37.230	18.459	1.00	22.91	C
ATOM	766	OD1	ASN	A	100	6.960	37.509	17.399	1.00	28.84	O
ATOM	767	ND2	ASN	A	100	7.841	38.153	19.356	1.00	23.06	N
ATOM	768	N	LYS	A	101	11.010	34.871	18.889	1.00	23.95	N
ATOM	769	CA	LYS	A	101	12.359	35.253	19.302	1.00	27.07	C
ATOM	770	C	LYS	A	101	13.451	34.457	18.597	1.00	24.02	C
ATOM	771	O	LYS	A	101	13.449	33.226	18.598	1.00	24.56	O
ATOM	772	CB	LYS	A	101	12.515	35.076	20.813	1.00	27.80	C
ATOM	773	CG	LYS	A	101	12.106	36.262	21.669	1.00	26.11	C
ATOM	774	CD	LYS	A	101	12.717	36.090	23.049	1.00	27.30	C
ATOM	775	CE	LYS	A	101	13.105	37.404	23.676	1.00	27.30	C
ATOM	776	NZ	LYS	A	101	13.975	38.195	22.787	1.00	30.59	N
ATOM	777	N	LEU	A	102	14.418	35.170	18.042	1.00	22.42	N
ATOM	778	CA	LEU	A	102	15.505	34.524	17.326	1.00	22.94	C
ATOM	779	C	LEU	A	102	16.749	35.389	17.376	1.00	22.29	C
ATOM	780	O	LEU	A	102	16.661	36.615	17.396	1.00	21.59	O
ATOM	781	CB	LEU	A	102	15.084	34.257	15.871	1.00	22.13	C
ATOM	782	CG	LEU	A	102	16.042	33.568	14.903	1.00	23.29	C
ATOM	783	CD1	LEU	A	102	15.253	32.759	13.887	1.00	21.49	C
ATOM	784	CD2	LEU	A	102	16.937	34.592	14.213	1.00	17.05	C
ATOM	785	N	LEU	A	103	17.902	34.743	17.506	1.00	20.92	N
ATOM	786	CA	LEU	A	103	19.161	35.464	17.522	1.00	20.49	C
ATOM	787	C	LEU	A	103	20.030	34.926	16.385	1.00	22.83	C
ATOM	788	O	LEU	A	103	20.317	33.725	16.319	1.00	22.93	O
ATOM	789	CB	LEU	A	103	19.891	35.303	18.849	1.00	20.99	C
ATOM	790	CG	LEU	A	103	21.138	36.189	18.856	1.00	21.16	C
ATOM	791	CD1	LEU	A	103	20.746	37.645	19.108	1.00	21.12	C
ATOM	792	CD2	LEU	A	103	22.093	35.710	19.902	1.00	21.92	C
ATOM	793	N	PHE	A	104	20.385	35.815	15.461	1.00	21.20	N

ATOM	794	CA	PHE	A	104	21.210	35.472	14.321	1.00	21.41	C
ATOM	795	C	PHE	A	104	22.655	35.897	14.582	1.00	22.87	C
ATOM	796	O	PHE	A	104	22.915	37.024	14.992	1.00	22.66	O
ATOM	797	CB	PHE	A	104	20.664	36.171	13.076	1.00	21.21	C
ATOM	798	CG	PHE	A	104	21.493	35.955	11.847	1.00	22.56	C
ATOM	799	CD1	PHE	A	104	21.579	34.694	11.264	1.00	27.99	C
ATOM	800	CD2	PHE	A	104	22.208	37.005	11.281	1.00	23.00	C
ATOM	801	CE1	PHE	A	104	22.367	34.480	10.134	1.00	27.95	C
ATOM	802	CE2	PHE	A	104	23.000	36.803	10.147	1.00	23.13	C
ATOM	803	CZ	PHE	A	104	23.079	35.538	9.576	1.00	22.43	C
ATOM	804	N	LEU	A	105	23.580	34.967	14.369	1.00	27.02	N
ATOM	805	CA	LEU	A	105	25.005	35.210	14.554	1.00	26.46	C
ATOM	806	C	LEU	A	105	25.691	35.495	13.243	1.00	27.35	C
ATOM	807	O	LEU	A	105	25.806	34.613	12.392	1.00	31.87	O
ATOM	808	CB	LEU	A	105	25.661	34.001	15.187	1.00	27.56	C
ATOM	809	CG	LEU	A	105	25.054	33.730	16.552	1.00	35.36	C
ATOM	810	CD1	LEU	A	105	25.632	32.479	17.123	1.00	44.91	C
ATOM	811	CD2	LEU	A	105	25.350	34.877	17.466	1.00	39.41	C
ATOM	812	N	GLY	A	106	26.127	36.741	13.079	1.00	27.28	N
ATOM	813	CA	GLY	A	106	26.823	37.131	11.872	1.00	31.26	C
ATOM	814	C	GLY	A	106	28.321	37.003	12.067	1.00	33.60	C
ATOM	815	O	GLY	A	106	28.785	36.126	12.786	1.00	30.81	O
ATOM	816	N	SER	A	107	29.070	37.957	11.502	1.00	34.95	N
ATOM	817	CA	SER	A	107	30.528	37.956	11.588	1.00	36.53	C
ATOM	818	C	SER	A	107	31.070	39.355	11.258	1.00	38.53	C
ATOM	819	O	SER	A	107	30.340	40.196	10.723	1.00	40.91	O
ATOM	820	CB	SER	A	107	31.073	36.923	10.596	1.00	35.42	C
ATOM	821	OG	SER	A	107	32.476	36.857	10.672	1.00	45.62	O
ATOM	822	N	SER	A	108	32.333	39.629	11.584	1.00	42.40	N
ATOM	823	CA	SER	A	108	32.891	40.948	11.285	1.00	44.62	C
ATOM	824	C	SER	A	108	33.446	41.059	9.853	1.00	46.28	C
ATOM	825	O	SER	A	108	33.782	42.156	9.403	1.00	47.82	O
ATOM	826	CB	SER	A	108	33.955	41.336	12.302	1.00	42.96	C
ATOM	827	OG	SER	A	108	35.060	40.462	12.224	1.00	53.15	O
ATOM	828	N	CYS	A	109	33.570	39.915	9.167	1.00	47.52	N
ATOM	829	CA	CYS	A	109	34.061	39.849	7.774	1.00	46.68	C
ATOM	830	C	CYS	A	109	33.098	40.589	6.861	1.00	40.25	C
ATOM	831	O	CYS	A	109	33.403	40.895	5.717	1.00	45.71	O
ATOM	832	CB	CYS	A	109	34.102	38.394	7.291	1.00	50.89	C
ATOM	833	SG	CYS	A	109	34.994	37.277	8.352	1.00	63.99	S
ATOM	834	N	ILE	A	110	31.909	40.811	7.389	1.00	33.46	N
ATOM	835	CA	ILE	A	110	30.802	41.470	6.735	1.00	30.96	C
ATOM	836	C	ILE	A	110	31.022	42.963	6.455	1.00	24.83	C
ATOM	837	O	ILE	A	110	30.354	43.539	5.604	1.00	24.03	O
ATOM	838	CB	ILE	A	110	29.580	41.339	7.650	1.00	37.96	C
ATOM	839	CG1	ILE	A	110	29.074	39.910	7.674	1.00	41.06	C
ATOM	840	CG2	ILE	A	110	28.474	42.197	7.200	1.00	47.10	C
ATOM	841	CD1	ILE	A	110	27.773	39.813	8.439	1.00	39.37	C
ATOM	842	N	TYR	A	111	31.907	43.606	7.199	1.00	21.51	N
ATOM	843	CA	TYR	A	111	32.148	45.028	6.997	1.00	19.87	C
ATOM	844	C	TYR	A	111	33.024	45.323	5.797	1.00	21.44	C
ATOM	845	O	TYR	A	111	33.822	44.484	5.386	1.00	21.93	O
ATOM	846	CB	TYR	A	111	32.721	45.637	8.265	1.00	15.73	C
ATOM	847	CG	TYR	A	111	31.682	45.768	9.343	1.00	19.46	C
ATOM	848	CD1	TYR	A	111	30.616	46.664	9.202	1.00	22.42	C
ATOM	849	CD2	TYR	A	111	31.748	45.008	10.502	1.00	20.39	C

ATOM	850	CE1	TYR	A	111	29.640	46.801	10.207	1.00	23.66	C
ATOM	851	CE2	TYR	A	111	30.775	45.136	11.521	1.00	22.33	C
ATOM	852	CZ	TYR	A	111	29.734	46.033	11.363	1.00	22.58	C
ATOM	853	OH	TYR	A	111	28.799	46.193	12.351	1.00	23.00	O
ATOM	854	N	PRO	A	112	32.876	46.522	5.201	1.00	24.37	N
ATOM	855	CA	PRO	A	112	33.684	46.896	4.033	1.00	23.67	C
ATOM	856	C	PRO	A	112	35.163	46.765	4.336	1.00	26.68	C
ATOM	857	O	PRO	A	112	35.582	46.976	5.471	1.00	26.55	O
ATOM	858	CB	PRO	A	112	33.304	48.347	3.810	1.00	21.26	C
ATOM	859	CG	PRO	A	112	31.900	48.412	4.327	1.00	25.32	C
ATOM	860	CD	PRO	A	112	31.984	47.627	5.593	1.00	23.89	C
ATOM	861	N	LYS	A	113	35.939	46.390	3.326	1.00	30.77	N
ATOM	862	CA	LYS	A	113	37.380	46.217	3.456	1.00	35.37	C
ATOM	863	C	LYS	A	113	38.064	47.480	3.992	1.00	37.13	C
ATOM	864	O	LYS	A	113	38.904	47.413	4.891	1.00	37.75	O
ATOM	865	CB	LYS	A	113	37.988	45.850	2.095	1.00	38.10	C
ATOM	866	CG	LYS	A	113	39.457	45.537	2.185	1.00	47.96	C
ATOM	867	CD	LYS	A	113	40.163	45.471	0.837	1.00	54.91	C
ATOM	868	CE	LYS	A	113	41.654	45.159	1.069	1.00	57.16	C
ATOM	869	NZ	LYS	A	113	42.480	45.146	-0.168	1.00	59.65	N
ATOM	870	N	LEU	A	114	37.687	48.632	3.443	1.00	37.67	N
ATOM	871	CA	LEU	A	114	38.276	49.907	3.840	1.00	38.34	C
ATOM	872	C	LEU	A	114	37.419	50.753	4.765	1.00	35.97	C
ATOM	873	O	LEU	A	114	37.400	51.976	4.665	1.00	38.75	O
ATOM	874	CB	LEU	A	114	38.661	50.713	2.600	1.00	40.92	C
ATOM	875	CG	LEU	A	114	39.726	50.012	1.752	1.00	47.70	C
ATOM	876	CD1	LEU	A	114	39.984	50.807	0.494	1.00	48.67	C
ATOM	877	CD2	LEU	A	114	41.015	49.826	2.553	1.00	43.63	C
ATOM	878	N	ALA	A	115	36.733	50.094	5.687	1.00	33.48	N
ATOM	879	CA	ALA	A	115	35.883	50.778	6.641	1.00	31.82	C
ATOM	880	C	ALA	A	115	36.681	51.667	7.610	1.00	34.15	C
ATOM	881	O	ALA	A	115	37.890	51.511	7.781	1.00	33.21	O
ATOM	882	CB	ALA	A	115	35.067	49.758	7.411	1.00	29.41	C
ATOM	883	N	LYS	A	116	35.982	52.618	8.218	1.00	35.78	N
ATOM	884	CA	LYS	A	116	36.545	53.550	9.186	1.00	37.45	C
ATOM	885	C	LYS	A	116	36.690	52.777	10.496	1.00	35.17	C
ATOM	886	O	LYS	A	116	35.780	52.048	10.878	1.00	35.30	O
ATOM	887	CB	LYS	A	116	35.563	54.715	9.368	1.00	43.53	C
ATOM	888	CG	LYS	A	116	35.918	55.725	10.444	1.00	55.24	C
ATOM	889	CD	LYS	A	116	34.669	56.521	10.852	1.00	65.20	C
ATOM	890	CE	LYS	A	116	34.964	57.598	11.906	1.00	70.45	C
ATOM	891	NZ	LYS	A	116	35.683	58.788	11.341	1.00	74.67	N
ATOM	892	N	GLN	A	117	37.828	52.941	11.173	1.00	33.24	N
ATOM	893	CA	GLN	A	117	38.119	52.253	12.437	1.00	29.05	C
ATOM	894	C	GLN	A	117	38.038	53.191	13.651	1.00	29.84	C
ATOM	895	O	GLN	A	117	38.531	54.319	13.599	1.00	33.51	O
ATOM	896	CB	GLN	A	117	39.523	51.654	12.375	1.00	26.38	C
ATOM	897	CG	GLN	A	117	39.774	50.783	11.162	1.00	21.48	C
ATOM	898	CD	GLN	A	117	38.957	49.528	11.192	1.00	21.99	C
ATOM	899	OE1	GLN	A	117	38.688	48.982	12.259	1.00	23.73	O
ATOM	900	NE2	GLN	A	117	38.543	49.058	10.021	1.00	20.64	N
ATOM	901	N	PRO	A	118	37.395	52.746	14.752	1.00	28.79	N
ATOM	902	CA	PRO	A	118	36.750	51.437	14.913	1.00	29.49	C
ATOM	903	C	PRO	A	118	35.438	51.394	14.122	1.00	28.67	C
ATOM	904	O	PRO	A	118	34.816	52.428	13.897	1.00	25.90	O
ATOM	905	CB	PRO	A	118	36.536	51.343	16.428	1.00	29.90	C

ATOM	906	CG	PRO	A	118	36.353	52.762	16.835	1.00	27.40	C
ATOM	907	CD	PRO	A	118	37.394	53.492	16.024	1.00	26.78	C
ATOM	908	N	MET	A	119	35.034	50.204	13.689	1.00	27.06	N
ATOM	909	CA	MET	A	119	33.830	50.044	12.876	1.00	23.35	C
ATOM	910	C	MET	A	119	32.494	50.028	13.599	1.00	25.01	C
ATOM	911	O	MET	A	119	32.155	49.050	14.275	1.00	26.90	O
ATOM	912	CB	MET	A	119	33.949	48.783	12.027	1.00	22.03	C
ATOM	913	CG	MET	A	119	35.200	48.751	11.193	1.00	24.48	C
ATOM	914	SD	MET	A	119	35.313	47.284	10.165	1.00	27.80	S
ATOM	915	CE	MET	A	119	35.497	46.006	11.385	1.00	23.88	C
ATOM	916	N	ALA	A	120	31.718	51.097	13.426	1.00	21.76	N
ATOM	917	CA	ALA	A	120	30.394	51.185	14.034	1.00	22.10	C
ATOM	918	C	ALA	A	120	29.443	50.350	13.173	1.00	21.64	C
ATOM	919	O	ALA	A	120	29.767	50.014	12.032	1.00	21.40	O
ATOM	920	CB	ALA	A	120	29.925	52.642	14.093	1.00	18.47	C
ATOM	921	N	GLU	A	121	28.279	50.018	13.718	1.00	20.92	N
ATOM	922	CA	GLU	A	121	27.299	49.220	13.001	1.00	18.01	C
ATOM	923	C	GLU	A	121	26.839	49.831	11.687	1.00	19.69	C
ATOM	924	O	GLU	A	121	26.426	49.110	10.773	1.00	21.41	O
ATOM	925	CB	GLU	A	121	26.080	48.945	13.883	1.00	17.96	C
ATOM	926	CG	GLU	A	121	26.298	47.895	14.977	1.00	20.61	C
ATOM	927	CD	GLU	A	121	26.874	48.449	16.275	1.00	22.89	C
ATOM	928	OE1	GLU	A	121	27.299	49.625	16.329	1.00	22.25	O
ATOM	929	OE2	GLU	A	121	26.901	47.688	17.260	1.00	24.40	O
ATOM	930	N	SER	A	122	26.915	51.155	11.592	1.00	20.11	N
ATOM	931	CA	SER	A	122	26.493	51.878	10.392	1.00	22.28	C
ATOM	932	C	SER	A	122	27.500	51.788	9.260	1.00	22.91	C
ATOM	933	O	SER	A	122	27.328	52.397	8.208	1.00	24.86	O
ATOM	934	CB	SER	A	122	26.240	53.343	10.726	1.00	23.94	C
ATOM	935	OG	SER	A	122	27.385	53.910	11.332	1.00	30.21	O
ATOM	936	N	GLU	A	123	28.554	51.020	9.484	1.00	24.60	N
ATOM	937	CA	GLU	A	123	29.585	50.836	8.485	1.00	22.15	C
ATOM	938	C	GLU	A	123	29.151	49.742	7.511	1.00	22.50	C
ATOM	939	O	GLU	A	123	29.756	49.550	6.451	1.00	19.26	O
ATOM	940	CB	GLU	A	123	30.882	50.453	9.177	1.00	26.62	C
ATOM	941	CG	GLU	A	123	32.097	50.987	8.495	1.00	35.54	C
ATOM	942	CD	GLU	A	123	32.087	52.492	8.406	1.00	34.99	C
ATOM	943	OE1	GLU	A	123	31.872	53.139	9.448	1.00	40.58	O
ATOM	944	OE2	GLU	A	123	32.297	53.022	7.296	1.00	39.01	O
ATOM	945	N	LEU	A	124	28.077	49.049	7.873	1.00	21.19	N
ATOM	946	CA	LEU	A	124	27.536	47.983	7.054	1.00	23.41	C
ATOM	947	C	LEU	A	124	27.100	48.494	5.686	1.00	25.20	C
ATOM	948	O	LEU	A	124	26.362	49.475	5.599	1.00	24.30	O
ATOM	949	CB	LEU	A	124	26.331	47.358	7.745	1.00	24.10	C
ATOM	950	CG	LEU	A	124	25.832	46.095	7.046	1.00	25.22	C
ATOM	951	CD1	LEU	A	124	26.881	45.027	7.209	1.00	25.53	C
ATOM	952	CD2	LEU	A	124	24.517	45.628	7.624	1.00	29.44	C
ATOM	953	N	LEU	A	125	27.548	47.808	4.633	1.00	26.15	N
ATOM	954	CA	LEU	A	125	27.211	48.135	3.244	1.00	28.68	C
ATOM	955	C	LEU	A	125	27.720	49.492	2.745	1.00	30.78	C
ATOM	956	O	LEU	A	125	27.227	50.011	1.747	1.00	34.18	O
ATOM	957	CB	LEU	A	125	25.685	48.018	3.014	1.00	22.71	C
ATOM	958	CG	LEU	A	125	25.020	46.631	3.070	1.00	22.18	C
ATOM	959	CD1	LEU	A	125	23.526	46.765	3.042	1.00	23.90	C
ATOM	960	CD2	LEU	A	125	25.461	45.786	1.907	1.00	23.47	C
ATOM	961	N	GLN	A	126	28.727	50.045	3.412	1.00	32.52	N

ATOM	962	CA	GLN	A	126	29.291	51.343	3.038	1.00	32.04	C
ATOM	963	C	GLN	A	126	30.438	51.292	2.036	1.00	34.53	C
ATOM	964	O	GLN	A	126	31.033	52.328	1.721	1.00	41.82	O
ATOM	965	CB	GLN	A	126	29.784	52.068	4.282	1.00	34.20	C
ATOM	966	CG	GLN	A	126	28.689	52.490	5.215	1.00	42.11	C
ATOM	967	CD	GLN	A	126	27.907	53.669	4.694	1.00	48.00	C
ATOM	968	OE1	GLN	A	126	27.727	53.833	3.482	1.00	50.23	O
ATOM	969	NE2	GLN	A	126	27.437	54.510	5.611	1.00	51.07	N
ATOM	970	N	GLY	A	127	30.769	50.100	1.551	1.00	31.66	N
ATOM	971	CA	GLY	A	127	31.858	49.968	0.602	1.00	27.82	C
ATOM	972	C	GLY	A	127	32.084	48.518	0.236	1.00	29.49	C
ATOM	973	O	GLY	A	127	31.483	47.611	0.825	1.00	28.78	O
ATOM	974	N	THR	A	128	32.974	48.298	-0.725	1.00	30.11	N
ATOM	975	CA	THR	A	128	33.274	46.959	-1.199	1.00	31.04	C
ATOM	976	C	THR	A	128	33.841	46.029	-0.125	1.00	28.22	C
ATOM	977	O	THR	A	128	34.551	46.454	0.788	1.00	28.82	O
ATOM	978	CB	THR	A	128	34.217	46.988	-2.434	1.00	32.55	C
ATOM	979	OG1	THR	A	128	35.514	47.442	-2.047	1.00	34.97	O
ATOM	980	CG2	THR	A	128	33.665	47.924	-3.499	1.00	32.02	C
ATOM	981	N	LEU	A	129	33.493	44.754	-0.253	1.00	26.30	N
ATOM	982	CA	LEU	A	129	33.923	43.709	0.661	1.00	25.84	C
ATOM	983	C	LEU	A	129	35.295	43.145	0.282	1.00	25.86	C
ATOM	984	O	LEU	A	129	35.799	43.378	-0.821	1.00	26.17	O
ATOM	985	CB	LEU	A	129	32.891	42.573	0.646	1.00	23.20	C
ATOM	986	CG	LEU	A	129	31.472	42.951	1.090	1.00	27.30	C
ATOM	987	CD1	LEU	A	129	30.458	41.912	0.641	1.00	21.96	C
ATOM	988	CD2	LEU	A	129	31.444	43.139	2.595	1.00	20.40	C
ATOM	989	N	GLU	A	130	35.909	42.444	1.232	1.00	26.75	N
ATOM	990	CA	GLU	A	130	37.190	41.774	1.038	1.00	25.02	C
ATOM	991	C	GLU	A	130	36.862	40.627	0.051	1.00	25.78	C
ATOM	992	O	GLU	A	130	35.910	39.857	0.274	1.00	24.31	O
ATOM	993	CB	GLU	A	130	37.659	41.252	2.405	1.00	31.54	C
ATOM	994	CG	GLU	A	130	38.783	40.238	2.396	1.00	44.22	C
ATOM	995	CD	GLU	A	130	40.038	40.742	1.707	1.00	52.18	C
ATOM	996	OE1	GLU	A	130	40.549	41.817	2.113	1.00	55.29	O
ATOM	997	OE2	GLU	A	130	40.510	40.051	0.766	1.00	50.94	O
ATOM	998	N	PRO	A	131	37.585	40.548	-1.089	1.00	26.32	N
ATOM	999	CA	PRO	A	131	37.340	39.499	-2.090	1.00	24.15	C
ATOM	1000	C	PRO	A	131	37.237	38.091	-1.513	1.00	26.36	C
ATOM	1001	O	PRO	A	131	36.285	37.361	-1.810	1.00	27.56	O
ATOM	1002	CB	PRO	A	131	38.533	39.641	-3.017	1.00	22.30	C
ATOM	1003	CG	PRO	A	131	38.791	41.113	-2.984	1.00	23.95	C
ATOM	1004	CD	PRO	A	131	38.695	41.421	-1.518	1.00	24.80	C
ATOM	1005	N	THR	A	132	38.199	37.726	-0.668	1.00	25.01	N
ATOM	1006	CA	THR	A	132	38.234	36.409	-0.033	1.00	25.33	C
ATOM	1007	C	THR	A	132	36.935	36.026	0.667	1.00	27.61	C
ATOM	1008	O	THR	A	132	36.471	34.891	0.547	1.00	27.87	O
ATOM	1009	CB	THR	A	132	39.358	36.327	1.002	1.00	27.29	C
ATOM	1010	OG1	THR	A	132	40.617	36.466	0.333	1.00	32.89	O
ATOM	1011	CG2	THR	A	132	39.306	34.985	1.765	1.00	27.23	C
ATOM	1012	N	ASN	A	133	36.334	36.990	1.355	1.00	26.82	N
ATOM	1013	CA	ASN	A	133	35.110	36.746	2.104	1.00	28.00	C
ATOM	1014	C	ASN	A	133	33.809	37.145	1.446	1.00	25.12	C
ATOM	1015	O	ASN	A	133	32.748	36.896	2.008	1.00	20.90	O
ATOM	1016	CB	ASN	A	133	35.214	37.445	3.450	1.00	31.32	C
ATOM	1017	CG	ASN	A	133	36.380	36.946	4.245	1.00	41.55	C

ATOM	1018	OD1	ASN	A	133	36.488	35.742	4.521	1.00	45.01	O
ATOM	1019	ND2	ASN	A	133	37.306	37.846	4.566	1.00	41.35	N
ATOM	1020	N	GLU	A	134	33.883	37.708	0.243	1.00	22.38	N
ATOM	1021	CA	GLU	A	134	32.691	38.180	-0.431	1.00	20.17	C
ATOM	1022	C	GLU	A	134	31.431	37.309	-0.444	1.00	22.01	C
ATOM	1023	O	GLU	A	134	30.385	37.768	-0.019	1.00	24.68	O
ATOM	1024	CB	GLU	A	134	33.014	38.679	-1.830	1.00	21.19	C
ATOM	1025	CG	GLU	A	134	31.805	39.295	-2.475	1.00	24.77	C
ATOM	1026	CD	GLU	A	134	32.133	40.054	-3.723	1.00	23.81	C
ATOM	1027	OE1	GLU	A	134	32.513	41.236	-3.608	1.00	27.23	O
ATOM	1028	OE2	GLU	A	134	31.997	39.475	-4.816	1.00	24.18	O
ATOM	1029	N	PRO	A	135	31.511	36.049	-0.911	1.00	23.71	N
ATOM	1030	CA	PRO	A	135	30.312	35.190	-0.940	1.00	23.73	C
ATOM	1031	C	PRO	A	135	29.717	34.918	0.456	1.00	22.29	C
ATOM	1032	O	PRO	A	135	28.496	34.967	0.648	1.00	21.71	O
ATOM	1033	CB	PRO	A	135	30.826	33.896	-1.596	1.00	23.02	C
ATOM	1034	CG	PRO	A	135	31.985	34.351	-2.415	1.00	21.18	C
ATOM	1035	CD	PRO	A	135	32.666	35.346	-1.498	1.00	22.81	C
ATOM	1036	N	TYR	A	136	30.587	34.621	1.415	1.00	20.02	N
ATOM	1037	CA	TYR	A	136	30.178	34.362	2.795	1.00	21.54	C
ATOM	1038	C	TYR	A	136	29.524	35.621	3.374	1.00	20.75	C
ATOM	1039	O	TYR	A	136	28.447	35.562	3.978	1.00	20.25	O
ATOM	1040	CB	TYR	A	136	31.414	33.974	3.623	1.00	19.73	C
ATOM	1041	CG	TYR	A	136	31.181	33.754	5.108	1.00	25.49	C
ATOM	1042	CD1	TYR	A	136	30.435	32.664	5.574	1.00	28.50	C
ATOM	1043	CD2	TYR	A	136	31.743	34.616	6.058	1.00	25.98	C
ATOM	1044	CE1	TYR	A	136	30.253	32.438	6.959	1.00	29.72	C
ATOM	1045	CE2	TYR	A	136	31.570	34.399	7.431	1.00	29.71	C
ATOM	1046	CZ	TYR	A	136	30.822	33.309	7.878	1.00	29.68	C
ATOM	1047	OH	TYR	A	136	30.623	33.111	9.242	1.00	38.88	O
ATOM	1048	N	ALA	A	137	30.180	36.756	3.157	1.00	17.79	N
ATOM	1049	CA	ALA	A	137	29.708	38.049	3.637	1.00	18.54	C
ATOM	1050	C	ALA	A	137	28.317	38.403	3.099	1.00	19.27	C
ATOM	1051	O	ALA	A	137	27.456	38.865	3.852	1.00	19.80	O
ATOM	1052	CB	ALA	A	137	30.717	39.144	3.269	1.00	19.72	C
ATOM	1053	N	ILE	A	138	28.091	38.173	1.809	1.00	16.67	N
ATOM	1054	CA	ILE	A	138	26.797	38.472	1.206	1.00	19.47	C
ATOM	1055	C	ILE	A	138	25.700	37.622	1.830	1.00	19.09	C
ATOM	1056	O	ILE	A	138	24.611	38.127	2.092	1.00	17.78	O
ATOM	1057	CB	ILE	A	138	26.812	38.265	-0.326	1.00	20.07	C
ATOM	1058	CG1	ILE	A	138	27.726	39.301	-0.968	1.00	21.59	C
ATOM	1059	CG2	ILE	A	138	25.406	38.382	-0.903	1.00	18.48	C
ATOM	1060	CD1	ILE	A	138	27.254	40.725	-0.756	1.00	26.67	C
ATOM	1061	N	ALA	A	139	25.981	36.338	2.052	1.00	17.26	N
ATOM	1062	CA	ALA	A	139	25.006	35.437	2.666	1.00	19.22	C
ATOM	1063	C	ALA	A	139	24.615	35.924	4.073	1.00	20.71	C
ATOM	1064	O	ALA	A	139	23.429	35.966	4.414	1.00	21.19	O
ATOM	1065	CB	ALA	A	139	25.571	34.024	2.744	1.00	17.35	C
ATOM	1066	N	LYS	A	140	25.622	36.316	4.858	1.00	17.75	N
ATOM	1067	CA	LYS	A	140	25.437	36.809	6.227	1.00	17.29	C
ATOM	1068	C	LYS	A	140	24.641	38.121	6.267	1.00	18.38	C
ATOM	1069	O	LYS	A	140	23.748	38.294	7.100	1.00	17.92	O
ATOM	1070	CB	LYS	A	140	26.794	36.993	6.922	1.00	15.11	C
ATOM	1071	CG	LYS	A	140	27.497	35.709	7.283	1.00	21.07	C
ATOM	1072	CD	LYS	A	140	26.642	34.914	8.258	1.00	27.61	C
ATOM	1073	CE	LYS	A	140	27.291	33.619	8.693	1.00	32.72	C

ATOM	1074	NZ	LYS	A	140	26.599	33.079	9.900	1.00	33.12	N
ATOM	1075	N	ILE	A	141	24.989	39.058	5.392	1.00	17.59	N
ATOM	1076	CA	ILE	A	141	24.266	40.318	5.321	1.00	16.92	C
ATOM	1077	C	ILE	A	141	22.804	40.011	4.970	1.00	18.76	C
ATOM	1078	O	ILE	A	141	21.899	40.607	5.540	1.00	19.25	O
ATOM	1079	CB	ILE	A	141	24.892	41.256	4.274	1.00	18.96	C
ATOM	1080	CG1	ILE	A	141	26.238	41.764	4.794	1.00	17.85	C
ATOM	1081	CG2	ILE	A	141	23.961	42.425	3.974	1.00	20.91	C
ATOM	1082	CD1	ILE	A	141	27.142	42.386	3.731	1.00	17.12	C
ATOM	1083	N	ALA	A	142	22.580	39.049	4.070	1.00	15.36	N
ATOM	1084	CA	ALA	A	142	21.231	38.660	3.683	1.00	16.72	C
ATOM	1085	C	ALA	A	142	20.500	38.120	4.898	1.00	17.63	C
ATOM	1086	O	ALA	A	142	19.300	38.335	5.040	1.00	18.49	O
ATOM	1087	CB	ALA	A	142	21.266	37.609	2.599	1.00	17.64	C
ATOM	1088	N	GLY	A	143	21.226	37.404	5.760	1.00	17.58	N
ATOM	1089	CA	GLY	A	143	20.643	36.853	6.978	1.00	15.41	C
ATOM	1090	C	GLY	A	143	20.130	37.959	7.881	1.00	19.82	C
ATOM	1091	O	GLY	A	143	19.034	37.855	8.426	1.00	20.03	O
ATOM	1092	N	ILE	A	144	20.916	39.023	8.037	1.00	19.52	N
ATOM	1093	CA	ILE	A	144	20.517	40.167	8.858	1.00	19.82	C
ATOM	1094	C	ILE	A	144	19.284	40.839	8.264	1.00	17.55	C
ATOM	1095	O	ILE	A	144	18.335	41.137	8.971	1.00	21.37	O
ATOM	1096	CB	ILE	A	144	21.634	41.231	8.946	1.00	18.97	C
ATOM	1097	CG1	ILE	A	144	22.830	40.680	9.723	1.00	16.65	C
ATOM	1098	CG2	ILE	A	144	21.121	42.516	9.618	1.00	15.56	C
ATOM	1099	CD1	ILE	A	144	24.048	41.579	9.620	1.00	14.80	C
ATOM	1100	N	LYS	A	145	19.295	41.054	6.956	1.00	16.73	N
ATOM	1101	CA	LYS	A	145	18.176	41.708	6.289	1.00	17.76	C
ATOM	1102	C	LYS	A	145	16.894	40.879	6.317	1.00	17.44	C
ATOM	1103	O	LYS	A	145	15.797	41.425	6.264	1.00	18.90	O
ATOM	1104	CB	LYS	A	145	18.577	42.116	4.875	1.00	17.15	C
ATOM	1105	CG	LYS	A	145	19.737	43.087	4.883	1.00	18.13	C
ATOM	1106	CD	LYS	A	145	19.331	44.405	5.520	1.00	18.09	C
ATOM	1107	CE	LYS	A	145	20.527	45.246	5.919	1.00	16.12	C
ATOM	1108	NZ	LYS	A	145	20.054	46.447	6.647	1.00	19.86	N
ATOM	1109	N	LEU	A	146	17.033	39.560	6.370	1.00	17.09	N
ATOM	1110	CA	LEU	A	146	15.879	38.685	6.481	1.00	17.60	C
ATOM	1111	C	LEU	A	146	15.248	38.992	7.840	1.00	19.27	C
ATOM	1112	O	LEU	A	146	14.045	39.208	7.944	1.00	20.71	O
ATOM	1113	CB	LEU	A	146	16.313	37.221	6.452	1.00	17.03	C
ATOM	1114	CG	LEU	A	146	16.422	36.537	5.094	1.00	19.74	C
ATOM	1115	CD1	LEU	A	146	17.113	35.202	5.239	1.00	17.44	C
ATOM	1116	CD2	LEU	A	146	15.033	36.345	4.523	1.00	17.98	C
ATOM	1117	N	CYS	A	147	16.083	39.056	8.872	1.00	19.54	N
ATOM	1118	CA	CYS	A	147	15.620	39.333	10.227	1.00	20.46	C
ATOM	1119	C	CYS	A	147	14.860	40.644	10.314	1.00	18.85	C
ATOM	1120	O	CYS	A	147	13.730	40.679	10.796	1.00	22.18	O
ATOM	1121	CB	CYS	A	147	16.797	39.363	11.209	1.00	18.64	C
ATOM	1122	SG	CYS	A	147	17.473	37.734	11.641	1.00	21.48	S
ATOM	1123	N	GLU	A	148	15.472	41.711	9.806	1.00	20.18	N
ATOM	1124	CA	GLU	A	148	14.876	43.046	9.828	1.00	19.02	C
ATOM	1125	C	GLU	A	148	13.551	43.102	9.068	1.00	19.69	C
ATOM	1126	O	GLU	A	148	12.583	43.704	9.534	1.00	20.84	O
ATOM	1127	CB	GLU	A	148	15.874	44.066	9.286	1.00	15.27	C
ATOM	1128	CG	GLU	A	148	17.175	44.112	10.083	1.00	14.15	C
ATOM	1129	CD	GLU	A	148	18.175	45.142	9.576	1.00	16.95	C

ATOM	1130	OE1	GLU	A	148	18.089	45.589	8.405	1.00	16.79	O
ATOM	1131	OE2	GLU	A	148	19.070	45.508	10.368	1.00	20.51	O
ATOM	1132	N	SER	A	149	13.490	42.379	7.954	1.00	19.93	N
ATOM	1133	CA	SER	A	149	12.297	42.317	7.118	1.00	17.39	C
ATOM	1134	C	SER	A	149	11.140	41.598	7.796	1.00	17.18	C
ATOM	1135	O	SER	A	149	10.004	42.006	7.628	1.00	19.23	O
ATOM	1136	CB	SER	A	149	12.632	41.678	5.767	1.00	17.54	C
ATOM	1137	OG	SER	A	149	13.552	42.497	5.058	1.00	14.85	O
ATOM	1138	N	TYR	A	150	11.420	40.526	8.542	1.00	19.56	N
ATOM	1139	CA	TYR	A	150	10.367	39.799	9.268	1.00	19.65	C
ATOM	1140	C	TYR	A	150	9.937	40.622	10.469	1.00	21.80	C
ATOM	1141	O	TYR	A	150	8.781	40.588	10.870	1.00	21.40	O
ATOM	1142	CB	TYR	A	150	10.822	38.406	9.715	1.00	16.51	C
ATOM	1143	CG	TYR	A	150	10.688	37.367	8.624	1.00	18.75	C
ATOM	1144	CD1	TYR	A	150	11.597	37.323	7.563	1.00	19.80	C
ATOM	1145	CD2	TYR	A	150	9.617	36.477	8.608	1.00	19.63	C
ATOM	1146	CE1	TYR	A	150	11.436	36.427	6.515	1.00	20.26	C
ATOM	1147	CE2	TYR	A	150	9.445	35.570	7.554	1.00	19.95	C
ATOM	1148	CZ	TYR	A	150	10.355	35.555	6.517	1.00	19.80	C
ATOM	1149	OH	TYR	A	150	10.198	34.685	5.472	1.00	19.84	O
ATOM	1150	N	ASN	A	151	10.878	41.364	11.041	1.00	19.55	N
ATOM	1151	CA	ASN	A	151	10.571	42.233	12.163	1.00	21.48	C
ATOM	1152	C	ASN	A	151	9.618	43.319	11.672	1.00	19.89	C
ATOM	1153	O	ASN	A	151	8.623	43.607	12.317	1.00	21.09	O
ATOM	1154	CB	ASN	A	151	11.834	42.900	12.708	1.00	18.21	C
ATOM	1155	CG	ASN	A	151	12.724	41.949	13.481	1.00	18.09	C
ATOM	1156	OD1	ASN	A	151	13.810	42.334	13.908	1.00	27.07	O
ATOM	1157	ND2	ASN	A	151	12.282	40.714	13.664	1.00	14.19	N
ATOM	1158	N	ARG	A	152	9.951	43.937	10.544	1.00	20.07	N
ATOM	1159	CA	ARG	A	152	9.125	44.994	9.966	1.00	19.82	C
ATOM	1160	C	ARG	A	152	7.745	44.520	9.513	1.00	19.24	C
ATOM	1161	O	ARG	A	152	6.732	45.057	9.947	1.00	21.88	O
ATOM	1162	CB	ARG	A	152	9.848	45.661	8.785	1.00	17.20	C
ATOM	1163	CG	ARG	A	152	11.021	46.544	9.204	1.00	18.44	C
ATOM	1164	CD	ARG	A	152	11.844	47.073	8.015	1.00	16.70	C
ATOM	1165	NE	ARG	A	152	11.110	48.049	7.219	1.00	20.17	N
ATOM	1166	CZ	ARG	A	152	11.152	48.111	5.893	1.00	23.14	C
ATOM	1167	NH1	ARG	A	152	11.894	47.247	5.212	1.00	24.13	N
ATOM	1168	NH2	ARG	A	152	10.460	49.043	5.246	1.00	22.13	N
ATOM	1169	N	GLN	A	153	7.703	43.491	8.677	1.00	17.96	N
ATOM	1170	CA	GLN	A	153	6.440	43.004	8.160	1.00	18.98	C
ATOM	1171	C	GLN	A	153	5.545	42.301	9.148	1.00	19.52	C
ATOM	1172	O	GLN	A	153	4.381	42.640	9.268	1.00	22.00	O
ATOM	1173	CB	GLN	A	153	6.662	42.080	6.969	1.00	18.96	C
ATOM	1174	CG	GLN	A	153	5.368	41.751	6.210	1.00	18.96	C
ATOM	1175	CD	GLN	A	153	5.578	40.867	4.984	1.00	19.71	C
ATOM	1176	OE1	GLN	A	153	4.682	40.129	4.580	1.00	24.49	O
ATOM	1177	NE2	GLN	A	153	6.749	40.945	4.387	1.00	12.01	N
ATOM	1178	N	TYR	A	154	6.085	41.314	9.850	1.00	22.05	N
ATOM	1179	CA	TYR	A	154	5.301	40.509	10.791	1.00	21.40	C
ATOM	1180	C	TYR	A	154	5.363	40.844	12.275	1.00	20.30	C
ATOM	1181	O	TYR	A	154	4.693	40.212	13.080	1.00	24.19	O
ATOM	1182	CB	TYR	A	154	5.630	39.032	10.574	1.00	20.75	C
ATOM	1183	CG	TYR	A	154	5.360	38.559	9.153	1.00	28.22	C
ATOM	1184	CD1	TYR	A	154	4.048	38.356	8.700	1.00	26.30	C
ATOM	1185	CD2	TYR	A	154	6.411	38.283	8.271	1.00	24.56	C

ATOM	1186	CE1	TYR	A	154	3.789	37.885	7.410	1.00	26.91	C
ATOM	1187	CE2	TYR	A	154	6.163	37.807	6.974	1.00	27.24	C
ATOM	1188	CZ	TYR	A	154	4.849	37.611	6.550	1.00	32.07	C
ATOM	1189	OH	TYR	A	154	4.597	37.135	5.272	1.00	31.35	O
ATOM	1190	N	GLY	A	155	6.144	41.847	12.638	1.00	19.87	N
ATOM	1191	CA	GLY	A	155	6.253	42.217	14.034	1.00	22.22	C
ATOM	1192	C	GLY	A	155	7.013	41.198	14.859	1.00	24.59	C
ATOM	1193	O	GLY	A	155	6.732	41.021	16.043	1.00	26.39	O
ATOM	1194	N	ARG	A	156	7.974	40.521	14.238	1.00	24.00	N
ATOM	1195	CA	ARG	A	156	8.787	39.532	14.938	1.00	22.84	C
ATOM	1196	C	ARG	A	156	9.876	40.216	15.775	1.00	22.01	C
ATOM	1197	O	ARG	A	156	10.028	41.444	15.756	1.00	19.01	O
ATOM	1198	CB	ARG	A	156	9.421	38.565	13.943	1.00	18.51	C
ATOM	1199	CG	ARG	A	156	8.434	37.660	13.261	1.00	18.13	C
ATOM	1200	CD	ARG	A	156	7.745	36.824	14.286	1.00	19.71	C
ATOM	1201	NE	ARG	A	156	6.784	35.907	13.695	1.00	21.63	N
ATOM	1202	CZ	ARG	A	156	5.811	35.300	14.374	1.00	23.57	C
ATOM	1203	NH1	ARG	A	156	5.663	35.518	15.671	1.00	25.52	N
ATOM	1204	NH2	ARG	A	156	5.006	34.442	13.764	1.00	23.91	N
ATOM	1205	N	ASP	A	157	10.617	39.401	16.520	1.00	22.14	N
ATOM	1206	CA	ASP	A	157	11.701	39.877	17.375	1.00	24.80	C
ATOM	1207	C	ASP	A	157	12.947	39.036	17.057	1.00	24.84	C
ATOM	1208	O	ASP	A	157	13.409	38.230	17.878	1.00	23.50	O
ATOM	1209	CB	ASP	A	157	11.302	39.722	18.844	1.00	23.72	C
ATOM	1210	CG	ASP	A	157	12.291	40.353	19.789	1.00	26.71	C
ATOM	1211	OD1	ASP	A	157	13.133	41.161	19.351	1.00	30.67	O
ATOM	1212	OD2	ASP	A	157	12.220	40.044	20.990	1.00	28.81	O
ATOM	1213	N	TYR	A	158	13.447	39.211	15.835	1.00	22.75	N
ATOM	1214	CA	TYR	A	158	14.619	38.498	15.345	1.00	18.46	C
ATOM	1215	C	TYR	A	158	15.791	39.451	15.418	1.00	19.09	C
ATOM	1216	O	TYR	A	158	15.914	40.368	14.611	1.00	17.30	O
ATOM	1217	CB	TYR	A	158	14.383	38.045	13.911	1.00	18.04	C
ATOM	1218	CG	TYR	A	158	13.249	37.059	13.756	1.00	18.53	C
ATOM	1219	CD1	TYR	A	158	12.615	36.505	14.879	1.00	20.52	C
ATOM	1220	CD2	TYR	A	158	12.832	36.644	12.492	1.00	17.60	C
ATOM	1221	CE1	TYR	A	158	11.598	35.558	14.745	1.00	21.39	C
ATOM	1222	CE2	TYR	A	158	11.819	35.699	12.343	1.00	20.24	C
ATOM	1223	CZ	TYR	A	158	11.207	35.157	13.473	1.00	24.50	C
ATOM	1224	OH	TYR	A	158	10.229	34.196	13.330	1.00	23.67	O
ATOM	1225	N	ARG	A	159	16.633	39.235	16.422	1.00	20.75	N
ATOM	1226	CA	ARG	A	159	17.799	40.067	16.685	1.00	19.58	C
ATOM	1227	C	ARG	A	159	19.064	39.450	16.092	1.00	21.42	C
ATOM	1228	O	ARG	A	159	19.077	38.261	15.760	1.00	18.88	O
ATOM	1229	CB	ARG	A	159	17.955	40.231	18.195	1.00	20.48	C
ATOM	1230	CG	ARG	A	159	16.642	40.531	18.862	1.00	19.82	C
ATOM	1231	CD	ARG	A	159	16.783	40.804	20.325	1.00	23.76	C
ATOM	1232	NE	ARG	A	159	15.486	41.101	20.932	1.00	26.89	N
ATOM	1233	CZ	ARG	A	159	15.308	41.413	22.215	1.00	32.91	C
ATOM	1234	NH1	ARG	A	159	16.345	41.477	23.045	1.00	29.23	N
ATOM	1235	NH2	ARG	A	159	14.089	41.651	22.674	1.00	26.98	N
ATOM	1236	N	SER	A	160	20.120	40.256	15.973	1.00	20.58	N
ATOM	1237	CA	SER	A	160	21.383	39.790	15.401	1.00	22.86	C
ATOM	1238	C	SER	A	160	22.623	40.445	16.035	1.00	23.61	C
ATOM	1239	O	SER	A	160	22.613	41.631	16.391	1.00	27.28	O
ATOM	1240	CB	SER	A	160	21.369	40.010	13.878	1.00	18.64	C
ATOM	1241	OG	SER	A	160	21.189	41.377	13.584	1.00	21.88	O

ATOM	1242	N	VAL	A	161	23.673	39.644	16.220	1.00	21.16	N
ATOM	1243	CA	VAL	A	161	24.925	40.128	16.789	1.00	22.84	C
ATOM	1244	C	VAL	A	161	26.071	39.869	15.815	1.00	24.11	C
ATOM	1245	O	VAL	A	161	26.115	38.836	15.152	1.00	23.19	O
ATOM	1246	CB	VAL	A	161	25.218	39.495	18.164	1.00	20.00	C
ATOM	1247	CG1	VAL	A	161	24.165	39.917	19.171	1.00	15.73	C
ATOM	1248	CG2	VAL	A	161	25.269	38.000	18.044	1.00	17.25	C
ATOM	1249	N	MET	A	162	26.998	40.815	15.756	1.00	26.02	N
ATOM	1250	CA	MET	A	162	28.155	40.749	14.857	1.00	25.91	C
ATOM	1251	C	MET	A	162	29.428	40.599	15.646	1.00	24.51	C
ATOM	1252	O	MET	A	162	29.988	41.583	16.123	1.00	23.78	O
ATOM	1253	CB	MET	A	162	28.218	42.035	14.050	1.00	30.64	C
ATOM	1254	CG	MET	A	162	28.850	41.863	12.698	1.00	39.34	C
ATOM	1255	SD	MET	A	162	27.639	41.548	11.415	1.00	53.27	S
ATOM	1256	CE	MET	A	162	26.536	40.289	12.127	1.00	36.94	C
ATOM	1257	N	PRO	A	163	29.918	39.370	15.786	1.00	24.89	N
ATOM	1258	CA	PRO	A	163	31.159	39.159	16.549	1.00	26.54	C
ATOM	1259	C	PRO	A	163	32.448	39.526	15.831	1.00	25.28	C
ATOM	1260	O	PRO	A	163	32.517	39.474	14.610	1.00	25.95	O
ATOM	1261	CB	PRO	A	163	31.133	37.655	16.847	1.00	23.73	C
ATOM	1262	CG	PRO	A	163	29.897	37.115	16.115	1.00	31.41	C
ATOM	1263	CD	PRO	A	163	29.499	38.138	15.125	1.00	26.18	C
ATOM	1264	N	THR	A	164	33.470	39.893	16.603	1.00	22.10	N
ATOM	1265	CA	THR	A	164	34.788	40.189	16.060	1.00	23.78	C
ATOM	1266	C	THR	A	164	35.478	38.805	15.910	1.00	23.23	C
ATOM	1267	O	THR	A	164	34.780	37.788	15.887	1.00	22.37	O
ATOM	1268	CB	THR	A	164	35.578	41.123	17.031	1.00	22.50	C
ATOM	1269	OG1	THR	A	164	36.853	41.454	16.471	1.00	23.40	O
ATOM	1270	CG2	THR	A	164	35.758	40.481	18.399	1.00	14.86	C
ATOM	1271	N	ASN	A	165	36.808	38.748	15.809	1.00	21.33	N
ATOM	1272	CA	ASN	A	165	37.514	37.454	15.695	1.00	20.80	C
ATOM	1273	C	ASN	A	165	37.332	36.670	16.989	1.00	21.60	C
ATOM	1274	O	ASN	A	165	37.571	37.190	18.073	1.00	19.56	O
ATOM	1275	CB	ASN	A	165	39.022	37.634	15.450	1.00	23.42	C
ATOM	1276	CG	ASN	A	165	39.325	38.488	14.237	1.00	28.81	C
ATOM	1277	OD1	ASN	A	165	38.899	38.184	13.123	1.00	32.12	O
ATOM	1278	ND2	ASN	A	165	40.054	39.584	14.455	1.00	30.18	N
ATOM	1279	N	LEU	A	166	36.916	35.417	16.861	1.00	22.74	N
ATOM	1280	CA	LEU	A	166	36.678	34.563	18.008	1.00	21.57	C
ATOM	1281	C	LEU	A	166	37.736	33.491	18.137	1.00	24.04	C
ATOM	1282	O	LEU	A	166	38.424	33.167	17.181	1.00	27.78	O
ATOM	1283	CB	LEU	A	166	35.313	33.892	17.894	1.00	21.43	C
ATOM	1284	CG	LEU	A	166	34.065	34.774	17.812	1.00	22.20	C
ATOM	1285	CD1	LEU	A	166	32.835	33.883	17.825	1.00	21.95	C
ATOM	1286	CD2	LEU	A	166	34.013	35.741	18.967	1.00	16.86	C
ATOM	1287	N	TYR	A	167	37.871	32.964	19.346	1.00	24.38	N
ATOM	1288	CA	TYR	A	167	38.819	31.901	19.634	1.00	23.56	C
ATOM	1289	C	TYR	A	167	38.337	31.215	20.916	1.00	25.61	C
ATOM	1290	O	TYR	A	167	37.493	31.750	21.635	1.00	23.71	O
ATOM	1291	CB	TYR	A	167	40.247	32.470	19.796	1.00	23.51	C
ATOM	1292	CG	TYR	A	167	40.499	33.242	21.083	1.00	24.80	C
ATOM	1293	CD1	TYR	A	167	40.177	34.599	21.189	1.00	22.13	C
ATOM	1294	CD2	TYR	A	167	41.044	32.603	22.207	1.00	22.06	C
ATOM	1295	CE1	TYR	A	167	40.391	35.292	22.379	1.00	23.72	C
ATOM	1296	CE2	TYR	A	167	41.255	33.284	23.388	1.00	20.75	C
ATOM	1297	CZ	TYR	A	167	40.928	34.619	23.467	1.00	23.11	C

ATOM	1298	OH	TYR	A	167	41.133	35.277	24.641	1.00	27.04	O
ATOM	1299	N	GLY	A	168	38.862	30.028	21.196	1.00	26.18	N
ATOM	1300	CA	GLY	A	168	38.469	29.302	22.395	1.00	24.41	C
ATOM	1301	C	GLY	A	168	38.358	27.819	22.096	1.00	25.69	C
ATOM	1302	O	GLY	A	168	38.862	27.366	21.067	1.00	22.25	O
ATOM	1303	N	PRO	A	169	37.763	27.020	22.999	1.00	27.31	N
ATOM	1304	CA	PRO	A	169	37.641	25.587	22.723	1.00	28.17	C
ATOM	1305	C	PRO	A	169	36.712	25.281	21.545	1.00	31.05	C
ATOM	1306	O	PRO	A	169	35.784	26.043	21.245	1.00	32.73	O
ATOM	1307	CB	PRO	A	169	37.093	25.028	24.038	1.00	29.76	C
ATOM	1308	CG	PRO	A	169	36.435	26.200	24.693	1.00	29.13	C
ATOM	1309	CD	PRO	A	169	37.382	27.322	24.390	1.00	24.91	C
ATOM	1310	N	HIS	A	170	36.989	24.162	20.882	1.00	29.85	N
ATOM	1311	CA	HIS	A	170	36.221	23.684	19.736	1.00	33.39	C
ATOM	1312	C	HIS	A	170	36.491	24.432	18.465	1.00	33.49	C
ATOM	1313	O	HIS	A	170	35.829	24.220	17.456	1.00	36.59	O
ATOM	1314	CB	HIS	A	170	34.730	23.625	20.053	1.00	33.83	C
ATOM	1315	CG	HIS	A	170	34.416	22.657	21.138	1.00	36.78	C
ATOM	1316	ND1	HIS	A	170	34.350	21.295	20.912	1.00	38.83	N
ATOM	1317	CD2	HIS	A	170	34.273	22.824	22.474	1.00	39.24	C
ATOM	1318	CE1	HIS	A	170	34.188	20.673	22.067	1.00	41.36	C
ATOM	1319	NE2	HIS	A	170	34.138	21.579	23.029	1.00	39.69	N
ATOM	1320	N	ASP	A	171	37.498	25.291	18.514	1.00	33.58	N
ATOM	1321	CA	ASP	A	171	37.914	26.051	17.353	1.00	32.22	C
ATOM	1322	C	ASP	A	171	38.604	25.025	16.447	1.00	35.48	C
ATOM	1323	O	ASP	A	171	38.851	23.881	16.852	1.00	36.59	O
ATOM	1324	CB	ASP	A	171	38.915	27.130	17.779	1.00	28.29	C
ATOM	1325	CG	ASP	A	171	39.064	28.239	16.753	1.00	28.15	C
ATOM	1326	OD1	ASP	A	171	38.622	28.071	15.598	1.00	29.33	O
ATOM	1327	OD2	ASP	A	171	39.625	29.295	17.111	1.00	28.62	O
ATOM	1328	N	ASN	A	172	38.895	25.422	15.219	1.00	36.84	N
ATOM	1329	CA	ASN	A	172	39.562	24.531	14.288	1.00	38.89	C
ATOM	1330	C	ASN	A	172	41.079	24.608	14.477	1.00	41.26	C
ATOM	1331	O	ASN	A	172	41.734	25.509	13.956	1.00	41.31	O
ATOM	1332	CB	ASN	A	172	39.173	24.906	12.858	1.00	42.20	C
ATOM	1333	CG	ASN	A	172	39.843	24.034	11.814	1.00	43.37	C
ATOM	1334	OD1	ASN	A	172	40.580	23.097	12.130	1.00	45.57	O
ATOM	1335	ND2	ASN	A	172	39.595	24.353	10.552	1.00	44.12	N
ATOM	1336	N	PHE	A	173	41.635	23.661	15.226	1.00	44.88	N
ATOM	1337	CA	PHE	A	173	43.073	23.647	15.463	1.00	49.71	C
ATOM	1338	C	PHE	A	173	43.851	22.871	14.419	1.00	57.76	C
ATOM	1339	O	PHE	A	173	45.059	22.682	14.568	1.00	59.18	O
ATOM	1340	CB	PHE	A	173	43.399	23.110	16.852	1.00	42.32	C
ATOM	1341	CG	PHE	A	173	43.084	24.071	17.948	1.00	40.20	C
ATOM	1342	CD1	PHE	A	173	44.013	25.025	18.331	1.00	36.39	C
ATOM	1343	CD2	PHE	A	173	41.844	24.043	18.579	1.00	37.77	C
ATOM	1344	CE1	PHE	A	173	43.707	25.936	19.322	1.00	36.91	C
ATOM	1345	CE2	PHE	A	173	41.530	24.950	19.572	1.00	34.93	C
ATOM	1346	CZ	PHE	A	173	42.458	25.898	19.945	1.00	34.54	C
ATOM	1347	N	HIS	A	174	43.162	22.422	13.368	1.00	65.47	N
ATOM	1348	CA	HIS	A	174	43.805	21.677	12.291	1.00	69.58	C
ATOM	1349	C	HIS	A	174	44.825	22.603	11.620	1.00	74.04	C
ATOM	1350	O	HIS	A	174	44.725	23.834	11.717	1.00	73.03	O
ATOM	1351	CB	HIS	A	174	42.761	21.181	11.280	1.00	65.86	C
ATOM	1352	N	PRO	A	175	45.864	22.022	10.993	1.00	78.70	N
ATOM	1353	CA	PRO	A	175	46.911	22.798	10.312	1.00	79.02	C

ATOM	1354	C	PRO	A	175	46.389	23.590	9.108	1.00	78.90	C
ATOM	1355	O	PRO	A	175	47.009	24.564	8.677	1.00	80.21	O
ATOM	1356	CB	PRO	A	175	47.905	21.719	9.890	1.00	81.10	C
ATOM	1357	CG	PRO	A	175	47.021	20.508	9.682	1.00	82.81	C
ATOM	1358	CD	PRO	A	175	46.136	20.576	10.896	1.00	79.77	C
ATOM	1359	N	SER	A	176	45.234	23.182	8.592	1.00	77.86	N
ATOM	1360	CA	SER	A	176	44.609	23.838	7.448	1.00	77.58	C
ATOM	1361	C	SER	A	176	43.990	25.204	7.803	1.00	77.32	C
ATOM	1362	O	SER	A	176	43.824	26.058	6.924	1.00	76.05	O
ATOM	1363	CB	SER	A	176	43.522	22.928	6.867	1.00	77.75	C
ATOM	1364	OG	SER	A	176	43.956	21.581	6.822	1.00	76.89	O
ATOM	1365	N	ASN	A	177	43.644	25.400	9.080	1.00	76.69	N
ATOM	1366	CA	ASN	A	177	43.023	26.651	9.545	1.00	75.04	C
ATOM	1367	C	ASN	A	177	43.955	27.852	9.485	1.00	71.80	C
ATOM	1368	O	ASN	A	177	45.039	27.850	10.085	1.00	69.86	O
ATOM	1369	CB	ASN	A	177	42.460	26.518	10.974	1.00	78.55	C
ATOM	1370	CG	ASN	A	177	41.521	27.682	11.354	1.00	80.02	C
ATOM	1371	OD1	ASN	A	177	41.019	28.396	10.481	1.00	80.14	O
ATOM	1372	ND2	ASN	A	177	41.267	27.855	12.653	1.00	78.23	N
ATOM	1373	N	SER	A	178	43.483	28.891	8.795	1.00	68.03	N
ATOM	1374	CA	SER	A	178	44.229	30.132	8.616	1.00	62.59	C
ATOM	1375	C	SER	A	178	44.062	31.148	9.757	1.00	61.87	C
ATOM	1376	O	SER	A	178	44.877	32.076	9.866	1.00	63.25	O
ATOM	1377	CB	SER	A	178	43.866	30.789	7.272	1.00	58.38	C
ATOM	1378	OG	SER	A	178	42.529	31.262	7.256	1.00	48.45	O
ATOM	1379	N	HIS	A	179	43.031	30.980	10.599	1.00	56.38	N
ATOM	1380	CA	HIS	A	179	42.789	31.910	11.711	1.00	49.88	C
ATOM	1381	C	HIS	A	179	44.002	31.942	12.611	1.00	43.41	C
ATOM	1382	O	HIS	A	179	44.491	30.905	13.074	1.00	38.69	O
ATOM	1383	CB	HIS	A	179	41.508	31.576	12.474	1.00	56.03	C
ATOM	1384	CG	HIS	A	179	40.267	31.778	11.659	1.00	63.85	C
ATOM	1385	ND1	HIS	A	179	39.265	30.832	11.575	1.00	68.72	N
ATOM	1386	CD2	HIS	A	179	39.908	32.782	10.821	1.00	63.79	C
ATOM	1387	CE1	HIS	A	179	38.350	31.240	10.712	1.00	67.61	C
ATOM	1388	NE2	HIS	A	179	38.717	32.420	10.240	1.00	64.39	N
ATOM	1389	N	VAL	A	180	44.518	33.153	12.771	1.00	36.75	N
ATOM	1390	CA	VAL	A	180	45.728	33.411	13.521	1.00	34.97	C
ATOM	1391	C	VAL	A	180	45.880	32.769	14.918	1.00	32.02	C
ATOM	1392	O	VAL	A	180	46.880	32.086	15.156	1.00	34.93	O
ATOM	1393	CB	VAL	A	180	46.080	34.941	13.477	1.00	34.69	C
ATOM	1394	CG1	VAL	A	180	45.248	35.738	14.460	1.00	30.50	C
ATOM	1395	CG2	VAL	A	180	47.547	35.149	13.697	1.00	35.95	C
ATOM	1396	N	ILE	A	181	44.892	32.883	15.804	1.00	26.56	N
ATOM	1397	CA	ILE	A	181	45.062	32.290	17.138	1.00	24.42	C
ATOM	1398	C	ILE	A	181	45.260	30.765	17.170	1.00	24.83	C
ATOM	1399	O	ILE	A	181	46.270	30.287	17.687	1.00	24.99	O
ATOM	1400	CB	ILE	A	181	44.000	32.782	18.156	1.00	19.83	C
ATOM	1401	CG1	ILE	A	181	44.276	34.252	18.493	1.00	20.16	C
ATOM	1402	CG2	ILE	A	181	44.041	31.946	19.438	1.00	17.27	C
ATOM	1403	CD1	ILE	A	181	43.331	34.847	19.510	1.00	20.91	C
ATOM	1404	N	PRO	A	182	44.316	29.981	16.615	1.00	23.52	N
ATOM	1405	CA	PRO	A	182	44.552	28.537	16.658	1.00	23.52	C
ATOM	1406	C	PRO	A	182	45.762	28.096	15.829	1.00	24.72	C
ATOM	1407	O	PRO	A	182	46.398	27.094	16.153	1.00	26.08	O
ATOM	1408	CB	PRO	A	182	43.230	27.953	16.138	1.00	22.43	C
ATOM	1409	CG	PRO	A	182	42.654	29.047	15.315	1.00	23.74	C

ATOM	1410	CD	PRO	A	182	42.958	30.270	16.135	1.00	25.45	C
ATOM	1411	N	ALA	A	183	46.094	28.847	14.780	1.00	24.74	N
ATOM	1412	CA	ALA	A	183	47.248	28.519	13.940	1.00	26.58	C
ATOM	1413	C	ALA	A	183	48.550	28.747	14.713	1.00	27.08	C
ATOM	1414	O	ALA	A	183	49.487	27.947	14.615	1.00	27.25	O
ATOM	1415	CB	ALA	A	183	47.255	29.363	12.663	1.00	26.62	C
ATOM	1416	N	LEU	A	184	48.612	29.846	15.467	1.00	27.56	N
ATOM	1417	CA	LEU	A	184	49.804	30.152	16.253	1.00	25.42	C
ATOM	1418	C	LEU	A	184	49.938	29.268	17.483	1.00	24.12	C
ATOM	1419	O	LEU	A	184	51.045	28.915	17.861	1.00	25.56	O
ATOM	1420	CB	LEU	A	184	49.865	31.636	16.629	1.00	25.08	C
ATOM	1421	CG	LEU	A	184	50.185	32.559	15.450	1.00	26.86	C
ATOM	1422	CD1	LEU	A	184	50.303	33.997	15.932	1.00	25.67	C
ATOM	1423	CD2	LEU	A	184	51.481	32.112	14.782	1.00	22.86	C
ATOM	1424	N	LEU	A	185	48.825	28.907	18.113	1.00	24.00	N
ATOM	1425	CA	LEU	A	185	48.903	28.038	19.276	1.00	22.14	C
ATOM	1426	C	LEU	A	185	49.527	26.723	18.849	1.00	23.38	C
ATOM	1427	O	LEU	A	185	50.441	26.231	19.493	1.00	25.13	O
ATOM	1428	CB	LEU	A	185	47.524	27.792	19.890	1.00	22.97	C
ATOM	1429	CG	LEU	A	185	47.061	28.783	20.962	1.00	25.88	C
ATOM	1430	CD1	LEU	A	185	45.633	28.474	21.350	1.00	27.24	C
ATOM	1431	CD2	LEU	A	185	47.953	28.716	22.188	1.00	22.77	C
ATOM	1432	N	ARG	A	186	49.073	26.203	17.714	1.00	24.14	N
ATOM	1433	CA	ARG	A	186	49.569	24.948	17.169	1.00	25.34	C
ATOM	1434	C	ARG	A	186	51.048	25.034	16.810	1.00	24.95	C
ATOM	1435	O	ARG	A	186	51.833	24.187	17.212	1.00	26.26	O
ATOM	1436	CB	ARG	A	186	48.759	24.583	15.925	1.00	31.52	C
ATOM	1437	CG	ARG	A	186	49.073	23.233	15.318	1.00	42.48	C
ATOM	1438	CD	ARG	A	186	48.392	22.118	16.098	1.00	57.91	C
ATOM	1439	NE	ARG	A	186	48.619	20.790	15.519	1.00	68.83	N
ATOM	1440	CZ	ARG	A	186	47.761	20.142	14.729	1.00	74.96	C
ATOM	1441	NH1	ARG	A	186	46.595	20.682	14.401	1.00	79.10	N
ATOM	1442	NH2	ARG	A	186	48.065	18.934	14.273	1.00	79.84	N
ATOM	1443	N	ARG	A	187	51.435	26.059	16.054	1.00	24.62	N
ATOM	1444	CA	ARG	A	187	52.829	26.214	15.644	1.00	25.65	C
ATOM	1445	C	ARG	A	187	53.790	26.369	16.826	1.00	25.29	C
ATOM	1446	O	ARG	A	187	54.839	25.727	16.871	1.00	24.51	O
ATOM	1447	CB	ARG	A	187	52.981	27.399	14.688	1.00	25.15	C
ATOM	1448	CG	ARG	A	187	52.167	27.263	13.417	1.00	32.95	C
ATOM	1449	CD	ARG	A	187	52.480	28.391	12.462	1.00	36.42	C
ATOM	1450	NE	ARG	A	187	53.913	28.446	12.184	1.00	36.07	N
ATOM	1451	CZ	ARG	A	187	54.544	29.508	11.699	1.00	33.64	C
ATOM	1452	NH1	ARG	A	187	53.870	30.621	11.435	1.00	31.47	N
ATOM	1453	NH2	ARG	A	187	55.850	29.448	11.465	1.00	33.04	N
ATOM	1454	N	PHE	A	188	53.436	27.221	17.779	1.00	22.44	N
ATOM	1455	CA	PHE	A	188	54.282	27.421	18.945	1.00	25.19	C
ATOM	1456	C	PHE	A	188	54.337	26.174	19.808	1.00	25.71	C
ATOM	1457	O	PHE	A	188	55.354	25.892	20.431	1.00	25.63	O
ATOM	1458	CB	PHE	A	188	53.821	28.637	19.753	1.00	23.20	C
ATOM	1459	CG	PHE	A	188	54.286	29.939	19.177	1.00	25.71	C
ATOM	1460	CD1	PHE	A	188	55.647	30.235	19.110	1.00	27.25	C
ATOM	1461	CD2	PHE	A	188	53.376	30.851	18.660	1.00	25.83	C
ATOM	1462	CE1	PHE	A	188	56.098	31.430	18.529	1.00	32.00	C
ATOM	1463	CE2	PHE	A	188	53.810	32.044	18.077	1.00	29.35	C
ATOM	1464	CZ	PHE	A	188	55.177	32.336	18.010	1.00	28.41	C
ATOM	1465	N	HIS	A	189	53.241	25.424	19.835	1.00	25.11	N

ATOM	1466	CA	HIS	A	189	53.189	24.190	20.599	1.00	27.94	C
ATOM	1467	C	HIS	A	189	54.224	23.213	20.047	1.00	28.28	C
ATOM	1468	O	HIS	A	189	54.995	22.606	20.797	1.00	27.38	O
ATOM	1469	CB	HIS	A	189	51.801	23.547	20.510	1.00	28.07	C
ATOM	1470	CG	HIS	A	189	51.744	22.170	21.092	1.00	30.32	C
ATOM	1471	ND1	HIS	A	189	51.704	21.940	22.449	1.00	29.13	N
ATOM	1472	CD2	HIS	A	189	51.777	20.949	20.504	1.00	28.20	C
ATOM	1473	CE1	HIS	A	189	51.717	20.640	22.673	1.00	28.62	C
ATOM	1474	NE2	HIS	A	189	51.760	20.015	21.511	1.00	27.91	N
ATOM	1475	N	GLU	A	190	54.208	23.046	18.732	1.00	26.08	N
ATOM	1476	CA	GLU	A	190	55.132	22.148	18.081	1.00	30.47	C
ATOM	1477	C	GLU	A	190	56.569	22.632	18.068	1.00	30.23	C
ATOM	1478	O	GLU	A	190	57.490	21.827	18.211	1.00	33.16	O
ATOM	1479	CB	GLU	A	190	54.637	21.816	16.691	1.00	35.82	C
ATOM	1480	CG	GLU	A	190	53.722	20.621	16.736	1.00	51.77	C
ATOM	1481	CD	GLU	A	190	52.624	20.704	15.724	1.00	61.78	C
ATOM	1482	OE1	GLU	A	190	52.925	20.772	14.511	1.00	65.36	O
ATOM	1483	OE2	GLU	A	190	51.455	20.705	16.153	1.00	69.95	O
ATOM	1484	N	ALA	A	191	56.763	23.942	17.928	1.00	28.59	N
ATOM	1485	CA	ALA	A	191	58.106	24.517	17.939	1.00	26.34	C
ATOM	1486	C	ALA	A	191	58.714	24.292	19.328	1.00	26.65	C
ATOM	1487	O	ALA	A	191	59.915	24.052	19.459	1.00	28.75	O
ATOM	1488	CB	ALA	A	191	58.056	26.008	17.610	1.00	19.04	C
ATOM	1489	N	THR	A	192	57.876	24.358	20.361	1.00	25.68	N
ATOM	1490	CA	THR	A	192	58.316	24.145	21.736	1.00	25.41	C
ATOM	1491	C	THR	A	192	58.703	22.676	21.944	1.00	31.21	C
ATOM	1492	O	THR	A	192	59.746	22.382	22.527	1.00	35.48	O
ATOM	1493	CB	THR	A	192	57.211	24.530	22.730	1.00	22.90	C
ATOM	1494	OG1	THR	A	192	56.880	25.912	22.564	1.00	25.40	O
ATOM	1495	CG2	THR	A	192	57.669	24.307	24.150	1.00	18.73	C
ATOM	1496	N	ALA	A	193	57.876	21.769	21.419	1.00	34.95	N
ATOM	1497	CA	ALA	A	193	58.082	20.320	21.524	1.00	37.97	C
ATOM	1498	C	ALA	A	193	59.304	19.802	20.755	1.00	40.01	C
ATOM	1499	O	ALA	A	193	59.972	18.862	21.194	1.00	43.02	O
ATOM	1500	CB	ALA	A	193	56.816	19.575	21.063	1.00	32.24	C
ATOM	1501	N	GLN	A	194	59.574	20.401	19.598	1.00	41.65	N
ATOM	1502	CA	GLN	A	194	60.705	19.999	18.765	1.00	43.74	C
ATOM	1503	C	GLN	A	194	61.928	20.851	19.075	1.00	43.03	C
ATOM	1504	O	GLN	A	194	62.992	20.683	18.479	1.00	45.56	O
ATOM	1505	CB	GLN	A	194	60.333	20.119	17.288	1.00	47.15	C
ATOM	1506	CG	GLN	A	194	59.162	19.232	16.872	1.00	56.01	C
ATOM	1507	CD	GLN	A	194	58.499	19.703	15.580	1.00	64.14	C
ATOM	1508	OE1	GLN	A	194	57.425	19.213	15.195	1.00	65.43	O
ATOM	1509	NE2	GLN	A	194	59.126	20.673	14.913	1.00	63.87	N
ATOM	1510	N	ASN	A	195	61.759	21.771	20.015	1.00	43.24	N
ATOM	1511	CA	ASN	A	195	62.817	22.667	20.445	1.00	44.65	C
ATOM	1512	C	ASN	A	195	63.471	23.485	19.321	1.00	41.93	C
ATOM	1513	O	ASN	A	195	64.691	23.684	19.316	1.00	40.98	O
ATOM	1514	CB	ASN	A	195	63.867	21.884	21.234	1.00	53.08	C
ATOM	1515	CG	ASN	A	195	64.455	22.695	22.368	1.00	63.65	C
ATOM	1516	OD1	ASN	A	195	65.666	22.686	22.588	1.00	71.19	O
ATOM	1517	ND2	ASN	A	195	63.596	23.414	23.094	1.00	66.69	N
ATOM	1518	N	ALA	A	196	62.647	23.986	18.396	1.00	36.18	N
ATOM	1519	CA	ALA	A	196	63.113	24.793	17.270	1.00	28.56	C
ATOM	1520	C	ALA	A	196	63.671	26.125	17.764	1.00	30.66	C
ATOM	1521	O	ALA	A	196	63.073	26.782	18.608	1.00	30.34	O

ATOM	1522	CB	ALA	A	196	61.979	25.026	16.317	1.00	29.20	C
ATOM	1523	N	PRO	A	197	64.836	26.544	17.240	1.00	31.27	N
ATOM	1524	CA	PRO	A	197	65.444	27.813	17.669	1.00	28.32	C
ATOM	1525	C	PRO	A	197	64.599	29.055	17.410	1.00	26.38	C
ATOM	1526	O	PRO	A	197	64.664	30.023	18.169	1.00	22.20	O
ATOM	1527	CB	PRO	A	197	66.766	27.836	16.896	1.00	28.56	C
ATOM	1528	CG	PRO	A	197	66.464	27.016	15.661	1.00	33.14	C
ATOM	1529	CD	PRO	A	197	65.659	25.874	16.218	1.00	29.19	C
ATOM	1530	N	ASP	A	198	63.802	29.024	16.346	1.00	26.81	N
ATOM	1531	CA	ASP	A	198	62.939	30.152	16.022	1.00	28.91	C
ATOM	1532	C	ASP	A	198	61.641	29.786	15.293	1.00	27.16	C
ATOM	1533	O	ASP	A	198	61.473	28.670	14.802	1.00	24.09	O
ATOM	1534	CB	ASP	A	198	63.721	31.224	15.241	1.00	33.13	C
ATOM	1535	CG	ASP	A	198	64.183	30.754	13.858	1.00	40.57	C
ATOM	1536	OD1	ASP	A	198	63.929	29.598	13.444	1.00	48.38	O
ATOM	1537	OD2	ASP	A	198	64.805	31.572	13.157	1.00	49.60	O
ATOM	1538	N	VAL	A	199	60.703	30.727	15.285	1.00	27.51	N
ATOM	1539	CA	VAL	A	199	59.425	30.563	14.611	1.00	24.78	C
ATOM	1540	C	VAL	A	199	59.251	31.819	13.782	1.00	23.64	C
ATOM	1541	O	VAL	A	199	59.158	32.921	14.328	1.00	21.04	O
ATOM	1542	CB	VAL	A	199	58.252	30.457	15.597	1.00	27.41	C
ATOM	1543	CG1	VAL	A	199	56.931	30.544	14.846	1.00	24.95	C
ATOM	1544	CG2	VAL	A	199	58.327	29.145	16.362	1.00	26.46	C
ATOM	1545	N	VAL	A	200	59.235	31.659	12.463	1.00	22.12	N
ATOM	1546	CA	VAL	A	200	59.092	32.802	11.581	1.00	20.64	C
ATOM	1547	C	VAL	A	200	57.638	33.044	11.226	1.00	19.29	C
ATOM	1548	O	VAL	A	200	56.930	32.125	10.865	1.00	20.60	O
ATOM	1549	CB	VAL	A	200	59.938	32.637	10.295	1.00	23.01	C
ATOM	1550	CG1	VAL	A	200	59.800	33.878	9.410	1.00	21.18	C
ATOM	1551	CG2	VAL	A	200	61.410	32.392	10.656	1.00	17.44	C
ATOM	1552	N	VAL	A	201	57.195	34.285	11.400	1.00	20.42	N
ATOM	1553	CA	VAL	A	201	55.833	34.702	11.095	1.00	18.07	C
ATOM	1554	C	VAL	A	201	55.907	35.741	9.974	1.00	19.18	C
ATOM	1555	O	VAL	A	201	56.760	36.618	10.006	1.00	20.16	O
ATOM	1556	CB	VAL	A	201	55.167	35.322	12.322	1.00	22.02	C
ATOM	1557	CG1	VAL	A	201	53.748	35.743	11.987	1.00	23.57	C
ATOM	1558	CG2	VAL	A	201	55.156	34.320	13.465	1.00	18.56	C
ATOM	1559	N	TRP	A	202	55.050	35.599	8.961	1.00	18.54	N
ATOM	1560	CA	TRP	A	202	55.014	36.508	7.809	1.00	21.04	C
ATOM	1561	C	TRP	A	202	54.505	37.895	8.206	1.00	21.19	C
ATOM	1562	O	TRP	A	202	53.571	38.007	8.997	1.00	24.85	O
ATOM	1563	CB	TRP	A	202	54.083	35.969	6.717	1.00	20.52	C
ATOM	1564	CG	TRP	A	202	54.452	34.663	6.062	1.00	21.23	C
ATOM	1565	CD1	TRP	A	202	53.586	33.799	5.461	1.00	19.92	C
ATOM	1566	CD2	TRP	A	202	55.767	34.122	5.850	1.00	22.43	C
ATOM	1567	NE1	TRP	A	202	54.271	32.766	4.872	1.00	24.00	N
ATOM	1568	CE2	TRP	A	202	55.609	32.934	5.093	1.00	21.42	C
ATOM	1569	CE3	TRP	A	202	57.061	34.524	6.216	1.00	26.36	C
ATOM	1570	CZ2	TRP	A	202	56.697	32.144	4.689	1.00	21.09	C
ATOM	1571	CZ3	TRP	A	202	58.150	33.736	5.809	1.00	28.65	C
ATOM	1572	CH2	TRP	A	202	57.957	32.560	5.053	1.00	24.15	C
ATOM	1573	N	GLY	A	203	55.105	38.943	7.640	1.00	19.02	N
ATOM	1574	CA	GLY	A	203	54.683	40.298	7.946	1.00	17.60	C
ATOM	1575	C	GLY	A	203	55.570	40.999	8.962	1.00	21.54	C
ATOM	1576	O	GLY	A	203	56.525	40.414	9.464	1.00	22.01	O
ATOM	1577	N	SER	A	204	55.242	42.252	9.271	1.00	20.06	N

ATOM	1578	CA	SER A	204	56.002	43.058	10.220	1.00	20.26	C
ATOM	1579	C	SER A	204	55.533	42.917	11.665	1.00	18.43	C
ATOM	1580	O	SER A	204	56.236	43.325	12.586	1.00	21.68	O
ATOM	1581	CB	SER A	204	55.914	44.528	9.827	1.00	18.68	C
ATOM	1582	OG	SER A	204	54.602	45.004	10.045	1.00	22.60	O
ATOM	1583	N	GLY A	205	54.335	42.373	11.856	1.00	20.31	N
ATOM	1584	CA	GLY A	205	53.776	42.212	13.186	1.00	16.50	C
ATOM	1585	C	GLY A	205	53.127	43.486	13.713	1.00	18.41	C
ATOM	1586	O	GLY A	205	52.585	43.500	14.813	1.00	18.71	O
ATOM	1587	N	THR A	206	53.160	44.559	12.928	1.00	18.88	N
ATOM	1588	CA	THR A	206	52.578	45.827	13.359	1.00	19.22	C
ATOM	1589	C	THR A	206	51.058	45.954	13.236	1.00	21.16	C
ATOM	1590	O	THR A	206	50.459	46.764	13.954	1.00	23.57	O
ATOM	1591	CB	THR A	206	53.206	47.031	12.629	1.00	17.78	C
ATOM	1592	OG1	THR A	206	52.919	46.934	11.236	1.00	18.73	O
ATOM	1593	CG2	THR A	206	54.704	47.056	12.814	1.00	13.34	C
ATOM	1594	N	PRO A	207	50.403	45.188	12.342	1.00	22.06	N
ATOM	1595	CA	PRO A	207	48.951	45.377	12.278	1.00	20.77	C
ATOM	1596	C	PRO A	207	48.187	45.027	13.555	1.00	21.26	C
ATOM	1597	O	PRO A	207	48.583	44.133	14.312	1.00	18.61	O
ATOM	1598	CB	PRO A	207	48.522	44.551	11.063	1.00	21.67	C
ATOM	1599	CG	PRO A	207	49.643	43.609	10.839	1.00	26.24	C
ATOM	1600	CD	PRO A	207	50.870	44.362	11.204	1.00	20.27	C
ATOM	1601	N	MET A	208	47.137	45.796	13.821	1.00	19.92	N
ATOM	1602	CA	MET A	208	46.326	45.591	15.010	1.00	23.77	C
ATOM	1603	C	MET A	208	45.003	44.850	14.771	1.00	24.02	C
ATOM	1604	O	MET A	208	44.283	45.134	13.821	1.00	26.66	O
ATOM	1605	CB	MET A	208	46.107	46.931	15.694	1.00	25.89	C
ATOM	1606	CG	MET A	208	47.425	47.574	16.097	1.00	30.42	C
ATOM	1607	SD	MET A	208	47.242	49.203	16.771	1.00	40.10	S
ATOM	1608	CE	MET A	208	47.178	50.159	15.247	1.00	32.43	C
ATOM	1609	N	ARG A	209	44.718	43.876	15.633	1.00	24.52	N
ATOM	1610	CA	ARG A	209	43.513	43.059	15.542	1.00	24.41	C
ATOM	1611	C	ARG A	209	42.817	42.948	16.893	1.00	23.05	C
ATOM	1612	O	ARG A	209	43.434	43.122	17.933	1.00	24.79	O
ATOM	1613	CB	ARG A	209	43.858	41.649	15.052	1.00	22.43	C
ATOM	1614	CG	ARG A	209	44.513	41.585	13.690	1.00	23.73	C
ATOM	1615	CD	ARG A	209	43.625	42.200	12.650	1.00	27.83	C
ATOM	1616	NE	ARG A	209	44.175	42.057	11.305	1.00	27.02	N
ATOM	1617	CZ	ARG A	209	44.635	43.061	10.563	1.00	29.49	C
ATOM	1618	NH1	ARG A	209	44.628	44.301	11.034	1.00	26.33	N
ATOM	1619	NH2	ARG A	209	45.074	42.829	9.332	1.00	29.09	N
ATOM	1620	N	GLU A	210	41.533	42.626	16.861	1.00	21.15	N
ATOM	1621	CA	GLU A	210	40.727	42.476	18.063	1.00	19.70	C
ATOM	1622	C	GLU A	210	40.312	41.012	18.193	1.00	20.76	C
ATOM	1623	O	GLU A	210	39.995	40.370	17.198	1.00	23.29	O
ATOM	1624	CB	GLU A	210	39.487	43.366	17.956	1.00	19.08	C
ATOM	1625	CG	GLU A	210	38.462	43.186	19.067	1.00	20.87	C
ATOM	1626	CD	GLU A	210	37.165	43.924	18.788	1.00	23.32	C
ATOM	1627	OE1	GLU A	210	36.842	44.115	17.601	1.00	25.01	O
ATOM	1628	OE2	GLU A	210	36.455	44.302	19.744	1.00	26.04	O
ATOM	1629	N	PHE A	211	40.318	40.489	19.416	1.00	17.24	N
ATOM	1630	CA	PHE A	211	39.954	39.101	19.668	1.00	22.39	C
ATOM	1631	C	PHE A	211	39.035	38.995	20.876	1.00	23.54	C
ATOM	1632	O	PHE A	211	39.218	39.693	21.866	1.00	30.03	O
ATOM	1633	CB	PHE A	211	41.207	38.256	19.912	1.00	20.49	C

ATOM	1634	CG	PHE	A	211	42.177	38.294	18.789	1.00	22.91	C
ATOM	1635	CD1	PHE	A	211	41.999	37.482	17.674	1.00	26.09	C
ATOM	1636	CD2	PHE	A	211	43.258	39.166	18.824	1.00	22.98	C
ATOM	1637	CE1	PHE	A	211	42.893	37.543	16.596	1.00	27.04	C
ATOM	1638	CE2	PHE	A	211	44.154	39.234	17.761	1.00	24.82	C
ATOM	1639	CZ	PHE	A	211	43.968	38.418	16.641	1.00	22.53	C
ATOM	1640	N	LEU	A	212	38.091	38.065	20.812	1.00	22.95	N
ATOM	1641	CA	LEU	A	212	37.126	37.855	21.877	1.00	21.66	C
ATOM	1642	C	LEU	A	212	37.012	36.359	22.141	1.00	21.98	C
ATOM	1643	O	LEU	A	212	36.890	35.572	21.206	1.00	20.99	O
ATOM	1644	CB	LEU	A	212	35.768	38.407	21.435	1.00	20.54	C
ATOM	1645	CG	LEU	A	212	34.580	38.324	22.387	1.00	23.29	C
ATOM	1646	CD1	LEU	A	212	34.758	39.348	23.496	1.00	24.57	C
ATOM	1647	CD2	LEU	A	212	33.293	38.590	21.637	1.00	20.17	C
ATOM	1648	N	HIS	A	213	37.107	35.955	23.403	1.00	20.41	N
ATOM	1649	CA	HIS	A	213	36.987	34.539	23.724	1.00	21.59	C
ATOM	1650	C	HIS	A	213	35.544	34.116	23.426	1.00	22.88	C
ATOM	1651	O	HIS	A	213	34.598	34.877	23.631	1.00	21.20	O
ATOM	1652	CB	HIS	A	213	37.353	34.280	25.192	1.00	24.92	C
ATOM	1653	CG	HIS	A	213	37.454	32.824	25.544	1.00	22.71	C
ATOM	1654	ND1	HIS	A	213	36.347	32.032	25.756	1.00	24.08	N
ATOM	1655	CD2	HIS	A	213	38.529	32.018	25.708	1.00	24.24	C
ATOM	1656	CE1	HIS	A	213	36.734	30.799	26.033	1.00	22.50	C
ATOM	1657	NE2	HIS	A	213	38.053	30.764	26.011	1.00	28.21	N
ATOM	1658	N	VAL	A	214	35.380	32.892	22.948	1.00	25.29	N
ATOM	1659	CA	VAL	A	214	34.068	32.388	22.586	1.00	24.32	C
ATOM	1660	C	VAL	A	214	33.054	32.338	23.734	1.00	27.48	C
ATOM	1661	O	VAL	A	214	31.857	32.507	23.500	1.00	29.17	O
ATOM	1662	CB	VAL	A	214	34.188	31.041	21.840	1.00	24.27	C
ATOM	1663	CG1	VAL	A	214	34.477	29.893	22.805	1.00	21.64	C
ATOM	1664	CG2	VAL	A	214	32.963	30.806	20.989	1.00	26.33	C
ATOM	1665	N	ASP	A	215	33.523	32.151	24.971	1.00	29.18	N
ATOM	1666	CA	ASP	A	215	32.617	32.112	26.122	1.00	25.73	C
ATOM	1667	C	ASP	A	215	32.063	33.502	26.389	1.00	25.82	C
ATOM	1668	O	ASP	A	215	30.919	33.645	26.804	1.00	28.17	O
ATOM	1669	CB	ASP	A	215	33.303	31.551	27.369	1.00	22.58	C
ATOM	1670	CG	ASP	A	215	33.530	30.054	27.286	1.00	25.39	C
ATOM	1671	OD1	ASP	A	215	32.775	29.349	26.590	1.00	26.16	O
ATOM	1672	OD2	ASP	A	215	34.477	29.568	27.916	1.00	31.88	O
ATOM	1673	N	ASP	A	216	32.876	34.526	26.153	1.00	24.50	N
ATOM	1674	CA	ASP	A	216	32.418	35.898	26.315	1.00	24.72	C
ATOM	1675	C	ASP	A	216	31.373	36.150	25.220	1.00	27.00	C
ATOM	1676	O	ASP	A	216	30.357	36.801	25.442	1.00	28.85	O
ATOM	1677	CB	ASP	A	216	33.583	36.876	26.150	1.00	27.82	C
ATOM	1678	CG	ASP	A	216	34.129	37.391	27.478	1.00	28.45	C
ATOM	1679	OD1	ASP	A	216	33.442	37.299	28.520	1.00	30.92	O
ATOM	1680	OD2	ASP	A	216	35.255	37.923	27.467	1.00	27.14	O
ATOM	1681	N	MET	A	217	31.641	35.617	24.034	1.00	28.05	N
ATOM	1682	CA	MET	A	217	30.746	35.741	22.894	1.00	27.95	C
ATOM	1683	C	MET	A	217	29.363	35.200	23.261	1.00	26.79	C
ATOM	1684	O	MET	A	217	28.358	35.888	23.082	1.00	27.99	O
ATOM	1685	CB	MET	A	217	31.318	34.950	21.707	1.00	31.65	C
ATOM	1686	CG	MET	A	217	30.358	34.744	20.539	1.00	34.58	C
ATOM	1687	SD	MET	A	217	29.895	36.349	19.937	1.00	48.23	S
ATOM	1688	CE	MET	A	217	28.361	35.953	19.139	1.00	54.42	C
ATOM	1689	N	ALA	A	218	29.324	33.972	23.774	1.00	23.59	N

ATOM	1690	CA	ALA	A	218	28.076	33.320	24.167	1.00	23.88	C
ATOM	1691	C	ALA	A	218	27.319	34.116	25.244	1.00	26.90	C
ATOM	1692	O	ALA	A	218	26.091	34.244	25.197	1.00	27.66	O
ATOM	1693	CB	ALA	A	218	28.362	31.908	24.646	1.00	18.18	C
ATOM	1694	N	ALA	A	219	28.064	34.682	26.188	1.00	25.13	N
ATOM	1695	CA	ALA	A	219	27.476	35.477	27.255	1.00	25.66	C
ATOM	1696	C	ALA	A	219	26.787	36.703	26.667	1.00	27.39	C
ATOM	1697	O	ALA	A	219	25.647	36.994	27.009	1.00	28.52	O
ATOM	1698	CB	ALA	A	219	28.544	35.895	28.261	1.00	21.47	C
ATOM	1699	N	ALA	A	220	27.472	37.406	25.768	1.00	28.63	N
ATOM	1700	CA	ALA	A	220	26.920	38.604	25.131	1.00	26.33	C
ATOM	1701	C	ALA	A	220	25.697	38.275	24.290	1.00	26.06	C
ATOM	1702	O	ALA	A	220	24.741	39.043	24.235	1.00	29.42	O
ATOM	1703	CB	ALA	A	220	27.968	39.276	24.268	1.00	22.04	C
ATOM	1704	N	SER	A	221	25.737	37.124	23.636	1.00	24.40	N
ATOM	1705	CA	SER	A	221	24.643	36.687	22.787	1.00	27.11	C
ATOM	1706	C	SER	A	221	23.360	36.480	23.590	1.00	27.16	C
ATOM	1707	O	SER	A	221	22.289	36.977	23.225	1.00	25.37	O
ATOM	1708	CB	SER	A	221	25.046	35.393	22.082	1.00	22.88	C
ATOM	1709	OG	SER	A	221	26.154	35.636	21.242	1.00	27.21	O
ATOM	1710	N	ILE	A	222	23.489	35.704	24.664	1.00	28.09	N
ATOM	1711	CA	ILE	A	222	22.400	35.395	25.575	1.00	26.58	C
ATOM	1712	C	ILE	A	222	21.890	36.685	26.222	1.00	29.03	C
ATOM	1713	O	ILE	A	222	20.688	36.860	26.402	1.00	33.57	O
ATOM	1714	CB	ILE	A	222	22.876	34.390	26.633	1.00	27.12	C
ATOM	1715	CG1	ILE	A	222	23.248	33.077	25.935	1.00	26.47	C
ATOM	1716	CG2	ILE	A	222	21.796	34.154	27.684	1.00	27.52	C
ATOM	1717	CD1	ILE	A	222	23.912	32.071	26.811	1.00	28.54	C
ATOM	1718	N	HIS	A	223	22.799	37.610	26.512	1.00	27.80	N
ATOM	1719	CA	HIS	A	223	22.428	38.886	27.103	1.00	26.97	C
ATOM	1720	C	HIS	A	223	21.536	39.646	26.114	1.00	30.27	C
ATOM	1721	O	HIS	A	223	20.440	40.088	26.471	1.00	29.90	O
ATOM	1722	CB	HIS	A	223	23.686	39.695	27.418	1.00	22.45	C
ATOM	1723	CG	HIS	A	223	23.411	41.076	27.929	1.00	25.76	C
ATOM	1724	ND1	HIS	A	223	23.262	41.358	29.268	1.00	26.58	N
ATOM	1725	CD2	HIS	A	223	23.293	42.259	27.279	1.00	23.25	C
ATOM	1726	CE1	HIS	A	223	23.068	42.656	29.421	1.00	27.80	C
ATOM	1727	NE2	HIS	A	223	23.082	43.226	28.230	1.00	24.79	N
ATOM	1728	N	VAL	A	224	22.004	39.779	24.871	1.00	30.37	N
ATOM	1729	CA	VAL	A	224	21.248	40.475	23.834	1.00	25.52	C
ATOM	1730	C	VAL	A	224	19.917	39.777	23.557	1.00	25.58	C
ATOM	1731	O	VAL	A	224	18.888	40.436	23.438	1.00	26.16	O
ATOM	1732	CB	VAL	A	224	22.071	40.631	22.535	1.00	28.54	C
ATOM	1733	CG1	VAL	A	224	21.192	41.185	21.395	1.00	25.39	C
ATOM	1734	CG2	VAL	A	224	23.257	41.573	22.786	1.00	23.36	C
ATOM	1735	N	MET	A	225	19.929	38.448	23.503	1.00	23.29	N
ATOM	1736	CA	MET	A	225	18.708	37.683	23.276	1.00	25.45	C
ATOM	1737	C	MET	A	225	17.645	37.960	24.357	1.00	30.79	C
ATOM	1738	O	MET	A	225	16.484	38.221	24.049	1.00	31.70	O
ATOM	1739	CB	MET	A	225	19.025	36.188	23.256	1.00	22.65	C
ATOM	1740	CG	MET	A	225	17.808	35.290	23.177	1.00	22.09	C
ATOM	1741	SD	MET	A	225	16.850	35.534	21.670	1.00	27.79	S
ATOM	1742	CE	MET	A	225	16.726	33.888	21.053	1.00	19.59	C
ATOM	1743	N	GLU	A	226	18.073	37.969	25.617	1.00	31.00	N
ATOM	1744	CA	GLU	A	226	17.175	38.160	26.750	1.00	31.44	C
ATOM	1745	C	GLU	A	226	16.810	39.568	27.196	1.00	31.94	C

ATOM	1746	O	GLU	A	226	15.976	39.731	28.076	1.00	35.03	O
ATOM	1747	CB	GLU	A	226	17.662	37.321	27.922	1.00	28.92	C
ATOM	1748	CG	GLU	A	226	17.559	35.848	27.602	1.00	32.28	C
ATOM	1749	CD	GLU	A	226	18.113	34.955	28.676	1.00	36.44	C
ATOM	1750	OE1	GLU	A	226	18.791	35.463	29.594	1.00	37.16	O
ATOM	1751	OE2	GLU	A	226	17.871	33.735	28.588	1.00	36.59	O
ATOM	1752	N	LEU	A	227	17.398	40.582	26.574	1.00	32.98	N
ATOM	1753	CA	LEU	A	227	17.089	41.979	26.898	1.00	32.85	C
ATOM	1754	C	LEU	A	227	15.600	42.252	26.631	1.00	35.35	C
ATOM	1755	O	LEU	A	227	14.951	41.543	25.852	1.00	30.98	O
ATOM	1756	CB	LEU	A	227	17.896	42.898	25.983	1.00	32.82	C
ATOM	1757	CG	LEU	A	227	18.810	43.955	26.570	1.00	36.81	C
ATOM	1758	CD1	LEU	A	227	19.758	43.308	27.546	1.00	42.67	C
ATOM	1759	CD2	LEU	A	227	19.571	44.602	25.439	1.00	38.94	C
ATOM	1760	N	ALA	A	228	15.068	43.300	27.250	1.00	37.77	N
ATOM	1761	CA	ALA	A	228	13.665	43.661	27.044	1.00	38.56	C
ATOM	1762	C	ALA	A	228	13.527	44.220	25.639	1.00	35.13	C
ATOM	1763	O	ALA	A	228	14.351	45.031	25.210	1.00	34.44	O
ATOM	1764	CB	ALA	A	228	13.217	44.710	28.071	1.00	36.59	C
ATOM	1765	N	HIS	A	229	12.476	43.800	24.943	1.00	33.46	N
ATOM	1766	CA	HIS	A	229	12.220	44.256	23.586	1.00	35.30	C
ATOM	1767	C	HIS	A	229	12.268	45.773	23.473	1.00	34.25	C
ATOM	1768	O	HIS	A	229	12.897	46.292	22.554	1.00	35.79	O
ATOM	1769	CB	HIS	A	229	10.872	43.732	23.086	1.00	37.43	C
ATOM	1770	CG	HIS	A	229	10.688	43.865	21.606	1.00	41.98	C
ATOM	1771	ND1	HIS	A	229	9.507	44.289	21.036	1.00	44.45	N
ATOM	1772	CD2	HIS	A	229	11.539	43.630	20.579	1.00	40.17	C
ATOM	1773	OE1	HIS	A	229	9.640	44.307	19.721	1.00	43.12	C
ATOM	1774	NE2	HIS	A	229	10.863	43.911	19.418	1.00	39.43	N
ATOM	1775	N	GLU	A	230	11.679	46.476	24.447	1.00	34.52	N
ATOM	1776	CA	GLU	A	230	11.656	47.944	24.436	1.00	36.01	C
ATOM	1777	C	GLU	A	230	13.040	48.532	24.551	1.00	32.41	C
ATOM	1778	O	GLU	A	230	13.309	49.587	23.975	1.00	33.66	O
ATOM	1779	CB	GLU	A	230	10.810	48.522	25.572	1.00	43.87	C
ATOM	1780	CG	GLU	A	230	9.507	47.805	25.834	1.00	59.23	C
ATOM	1781	CD	GLU	A	230	9.475	47.156	27.211	1.00	67.02	C
ATOM	1782	OE1	GLU	A	230	10.290	47.537	28.085	1.00	67.32	O
ATOM	1783	OE2	GLU	A	230	8.623	46.269	27.421	1.00	72.93	O
ATOM	1784	N	VAL	A	231	13.896	47.879	25.334	1.00	30.41	N
ATOM	1785	CA	VAL	A	231	15.270	48.343	25.530	1.00	32.05	C
ATOM	1786	C	VAL	A	231	16.087	48.154	24.258	1.00	31.22	C
ATOM	1787	O	VAL	A	231	16.897	49.012	23.891	1.00	30.73	O
ATOM	1788	CB	VAL	A	231	15.957	47.600	26.701	1.00	34.26	C
ATOM	1789	CG1	VAL	A	231	17.415	48.047	26.836	1.00	34.42	C
ATOM	1790	CG2	VAL	A	231	15.201	47.872	27.999	1.00	33.56	C
ATOM	1791	N	TRP	A	232	15.860	47.025	23.592	1.00	28.92	N
ATOM	1792	CA	TRP	A	232	16.545	46.706	22.347	1.00	28.47	C
ATOM	1793	C	TRP	A	232	16.110	47.667	21.241	1.00	28.71	C
ATOM	1794	O	TRP	A	232	16.947	48.245	20.556	1.00	28.50	O
ATOM	1795	CB	TRP	A	232	16.243	45.269	21.945	1.00	26.62	C
ATOM	1796	CG	TRP	A	232	16.898	44.855	20.666	1.00	32.32	C
ATOM	1797	CD1	TRP	A	232	18.198	44.477	20.499	1.00	31.35	C
ATOM	1798	CD2	TRP	A	232	16.278	44.740	19.377	1.00	33.29	C
ATOM	1799	NE1	TRP	A	232	18.427	44.128	19.191	1.00	31.77	N
ATOM	1800	CE2	TRP	A	232	17.267	44.279	18.480	1.00	30.84	C
ATOM	1801	CE3	TRP	A	232	14.985	44.976	18.894	1.00	30.74	C

ATOM	1802	CZ2	TRP	A	232	17.004	44.049	17.132	1.00	26.46	C
ATOM	1803	CZ3	TRP	A	232	14.726	44.746	17.551	1.00	30.51	C
ATOM	1804	CH2	TRP	A	232	15.732	44.289	16.687	1.00	29.05	C
ATOM	1805	N	LEU	A	233	14.799	47.869	21.105	1.00	27.99	N
ATOM	1806	CA	LEU	A	233	14.261	48.765	20.084	1.00	28.27	C
ATOM	1807	C	LEU	A	233	14.795	50.165	20.263	1.00	28.89	C
ATOM	1808	O	LEU	A	233	15.031	50.881	19.294	1.00	30.72	O
ATOM	1809	CB	LEU	A	233	12.739	48.810	20.165	1.00	28.76	C
ATOM	1810	CG	LEU	A	233	11.984	47.546	19.771	1.00	29.00	C
ATOM	1811	CD1	LEU	A	233	10.530	47.694	20.179	1.00	31.26	C
ATOM	1812	CD2	LEU	A	233	12.120	47.310	18.264	1.00	27.84	C
ATOM	1813	N	GLU	A	234	15.000	50.534	21.520	1.00	31.87	N
ATOM	1814	CA	GLU	A	234	15.488	51.851	21.892	1.00	35.22	C
ATOM	1815	C	GLU	A	234	16.942	52.068	21.517	1.00	33.59	C
ATOM	1816	O	GLU	A	234	17.353	53.199	21.263	1.00	33.78	O
ATOM	1817	CB	GLU	A	234	15.313	52.041	23.393	1.00	41.45	C
ATOM	1818	CG	GLU	A	234	15.650	53.417	23.913	1.00	51.75	C
ATOM	1819	CD	GLU	A	234	15.827	53.407	25.422	1.00	63.38	C
ATOM	1820	OE1	GLU	A	234	14.937	52.869	26.127	1.00	65.94	O
ATOM	1821	OE2	GLU	A	234	16.868	53.912	25.904	1.00	67.45	O
ATOM	1822	N	ASN	A	235	17.722	50.990	21.486	1.00	34.46	N
ATOM	1823	CA	ASN	A	235	19.140	51.097	21.143	1.00	35.66	C
ATOM	1824	C	ASN	A	235	19.519	50.670	19.736	1.00	34.77	C
ATOM	1825	O	ASN	A	235	20.703	50.588	19.419	1.00	35.60	O
ATOM	1826	CB	ASN	A	235	19.998	50.346	22.155	1.00	38.20	C
ATOM	1827	CG	ASN	A	235	20.061	51.050	23.488	1.00	40.47	C
ATOM	1828	OD1	ASN	A	235	19.230	50.804	24.361	1.00	41.70	O
ATOM	1829	ND2	ASN	A	235	21.031	51.950	23.646	1.00	38.15	N
ATOM	1830	N	THR	A	236	18.515	50.375	18.911	1.00	30.16	N
ATOM	1831	CA	THR	A	236	18.730	49.974	17.530	1.00	26.96	C
ATOM	1832	C	THR	A	236	17.725	50.686	16.633	1.00	29.34	C
ATOM	1833	O	THR	A	236	16.907	51.483	17.097	1.00	30.40	O
ATOM	1834	CB	THR	A	236	18.505	48.471	17.342	1.00	26.06	C
ATOM	1835	OG1	THR	A	236	17.168	48.153	17.718	1.00	23.36	O
ATOM	1836	CG2	THR	A	236	19.466	47.652	18.190	1.00	23.68	C
ATOM	1837	N	GLN	A	237	17.823	50.407	15.337	1.00	31.04	N
ATOM	1838	CA	GLN	A	237	16.926	50.946	14.319	1.00	29.74	C
ATOM	1839	C	GLN	A	237	16.418	49.747	13.538	1.00	30.35	C
ATOM	1840	O	GLN	A	237	17.120	48.751	13.400	1.00	31.24	O
ATOM	1841	CB	GLN	A	237	17.663	51.881	13.372	1.00	30.60	C
ATOM	1842	CG	GLN	A	237	17.872	53.258	13.921	1.00	39.45	C
ATOM	1843	CD	GLN	A	237	19.275	53.730	13.684	1.00	47.84	C
ATOM	1844	OE1	GLN	A	237	20.210	53.269	14.346	1.00	53.55	O
ATOM	1845	NE2	GLN	A	237	19.449	54.627	12.716	1.00	51.18	N
ATOM	1846	N	PRO	A	238	15.192	49.828	13.007	1.00	31.11	N
ATOM	1847	CA	PRO	A	238	14.588	48.735	12.241	1.00	28.16	C
ATOM	1848	C	PRO	A	238	15.425	48.238	11.068	1.00	26.63	C
ATOM	1849	O	PRO	A	238	15.412	47.046	10.759	1.00	28.16	O
ATOM	1850	CB	PRO	A	238	13.268	49.344	11.772	1.00	30.93	C
ATOM	1851	CG	PRO	A	238	12.920	50.271	12.896	1.00	31.77	C
ATOM	1852	CD	PRO	A	238	14.250	50.954	13.130	1.00	32.36	C
ATOM	1853	N	MET	A	239	16.143	49.146	10.420	1.00	21.38	N
ATOM	1854	CA	MET	A	239	16.970	48.769	9.286	1.00	22.28	C
ATOM	1855	C	MET	A	239	18.477	48.877	9.557	1.00	21.75	C
ATOM	1856	O	MET	A	239	19.291	48.895	8.640	1.00	22.74	O
ATOM	1857	CB	MET	A	239	16.541	49.554	8.043	1.00	21.13	C

ATOM	1858	CG	MET	A	239	15.111	49.224	7.604	1.00	22.76	C
ATOM	1859	SD	MET	A	239	14.537	50.176	6.188	1.00	26.50	S
ATOM	1860	CE	MET	A	239	15.085	49.154	4.844	1.00	25.86	C
ATOM	1861	N	LEU	A	240	18.834	48.942	10.834	1.00	19.60	N
ATOM	1862	CA	LEU	A	240	20.230	48.977	11.274	1.00	19.53	C
ATOM	1863	C	LEU	A	240	20.133	48.406	12.688	1.00	20.93	C
ATOM	1864	O	LEU	A	240	20.394	49.087	13.677	1.00	20.84	O
ATOM	1865	CB	LEU	A	240	20.776	50.402	11.292	1.00	18.18	C
ATOM	1866	CG	LEU	A	240	22.305	50.452	11.328	1.00	20.72	C
ATOM	1867	CD1	LEU	A	240	22.870	49.885	10.042	1.00	22.42	C
ATOM	1868	CD2	LEU	A	240	22.781	51.876	11.512	1.00	25.43	C
ATOM	1869	N	SER	A	241	19.733	47.139	12.751	1.00	19.97	N
ATOM	1870	CA	SER	A	241	19.482	46.445	14.010	1.00	22.45	C
ATOM	1871	C	SER	A	241	20.555	45.547	14.632	1.00	24.03	C
ATOM	1872	O	SER	A	241	20.392	45.097	15.770	1.00	22.71	O
ATOM	1873	CB	SER	A	241	18.220	45.613	13.841	1.00	21.78	C
ATOM	1874	OG	SER	A	241	18.449	44.574	12.905	1.00	20.80	O
ATOM	1875	N	HIS	A	242	21.610	45.230	13.886	1.00	21.94	N
ATOM	1876	CA	HIS	A	242	22.649	44.354	14.412	1.00	20.43	C
ATOM	1877	C	HIS	A	242	23.469	45.046	15.496	1.00	22.84	C
ATOM	1878	O	HIS	A	242	23.560	46.274	15.538	1.00	21.58	O
ATOM	1879	CB	HIS	A	242	23.549	43.829	13.275	1.00	18.89	C
ATOM	1880	CG	HIS	A	242	24.214	44.906	12.474	1.00	20.76	C
ATOM	1881	ND1	HIS	A	242	25.571	45.149	12.534	1.00	23.65	N
ATOM	1882	CD2	HIS	A	242	23.709	45.818	11.608	1.00	18.12	C
ATOM	1883	CE1	HIS	A	242	25.872	46.164	11.744	1.00	20.15	C
ATOM	1884	NE2	HIS	A	242	24.760	46.589	11.171	1.00	22.79	N
ATOM	1885	N	ILE	A	243	24.044	44.249	16.388	1.00	24.70	N
ATOM	1886	CA	ILE	A	243	24.866	44.776	17.472	1.00	26.04	C
ATOM	1887	C	ILE	A	243	26.266	44.156	17.428	1.00	24.14	C
ATOM	1888	O	ILE	A	243	26.403	42.933	17.412	1.00	22.35	O
ATOM	1889	CB	ILE	A	243	24.208	44.483	18.849	1.00	24.66	C
ATOM	1890	CG1	ILE	A	243	22.893	45.247	18.969	1.00	26.58	C
ATOM	1891	CG2	ILE	A	243	25.136	44.865	19.995	1.00	20.76	C
ATOM	1892	CD1	ILE	A	243	22.010	44.740	20.080	1.00	31.07	C
ATOM	1893	N	ASN	A	244	27.290	45.006	17.366	1.00	22.22	N
ATOM	1894	CA	ASN	A	244	28.683	44.552	17.352	1.00	22.94	C
ATOM	1895	C	ASN	A	244	29.025	43.910	18.697	1.00	23.29	C
ATOM	1896	O	ASN	A	244	28.664	44.443	19.752	1.00	23.18	O
ATOM	1897	CB	ASN	A	244	29.645	45.728	17.121	1.00	18.05	C
ATOM	1898	CG	ASN	A	244	29.676	46.200	15.672	1.00	20.70	C
ATOM	1899	OD1	ASN	A	244	29.297	45.469	14.749	1.00	20.93	O
ATOM	1900	ND2	ASN	A	244	30.132	47.431	15.467	1.00	18.91	N
ATOM	1901	N	VAL	A	245	29.707	42.771	18.661	1.00	20.63	N
ATOM	1902	CA	VAL	A	245	30.113	42.090	19.887	1.00	23.48	C
ATOM	1903	C	VAL	A	245	31.636	41.899	19.841	1.00	24.52	C
ATOM	1904	O	VAL	A	245	32.168	41.242	18.940	1.00	22.64	O
ATOM	1905	CB	VAL	A	245	29.404	40.721	20.041	1.00	26.10	C
ATOM	1906	CG1	VAL	A	245	29.826	40.037	21.324	1.00	25.67	C
ATOM	1907	CG2	VAL	A	245	27.911	40.907	20.044	1.00	27.12	C
ATOM	1908	N	GLY	A	246	32.332	42.531	20.782	1.00	24.92	N
ATOM	1909	CA	GLY	A	246	33.783	42.426	20.845	1.00	25.16	C
ATOM	1910	C	GLY	A	246	34.321	43.079	22.099	1.00	27.04	C
ATOM	1911	O	GLY	A	246	33.554	43.369	23.015	1.00	27.15	O
ATOM	1912	N	THR	A	247	35.627	43.327	22.139	1.00	28.23	N
ATOM	1913	CA	THR	A	247	36.264	43.955	23.302	1.00	29.64	C

ATOM	1914	C	THR	A	247	36.510	45.454	23.122	1.00	29.69	C
ATOM	1915	O	THR	A	247	36.592	46.197	24.101	1.00	30.93	O
ATOM	1916	CB	THR	A	247	37.632	43.316	23.630	1.00	26.94	C
ATOM	1917	OG1	THR	A	247	38.538	43.559	22.551	1.00	30.49	O
ATOM	1918	CG2	THR	A	247	37.504	41.821	23.854	1.00	24.99	C
ATOM	1919	N	GLY	A	248	36.648	45.886	21.871	1.00	30.62	N
ATOM	1920	CA	GLY	A	248	36.909	47.286	21.582	1.00	30.96	C
ATOM	1921	C	GLY	A	248	38.374	47.626	21.791	1.00	32.37	C
ATOM	1922	O	GLY	A	248	38.792	48.774	21.659	1.00	33.15	O
ATOM	1923	N	VAL	A	249	39.149	46.606	22.146	1.00	36.38	N
ATOM	1924	CA	VAL	A	249	40.582	46.733	22.400	1.00	35.32	C
ATOM	1925	C	VAL	A	249	41.340	46.000	21.305	1.00	33.54	C
ATOM	1926	O	VAL	A	249	40.995	44.878	20.943	1.00	31.55	O
ATOM	1927	CB	VAL	A	249	40.955	46.095	23.771	1.00	33.49	C
ATOM	1928	CG1	VAL	A	249	42.453	46.009	23.945	1.00	37.03	C
ATOM	1929	CG2	VAL	A	249	40.357	46.902	24.895	1.00	34.03	C
ATOM	1930	N	ASP	A	250	42.340	46.657	20.740	1.00	33.09	N
ATOM	1931	CA	ASP	A	250	43.141	46.018	19.716	1.00	34.83	C
ATOM	1932	C	ASP	A	250	44.589	45.855	20.191	1.00	35.91	C
ATOM	1933	O	ASP	A	250	45.036	46.520	21.137	1.00	35.51	O
ATOM	1934	CB	ASP	A	250	43.058	46.774	18.374	1.00	37.89	C
ATOM	1935	CG	ASP	A	250	43.441	48.252	18.483	1.00	40.50	C
ATOM	1936	OD1	ASP	A	250	43.832	48.728	19.574	1.00	48.18	O
ATOM	1937	OD2	ASP	A	250	43.351	48.946	17.451	1.00	39.51	O
ATOM	1938	N	CYS	A	251	45.279	44.887	19.604	1.00	32.14	N
ATOM	1939	CA	CYS	A	251	46.663	44.646	19.937	1.00	33.38	C
ATOM	1940	C	CYS	A	251	47.359	44.192	18.660	1.00	29.54	C
ATOM	1941	O	CYS	A	251	46.714	43.673	17.743	1.00	28.68	O
ATOM	1942	CB	CYS	A	251	46.786	43.620	21.084	1.00	39.91	C
ATOM	1943	SG	CYS	A	251	46.610	41.850	20.646	1.00	45.50	S
ATOM	1944	N	THR	A	252	48.663	44.436	18.579	1.00	26.23	N
ATOM	1945	CA	THR	A	252	49.445	44.067	17.408	1.00	20.12	C
ATOM	1946	C	THR	A	252	49.635	42.562	17.291	1.00	18.00	C
ATOM	1947	O	THR	A	252	49.530	41.824	18.274	1.00	19.25	O
ATOM	1948	CB	THR	A	252	50.828	44.741	17.442	1.00	16.17	C
ATOM	1949	OG1	THR	A	252	51.564	44.266	18.570	1.00	19.37	O
ATOM	1950	CG2	THR	A	252	50.680	46.242	17.586	1.00	14.17	C
ATOM	1951	N	ILE	A	253	49.890	42.102	16.074	1.00	18.88	N
ATOM	1952	CA	ILE	A	253	50.136	40.681	15.851	1.00	19.06	C
ATOM	1953	C	ILE	A	253	51.410	40.305	16.638	1.00	21.49	C
ATOM	1954	O	ILE	A	253	51.523	39.203	17.182	1.00	24.79	O
ATOM	1955	CB	ILE	A	253	50.334	40.364	14.341	1.00	17.20	C
ATOM	1956	CG1	ILE	A	253	49.093	40.770	13.544	1.00	18.22	C
ATOM	1957	CG2	ILE	A	253	50.630	38.885	14.141	1.00	16.36	C
ATOM	1958	CD1	ILE	A	253	47.819	40.175	14.070	1.00	21.43	C
ATOM	1959	N	ARG	A	254	52.358	41.232	16.701	1.00	18.63	N
ATOM	1960	CA	ARG	A	254	53.595	41.014	17.436	1.00	20.59	C
ATOM	1961	C	ARG	A	254	53.270	40.696	18.902	1.00	18.08	C
ATOM	1962	O	ARG	A	254	53.756	39.713	19.460	1.00	16.09	O
ATOM	1963	CB	ARG	A	254	54.483	42.259	17.292	1.00	18.77	C
ATOM	1964	CG	ARG	A	254	55.407	42.576	18.445	1.00	24.60	C
ATOM	1965	CD	ARG	A	254	56.791	42.026	18.283	1.00	26.66	C
ATOM	1966	NE	ARG	A	254	57.452	42.471	17.062	1.00	26.45	N
ATOM	1967	CZ	ARG	A	254	58.610	41.972	16.629	1.00	26.86	C
ATOM	1968	NH1	ARG	A	254	59.249	41.044	17.331	1.00	22.35	N
ATOM	1969	NH2	ARG	A	254	59.050	42.277	15.419	1.00	26.14	N

ATOM	1970	N	GLU	A	255	52.408	41.502	19.511	1.00	18.24	N
ATOM	1971	CA	GLU	A	255	52.031	41.274	20.903	1.00	17.68	C
ATOM	1972	C	GLU	A	255	51.314	39.946	21.076	1.00	19.71	C
ATOM	1973	O	GLU	A	255	51.495	39.261	22.086	1.00	19.72	O
ATOM	1974	CB	GLU	A	255	51.137	42.391	21.415	1.00	18.51	C
ATOM	1975	CG	GLU	A	255	50.609	42.107	22.805	1.00	29.56	C
ATOM	1976	CD	GLU	A	255	50.037	43.325	23.499	1.00	35.94	C
ATOM	1977	OE1	GLU	A	255	49.923	44.403	22.876	1.00	40.53	O
ATOM	1978	OE2	GLU	A	255	49.707	43.201	24.691	1.00	41.94	O
ATOM	1979	N	LEU	A	256	50.478	39.605	20.095	1.00	19.97	N
ATOM	1980	CA	LEU	A	256	49.724	38.353	20.103	1.00	18.75	C
ATOM	1981	C	LEU	A	256	50.657	37.147	20.057	1.00	18.16	C
ATOM	1982	O	LEU	A	256	50.549	36.238	20.890	1.00	21.01	O
ATOM	1983	CB	LEU	A	256	48.761	38.293	18.911	1.00	17.32	C
ATOM	1984	CG	LEU	A	256	48.004	36.970	18.773	1.00	20.22	C
ATOM	1985	CD1	LEU	A	256	47.028	36.809	19.933	1.00	18.99	C
ATOM	1986	CD2	LEU	A	256	47.280	36.906	17.445	1.00	19.35	C
ATOM	1987	N	ALA	A	257	51.580	37.145	19.096	1.00	16.61	N
ATOM	1988	CA	ALA	A	257	52.532	36.040	18.952	1.00	18.93	C
ATOM	1989	C	ALA	A	257	53.423	35.862	20.192	1.00	17.74	C
ATOM	1990	O	ALA	A	257	53.717	34.747	20.618	1.00	20.77	O
ATOM	1991	CB	ALA	A	257	53.392	36.264	17.714	1.00	16.15	C
ATOM	1992	N	GLN	A	258	53.854	36.986	20.750	1.00	18.00	N
ATOM	1993	CA	GLN	A	258	54.708	37.023	21.920	1.00	17.43	C
ATOM	1994	C	GLN	A	258	53.964	36.482	23.145	1.00	18.74	C
ATOM	1995	O	GLN	A	258	54.546	35.790	23.979	1.00	16.90	O
ATOM	1996	CB	GLN	A	258	55.141	38.470	22.137	1.00	22.50	C
ATOM	1997	CG	GLN	A	258	56.618	38.703	22.293	1.00	29.19	C
ATOM	1998	CD	GLN	A	258	57.483	38.060	21.215	1.00	28.88	C
ATOM	1999	OE1	GLN	A	258	57.619	38.570	20.089	1.00	26.65	O
ATOM	2000	NE2	GLN	A	258	58.145	36.975	21.591	1.00	26.16	N
ATOM	2001	N	THR	A	259	52.674	36.788	23.247	1.00	18.84	N
ATOM	2002	CA	THR	A	259	51.866	36.310	24.371	1.00	19.96	C
ATOM	2003	C	THR	A	259	51.625	34.797	24.249	1.00	21.48	C
ATOM	2004	O	THR	A	259	51.663	34.071	25.238	1.00	24.00	O
ATOM	2005	CB	THR	A	259	50.526	37.071	24.460	1.00	18.93	C
ATOM	2006	OG1	THR	A	259	50.788	38.471	24.620	1.00	21.13	O
ATOM	2007	CG2	THR	A	259	49.702	36.591	25.643	1.00	14.80	C
ATOM	2008	N	ILE	A	260	51.391	34.328	23.027	1.00	20.24	N
ATOM	2009	CA	ILE	A	260	51.183	32.910	22.788	1.00	19.18	C
ATOM	2010	C	ILE	A	260	52.468	32.158	23.122	1.00	18.14	C
ATOM	2011	O	ILE	A	260	52.420	31.129	23.779	1.00	21.69	O
ATOM	2012	CB	ILE	A	260	50.763	32.645	21.330	1.00	19.66	C
ATOM	2013	CG1	ILE	A	260	49.334	33.128	21.125	1.00	21.57	C
ATOM	2014	CG2	ILE	A	260	50.871	31.166	20.989	1.00	18.63	C
ATOM	2015	CD1	ILE	A	260	48.835	32.980	19.697	1.00	22.20	C
ATOM	2016	N	ALA	A	261	53.612	32.697	22.708	1.00	15.71	N
ATOM	2017	CA	ALA	A	261	54.899	32.077	22.994	1.00	15.38	C
ATOM	2018	C	ALA	A	261	55.047	31.871	24.497	1.00	18.87	C
ATOM	2019	O	ALA	A	261	55.446	30.801	24.952	1.00	20.75	O
ATOM	2020	CB	ALA	A	261	56.031	32.952	22.484	1.00	13.67	C
ATOM	2021	N	LYS	A	262	54.714	32.901	25.268	1.00	19.35	N
ATOM	2022	CA	LYS	A	262	54.811	32.837	26.720	1.00	18.69	C
ATOM	2023	C	LYS	A	262	53.850	31.793	27.304	1.00	22.28	C
ATOM	2024	O	LYS	A	262	54.256	30.957	28.106	1.00	22.87	O
ATOM	2025	CB	LYS	A	262	54.534	34.219	27.306	1.00	21.11	C

ATOM	2026	CG	LYS	A	262	54.458	34.266	28.817	1.00	27.76	C
ATOM	2027	CD	LYS	A	262	53.851	35.585	29.236	1.00	40.89	C
ATOM	2028	CE	LYS	A	262	53.518	35.633	30.718	1.00	47.24	C
ATOM	2029	NZ	LYS	A	262	52.872	36.944	31.071	1.00	52.28	N
ATOM	2030	N	VAL	A	263	52.588	31.836	26.880	1.00	19.73	N
ATOM	2031	CA	VAL	A	263	51.560	30.910	27.339	1.00	18.74	C
ATOM	2032	C	VAL	A	263	51.954	29.450	27.099	1.00	19.90	C
ATOM	2033	O	VAL	A	263	51.729	28.578	27.927	1.00	19.46	O
ATOM	2034	CB	VAL	A	263	50.193	31.216	26.629	1.00	19.17	C
ATOM	2035	CG1	VAL	A	263	49.216	30.064	26.797	1.00	16.58	C
ATOM	2036	CG2	VAL	A	263	49.582	32.489	27.194	1.00	16.33	C
ATOM	2037	N	VAL	A	264	52.549	29.196	25.950	1.00	20.17	N
ATOM	2038	CA	VAL	A	264	52.946	27.854	25.580	1.00	21.61	C
ATOM	2039	C	VAL	A	264	54.270	27.409	26.217	1.00	22.41	C
ATOM	2040	O	VAL	A	264	54.546	26.219	26.320	1.00	23.33	O
ATOM	2041	CB	VAL	A	264	52.959	27.748	24.042	1.00	21.07	C
ATOM	2042	CG1	VAL	A	264	53.697	26.520	23.576	1.00	28.45	C
ATOM	2043	CG2	VAL	A	264	51.519	27.716	23.540	1.00	21.57	C
ATOM	2044	N	GLY	A	265	55.047	28.369	26.703	1.00	21.19	N
ATOM	2045	CA	GLY	A	265	56.318	28.049	27.311	1.00	22.99	C
ATOM	2046	C	GLY	A	265	57.432	27.916	26.293	1.00	26.31	C
ATOM	2047	O	GLY	A	265	58.414	27.213	26.533	1.00	26.43	O
ATOM	2048	N	TYR	A	266	57.284	28.595	25.156	1.00	26.16	N
ATOM	2049	CA	TYR	A	266	58.284	28.561	24.089	1.00	25.67	C
ATOM	2050	C	TYR	A	266	59.484	29.431	24.458	1.00	26.14	C
ATOM	2051	O	TYR	A	266	59.319	30.596	24.830	1.00	24.41	O
ATOM	2052	CB	TYR	A	266	57.674	29.040	22.770	1.00	22.56	C
ATOM	2053	CG	TYR	A	266	58.650	29.033	21.621	1.00	21.11	C
ATOM	2054	CD1	TYR	A	266	59.283	27.852	21.232	1.00	21.85	C
ATOM	2055	CD2	TYR	A	266	58.939	30.202	20.921	1.00	18.65	C
ATOM	2056	CE1	TYR	A	266	60.182	27.831	20.171	1.00	20.67	C
ATOM	2057	CE2	TYR	A	266	59.833	30.195	19.858	1.00	17.69	C
ATOM	2058	CZ	TYR	A	266	60.451	29.003	19.488	1.00	22.92	C
ATOM	2059	OH	TYR	A	266	61.340	28.987	18.436	1.00	23.78	O
ATOM	2060	N	LYS	A	267	60.686	28.867	24.341	1.00	26.35	N
ATOM	2061	CA	LYS	A	267	61.902	29.595	24.692	1.00	29.12	C
ATOM	2062	C	LYS	A	267	62.692	30.110	23.497	1.00	29.57	C
ATOM	2063	O	LYS	A	267	63.712	30.782	23.669	1.00	33.12	O
ATOM	2064	CB	LYS	A	267	62.822	28.725	25.547	1.00	31.01	C
ATOM	2065	CG	LYS	A	267	62.250	28.279	26.867	1.00	32.15	C
ATOM	2066	CD	LYS	A	267	62.126	29.399	27.827	1.00	28.52	C
ATOM	2067	CE	LYS	A	267	61.836	28.839	29.184	1.00	32.12	C
ATOM	2068	NZ	LYS	A	267	61.658	29.961	30.135	1.00	43.48	N
ATOM	2069	N	GLY	A	268	62.248	29.781	22.291	1.00	27.39	N
ATOM	2070	CA	GLY	A	268	62.946	30.249	21.109	1.00	22.49	C
ATOM	2071	C	GLY	A	268	62.701	31.717	20.804	1.00	25.67	C
ATOM	2072	O	GLY	A	268	62.228	32.489	21.649	1.00	24.71	O
ATOM	2073	N	ARG	A	269	63.042	32.101	19.581	1.00	23.49	N
ATOM	2074	CA	ARG	A	269	62.877	33.463	19.125	1.00	25.45	C
ATOM	2075	C	ARG	A	269	61.688	33.578	18.195	1.00	23.36	C
ATOM	2076	O	ARG	A	269	61.454	32.694	17.395	1.00	22.25	O
ATOM	2077	CB	ARG	A	269	64.141	33.924	18.399	1.00	27.98	C
ATOM	2078	CG	ARG	A	269	65.204	34.490	19.336	1.00	37.33	C
ATOM	2079	CD	ARG	A	269	66.028	35.573	18.640	1.00	50.00	C
ATOM	2080	NE	ARG	A	269	65.196	36.554	17.927	1.00	58.45	N
ATOM	2081	CZ	ARG	A	269	64.339	37.406	18.502	1.00	61.03	C

ATOM	2082	NH1	ARG	A	269	64.199	37.451	19.831	1.00	60.31	N
ATOM	2083	NH2	ARG	A	269	63.633	38.239	17.739	1.00	55.06	N
ATOM	2084	N	VAL	A	270	60.893	34.627	18.368	1.00	23.48	N
ATOM	2085	CA	VAL	A	270	59.746	34.876	17.503	1.00	24.73	C
ATOM	2086	C	VAL	A	270	60.283	35.868	16.474	1.00	23.93	C
ATOM	2087	O	VAL	A	270	60.743	36.942	16.823	1.00	25.70	O
ATOM	2088	CB	VAL	A	270	58.552	35.505	18.273	1.00	28.14	C
ATOM	2089	CG1	VAL	A	270	57.440	35.920	17.289	1.00	23.60	C
ATOM	2090	CG2	VAL	A	270	58.002	34.508	19.302	1.00	21.32	C
ATOM	2091	N	VAL	A	271	60.262	35.490	15.209	1.00	24.64	N
ATOM	2092	CA	VAL	A	271	60.791	36.351	14.164	1.00	23.81	C
ATOM	2093	C	VAL	A	271	59.733	36.735	13.141	1.00	25.29	C
ATOM	2094	O	VAL	A	271	59.010	35.880	12.628	1.00	26.71	O
ATOM	2095	CB	VAL	A	271	61.970	35.646	13.427	1.00	24.86	C
ATOM	2096	CG1	VAL	A	271	62.560	36.550	12.338	1.00	24.28	C
ATOM	2097	CG2	VAL	A	271	63.043	35.232	14.430	1.00	18.87	C
ATOM	2098	N	PHE	A	272	59.635	38.030	12.868	1.00	24.78	N
ATOM	2099	CA	PHE	A	272	58.700	38.526	11.873	1.00	21.88	C
ATOM	2100	C	PHE	A	272	59.458	38.839	10.611	1.00	22.47	C
ATOM	2101	O	PHE	A	272	60.433	39.583	10.646	1.00	25.92	O
ATOM	2102	CB	PHE	A	272	57.970	39.760	12.375	1.00	16.75	C
ATOM	2103	CG	PHE	A	272	56.823	39.430	13.247	1.00	18.44	C
ATOM	2104	CD1	PHE	A	272	57.003	39.244	14.604	1.00	16.82	C
ATOM	2105	CD2	PHE	A	272	55.568	39.219	12.699	1.00	19.11	C
ATOM	2106	CE1	PHE	A	272	55.950	38.841	15.410	1.00	18.11	C
ATOM	2107	CE2	PHE	A	272	54.509	38.820	13.495	1.00	21.54	C
ATOM	2108	CZ	PHE	A	272	54.703	38.627	14.859	1.00	21.75	C
ATOM	2109	N	ASP	A	273	59.046	38.209	9.516	1.00	21.79	N
ATOM	2110	CA	ASP	A	273	59.665	38.408	8.209	1.00	21.33	C
ATOM	2111	C	ASP	A	273	58.919	39.536	7.495	1.00	22.58	C
ATOM	2112	O	ASP	A	273	57.858	39.321	6.912	1.00	23.12	O
ATOM	2113	CB	ASP	A	273	59.588	37.110	7.404	1.00	23.56	C
ATOM	2114	CG	ASP	A	273	60.322	37.195	6.073	1.00	26.62	C
ATOM	2115	OD1	ASP	A	273	60.617	38.311	5.601	1.00	26.82	O
ATOM	2116	OD2	ASP	A	273	60.585	36.133	5.479	1.00	31.47	O
ATOM	2117	N	ALA	A	274	59.491	40.733	7.544	1.00	23.28	N
ATOM	2118	CA	ALA	A	274	58.892	41.925	6.947	1.00	24.30	C
ATOM	2119	C	ALA	A	274	58.966	42.014	5.428	1.00	24.53	C
ATOM	2120	O	ALA	A	274	58.537	43.006	4.855	1.00	25.68	O
ATOM	2121	CB	ALA	A	274	59.496	43.185	7.573	1.00	23.31	C
ATOM	2122	N	SER	A	275	59.559	41.016	4.777	1.00	26.28	N
ATOM	2123	CA	SER	A	275	59.622	41.024	3.320	1.00	26.39	C
ATOM	2124	C	SER	A	275	58.262	40.569	2.770	1.00	26.23	C
ATOM	2125	O	SER	A	275	58.026	40.623	1.574	1.00	30.79	O
ATOM	2126	CB	SER	A	275	60.738	40.113	2.810	1.00	25.77	C
ATOM	2127	OG	SER	A	275	60.385	38.749	2.939	1.00	25.48	O
ATOM	2128	N	LYS	A	276	57.383	40.116	3.661	1.00	22.89	N
ATOM	2129	CA	LYS	A	276	56.044	39.676	3.294	1.00	21.93	C
ATOM	2130	C	LYS	A	276	55.085	40.798	3.665	1.00	23.43	C
ATOM	2131	O	LYS	A	276	55.282	41.479	4.659	1.00	23.28	O
ATOM	2132	CB	LYS	A	276	55.674	38.417	4.061	1.00	18.50	C
ATOM	2133	CG	LYS	A	276	56.666	37.305	3.890	1.00	21.12	C
ATOM	2134	CD	LYS	A	276	56.527	36.679	2.547	1.00	21.58	C
ATOM	2135	CE	LYS	A	276	57.417	35.476	2.418	1.00	19.40	C
ATOM	2136	NZ	LYS	A	276	57.255	34.933	1.048	1.00	22.07	N
ATOM	2137	N	PRO	A	277	54.016	40.990	2.879	1.00	27.76	N

ATOM	2138	CA	PRO A 277	53.017	42.038	3.117	1.00	23.84	C
ATOM	2139	C	PRO A 277	52.118	41.826	4.324	1.00	24.51	C
ATOM	2140	O	PRO A 277	51.924	40.704	4.793	1.00	24.47	O
ATOM	2141	CB	PRO A 277	52.197	42.009	1.841	1.00	24.88	C
ATOM	2142	CG	PRO A 277	52.212	40.533	1.493	1.00	27.34	C
ATOM	2143	CD	PRO A 277	53.666	40.187	1.689	1.00	26.47	C
ATOM	2144	N	ASP A 278	51.600	42.930	4.845	1.00	24.02	N
ATOM	2145	CA	ASP A 278	50.682	42.893	5.977	1.00	26.81	C
ATOM	2146	C	ASP A 278	49.282	43.040	5.405	1.00	28.35	C
ATOM	2147	O	ASP A 278	49.119	43.320	4.223	1.00	31.68	O
ATOM	2148	CB	ASP A 278	50.917	44.084	6.915	1.00	24.95	C
ATOM	2149	CG	ASP A 278	52.233	44.016	7.652	1.00	28.08	C
ATOM	2150	OD1	ASP A 278	52.576	42.939	8.171	1.00	26.38	O
ATOM	2151	OD2	ASP A 278	52.906	45.062	7.748	1.00	30.73	O
ATOM	2152	N	GLY A 279	48.272	42.837	6.242	1.00	33.68	N
ATOM	2153	CA	GLY A 279	46.899	43.028	5.802	1.00	34.70	C
ATOM	2154	C	GLY A 279	46.587	44.472	6.153	1.00	35.18	C
ATOM	2155	O	GLY A 279	47.509	45.293	6.242	1.00	34.19	O
ATOM	2156	N	THR A 280	45.315	44.800	6.372	1.00	36.64	N
ATOM	2157	CA	THR A 280	44.962	46.170	6.744	1.00	35.76	C
ATOM	2158	C	THR A 280	45.652	46.461	8.073	1.00	33.32	C
ATOM	2159	O	THR A 280	45.812	45.568	8.913	1.00	30.89	O
ATOM	2160	CB	THR A 280	43.440	46.366	6.870	1.00	37.03	C
ATOM	2161	OG1	THR A 280	42.885	45.307	7.655	1.00	39.08	O
ATOM	2162	CG2	THR A 280	42.789	46.368	5.494	1.00	44.47	C
ATOM	2163	N	PRO A 281	46.067	47.715	8.279	1.00	31.84	N
ATOM	2164	CA	PRO A 281	46.758	48.159	9.494	1.00	33.45	C
ATOM	2165	C	PRO A 281	45.998	47.947	10.799	1.00	32.57	C
ATOM	2166	O	PRO A 281	46.582	47.593	11.825	1.00	30.86	O
ATOM	2167	CB	PRO A 281	46.964	49.660	9.244	1.00	32.87	C
ATOM	2168	CG	PRO A 281	46.896	49.792	7.760	1.00	35.85	C
ATOM	2169	CD	PRO A 281	45.788	48.859	7.397	1.00	30.62	C
ATOM	2170	N	ARG A 282	44.684	48.107	10.738	1.00	32.42	N
ATOM	2171	CA	ARG A 282	43.871	48.018	11.932	1.00	32.80	C
ATOM	2172	C	ARG A 282	42.470	47.508	11.632	1.00	32.28	C
ATOM	2173	O	ARG A 282	41.882	47.841	10.611	1.00	33.57	O
ATOM	2174	CB	ARG A 282	43.810	49.423	12.528	1.00	32.75	C
ATOM	2175	CG	ARG A 282	43.280	49.512	13.914	1.00	35.87	C
ATOM	2176	CD	ARG A 282	43.615	50.872	14.479	1.00	39.55	C
ATOM	2177	NE	ARG A 282	43.148	51.005	15.851	1.00	40.34	N
ATOM	2178	CZ	ARG A 282	42.346	51.975	16.272	1.00	43.71	C
ATOM	2179	NH1	ARG A 282	41.919	52.907	15.428	1.00	46.70	N
ATOM	2180	NH2	ARG A 282	41.951	52.005	17.534	1.00	42.83	N
ATOM	2181	N	LYS A 283	41.935	46.695	12.528	1.00	32.33	N
ATOM	2182	CA	LYS A 283	40.599	46.168	12.344	1.00	30.30	C
ATOM	2183	C	LYS A 283	39.980	45.854	13.702	1.00	29.85	C
ATOM	2184	O	LYS A 283	40.435	44.954	14.410	1.00	30.61	O
ATOM	2185	CB	LYS A 283	40.660	44.925	11.463	1.00	32.78	C
ATOM	2186	CG	LYS A 283	39.324	44.379	11.027	1.00	42.52	C
ATOM	2187	CD	LYS A 283	39.504	43.137	10.162	1.00	51.26	C
ATOM	2188	CE	LYS A 283	38.177	42.399	9.963	1.00	60.19	C
ATOM	2189	NZ	LYS A 283	38.334	41.071	9.291	1.00	65.48	N
ATOM	2190	N	LEU A 284	39.017	46.674	14.114	1.00	28.22	N
ATOM	2191	CA	LEU A 284	38.316	46.453	15.378	1.00	27.64	C
ATOM	2192	C	LEU A 284	36.933	47.067	15.337	1.00	25.17	C
ATOM	2193	O	LEU A 284	36.687	48.019	14.602	1.00	25.28	O

ATOM	2194	CB	LEU	A	284	39.089	47.003	16.581	1.00	30.86	C
ATOM	2195	CG	LEU	A	284	39.007	48.488	16.913	1.00	31.93	C
ATOM	2196	CD1	LEU	A	284	39.489	48.700	18.333	1.00	28.99	C
ATOM	2197	CD2	LEU	A	284	39.823	49.295	15.925	1.00	33.77	C
ATOM	2198	N	LEU	A	285	36.039	46.512	16.147	1.00	25.67	N
ATOM	2199	CA	LEU	A	285	34.654	46.956	16.235	1.00	25.49	C
ATOM	2200	C	LEU	A	285	34.430	48.072	17.249	1.00	26.97	C
ATOM	2201	O	LEU	A	285	35.143	48.183	18.243	1.00	29.98	O
ATOM	2202	CB	LEU	A	285	33.749	45.775	16.626	1.00	20.59	C
ATOM	2203	CG	LEU	A	285	33.679	44.551	15.727	1.00	18.07	C
ATOM	2204	CD1	LEU	A	285	32.670	43.571	16.287	1.00	18.55	C
ATOM	2205	CD2	LEU	A	285	33.313	44.969	14.307	1.00	19.07	C
ATOM	2206	N	ASP	A	286	33.443	48.908	16.966	1.00	25.74	N
ATOM	2207	CA	ASP	A	286	33.043	49.970	17.865	1.00	25.02	C
ATOM	2208	C	ASP	A	286	31.951	49.235	18.655	1.00	27.48	C
ATOM	2209	O	ASP	A	286	30.944	48.810	18.085	1.00	27.87	O
ATOM	2210	CB	ASP	A	286	32.444	51.119	17.051	1.00	29.67	C
ATOM	2211	CG	ASP	A	286	32.145	52.356	17.888	1.00	30.80	C
ATOM	2212	OD1	ASP	A	286	31.699	52.211	19.047	1.00	30.18	O
ATOM	2213	OD2	ASP	A	286	32.345	53.475	17.369	1.00	33.63	O
ATOM	2214	N	VAL	A	287	32.179	49.020	19.946	1.00	28.04	N
ATOM	2215	CA	VAL	A	287	31.216	48.300	20.772	1.00	26.46	C
ATOM	2216	C	VAL	A	287	30.351	49.170	21.685	1.00	28.22	C
ATOM	2217	O	VAL	A	287	29.706	48.663	22.604	1.00	28.73	O
ATOM	2218	CB	VAL	A	287	31.921	47.203	21.592	1.00	28.80	C
ATOM	2219	CG1	VAL	A	287	32.386	46.085	20.673	1.00	27.14	C
ATOM	2220	CG2	VAL	A	287	33.115	47.796	22.335	1.00	30.54	C
ATOM	2221	N	THR	A	288	30.317	50.469	21.393	1.00	29.45	N
ATOM	2222	CA	THR	A	288	29.530	51.457	22.139	1.00	28.93	C
ATOM	2223	C	THR	A	288	28.095	51.009	22.403	1.00	29.89	C
ATOM	2224	O	THR	A	288	27.609	51.082	23.523	1.00	33.99	O
ATOM	2225	CB	THR	A	288	29.464	52.773	21.351	1.00	30.33	C
ATOM	2226	OG1	THR	A	288	30.765	53.362	21.300	1.00	31.23	O
ATOM	2227	CG2	THR	A	288	28.485	53.745	21.986	1.00	33.85	C
ATOM	2228	N	ARG	A	289	27.422	50.563	21.349	1.00	31.29	N
ATOM	2229	CA	ARG	A	289	26.041	50.106	21.410	1.00	27.57	C
ATOM	2230	C	ARG	A	289	25.892	48.954	22.401	1.00	28.89	C
ATOM	2231	O	ARG	A	289	24.980	48.938	23.225	1.00	28.88	O
ATOM	2232	CB	ARG	A	289	25.596	49.684	19.998	1.00	28.19	C
ATOM	2233	CG	ARG	A	289	24.106	49.499	19.794	1.00	30.70	C
ATOM	2234	CD	ARG	A	289	23.759	49.032	18.368	1.00	30.53	C
ATOM	2235	NE	ARG	A	289	23.427	50.119	17.435	1.00	28.79	N
ATOM	2236	CZ	ARG	A	289	22.697	49.958	16.325	1.00	33.43	C
ATOM	2237	NH1	ARG	A	289	22.223	48.758	16.002	1.00	26.37	N
ATOM	2238	NH2	ARG	A	289	22.416	50.997	15.541	1.00	27.95	N
ATOM	2239	N	LEU	A	290	26.815	48.005	22.353	1.00	28.72	N
ATOM	2240	CA	LEU	A	290	26.760	46.863	23.256	1.00	29.86	C
ATOM	2241	C	LEU	A	290	26.981	47.270	24.720	1.00	32.12	C
ATOM	2242	O	LEU	A	290	26.317	46.758	25.625	1.00	29.96	O
ATOM	2243	CB	LEU	A	290	27.796	45.818	22.850	1.00	27.37	C
ATOM	2244	CG	LEU	A	290	27.847	44.589	23.754	1.00	28.20	C
ATOM	2245	CD1	LEU	A	290	26.529	43.829	23.669	1.00	24.01	C
ATOM	2246	CD2	LEU	A	290	29.039	43.716	23.383	1.00	30.47	C
ATOM	2247	N	HIS	A	291	27.944	48.160	24.942	1.00	33.23	N
ATOM	2248	CA	HIS	A	291	28.260	48.633	26.284	1.00	35.06	C
ATOM	2249	C	HIS	A	291	27.086	49.391	26.881	1.00	38.47	C

ATOM	2250	O	HIS	A	291	26.749	49.188	28.048	1.00	39.97	O
ATOM	2251	CB	HIS	A	291	29.527	49.488	26.260	1.00	33.15	C
ATOM	2252	CG	HIS	A	291	30.780	48.688	26.075	1.00	31.57	C
ATOM	2253	ND1	HIS	A	291	32.014	49.269	25.862	1.00	31.12	N
ATOM	2254	CD2	HIS	A	291	30.993	47.349	26.093	1.00	26.15	C
ATOM	2255	CE1	HIS	A	291	32.929	48.321	25.759	1.00	28.83	C
ATOM	2256	NE2	HIS	A	291	32.337	47.146	25.895	1.00	26.04	N
ATOM	2257	N	GLN	A	292	26.442	50.228	26.070	1.00	39.16	N
ATOM	2258	CA	GLN	A	292	25.277	50.971	26.521	1.00	40.91	C
ATOM	2259	C	GLN	A	292	24.144	50.006	26.866	1.00	39.45	C
ATOM	2260	O	GLN	A	292	23.234	50.363	27.602	1.00	40.15	O
ATOM	2261	CB	GLN	A	292	24.832	51.982	25.469	1.00	43.44	C
ATOM	2262	CG	GLN	A	292	25.754	53.198	25.388	1.00	52.40	C
ATOM	2263	CD	GLN	A	292	25.402	54.153	24.244	1.00	59.03	C
ATOM	2264	OE1	GLN	A	292	25.792	55.326	24.262	1.00	56.68	O
ATOM	2265	NE2	GLN	A	292	24.683	53.649	23.234	1.00	60.31	N
ATOM	2266	N	LEU	A	293	24.207	48.785	26.342	1.00	35.80	N
ATOM	2267	CA	LEU	A	293	23.201	47.770	26.648	1.00	33.79	C
ATOM	2268	C	LEU	A	293	23.589	47.050	27.938	1.00	32.96	C
ATOM	2269	O	LEU	A	293	22.982	46.038	28.317	1.00	31.15	O
ATOM	2270	CB	LEU	A	293	23.068	46.762	25.505	1.00	37.70	C
ATOM	2271	CG	LEU	A	293	22.405	47.261	24.220	1.00	39.73	C
ATOM	2272	CD1	LEU	A	293	22.355	46.133	23.208	1.00	38.38	C
ATOM	2273	CD2	LEU	A	293	21.006	47.763	24.523	1.00	39.00	C
ATOM	2274	N	GLY	A	294	24.657	47.546	28.562	1.00	33.74	N
ATOM	2275	CA	GLY	A	294	25.134	47.010	29.824	1.00	33.64	C
ATOM	2276	C	GLY	A	294	25.938	45.726	29.845	1.00	33.85	C
ATOM	2277	O	GLY	A	294	25.933	45.015	30.845	1.00	34.52	O
ATOM	2278	N	TRP	A	295	26.609	45.398	28.755	1.00	32.16	N
ATOM	2279	CA	TRP	A	295	27.408	44.190	28.750	1.00	31.06	C
ATOM	2280	C	TRP	A	295	28.860	44.543	28.504	1.00	33.48	C
ATOM	2281	O	TRP	A	295	29.166	45.436	27.703	1.00	35.95	O
ATOM	2282	CB	TRP	A	295	26.923	43.204	27.694	1.00	28.54	C
ATOM	2283	CG	TRP	A	295	27.612	41.877	27.781	1.00	28.85	C
ATOM	2284	CD1	TRP	A	295	27.207	40.787	28.500	1.00	27.38	C
ATOM	2285	CD2	TRP	A	295	28.821	41.492	27.115	1.00	26.45	C
ATOM	2286	NE1	TRP	A	295	28.086	39.746	28.317	1.00	29.99	N
ATOM	2287	CE2	TRP	A	295	29.087	40.152	27.473	1.00	27.63	C
ATOM	2288	CE3	TRP	A	295	29.705	42.151	26.250	1.00	27.48	C
ATOM	2289	CZ2	TRP	A	295	30.199	39.455	26.996	1.00	27.35	C
ATOM	2290	CZ3	TRP	A	295	30.809	41.461	25.777	1.00	24.03	C
ATOM	2291	CH2	TRP	A	295	31.047	40.125	26.150	1.00	26.27	C
ATOM	2292	N	TYR	A	296	29.744	43.862	29.231	1.00	34.38	N
ATOM	2293	CA	TYR	A	296	31.193	44.048	29.120	1.00	35.36	C
ATOM	2294	C	TYR	A	296	31.860	42.676	29.177	1.00	33.09	C
ATOM	2295	O	TYR	A	296	31.389	41.780	29.887	1.00	34.22	O
ATOM	2296	CB	TYR	A	296	31.714	44.935	30.248	1.00	40.18	C
ATOM	2297	CG	TYR	A	296	31.374	46.395	30.079	1.00	50.05	C
ATOM	2298	CD1	TYR	A	296	30.115	46.907	30.459	1.00	53.98	C
ATOM	2299	CD2	TYR	A	296	32.311	47.280	29.547	1.00	55.96	C
ATOM	2300	CE1	TYR	A	296	29.796	48.279	30.309	1.00	54.98	C
ATOM	2301	CE2	TYR	A	296	32.009	48.656	29.397	1.00	62.81	C
ATOM	2302	CZ	TYR	A	296	30.753	49.149	29.780	1.00	62.09	C
ATOM	2303	OH	TYR	A	296	30.495	50.508	29.637	1.00	65.44	O
ATOM	2304	N	HIS	A	297	32.918	42.494	28.393	1.00	30.63	N
ATOM	2305	CA	HIS	A	297	33.610	41.212	28.361	1.00	31.80	C

ATOM	2306	C	HIS	A	297	34.381	40.981	29.646	1.00	34.68	C
ATOM	2307	O	HIS	A	297	34.793	41.939	30.301	1.00	34.73	O
ATOM	2308	CB	HIS	A	297	34.546	41.131	27.153	1.00	30.86	C
ATOM	2309	CG	HIS	A	297	35.690	42.092	27.201	1.00	28.35	C
ATOM	2310	ND1	HIS	A	297	35.525	43.451	27.047	1.00	29.18	N
ATOM	2311	CD2	HIS	A	297	37.021	41.888	27.348	1.00	26.24	C
ATOM	2312	CE1	HIS	A	297	36.707	44.042	27.090	1.00	29.09	C
ATOM	2313	NE2	HIS	A	297	37.631	43.116	27.270	1.00	27.00	N
ATOM	2314	N	GLU	A	298	34.576	39.712	30.001	1.00	36.49	N
ATOM	2315	CA	GLU	A	298	35.291	39.359	31.224	1.00	39.20	C
ATOM	2316	C	GLU	A	298	36.640	38.670	31.025	1.00	38.33	C
ATOM	2317	O	GLU	A	298	37.541	38.820	31.854	1.00	40.37	O
ATOM	2318	CB	GLU	A	298	34.401	38.496	32.118	1.00	43.73	C
ATOM	2319	CG	GLU	A	298	33.212	39.255	32.691	1.00	54.47	C
ATOM	2320	CD	GLU	A	298	32.333	38.393	33.572	1.00	62.13	C
ATOM	2321	OE1	GLU	A	298	32.677	38.215	34.757	1.00	69.61	O
ATOM	2322	OE2	GLU	A	298	31.296	37.894	33.082	1.00	67.17	O
ATOM	2323	N	ILE	A	299	36.787	37.946	29.917	1.00	34.09	N
ATOM	2324	CA	ILE	A	299	38.017	37.212	29.623	1.00	29.73	C
ATOM	2325	C	ILE	A	299	39.085	38.013	28.882	1.00	30.13	C
ATOM	2326	O	ILE	A	299	38.877	38.452	27.750	1.00	28.81	O
ATOM	2327	CB	ILE	A	299	37.695	35.927	28.847	1.00	26.83	C
ATOM	2328	CG1	ILE	A	299	36.671	35.105	29.638	1.00	25.09	C
ATOM	2329	CG2	ILE	A	299	38.955	35.121	28.607	1.00	25.20	C
ATOM	2330	CD1	ILE	A	299	36.083	33.923	28.887	1.00	24.90	C
ATOM	2331	N	SER	A	300	40.223	38.221	29.542	1.00	29.20	N
ATOM	2332	CA	SER	A	300	41.336	38.960	28.940	1.00	31.21	C
ATOM	2333	C	SER	A	300	42.101	38.031	27.993	1.00	27.93	C
ATOM	2334	O	SER	A	300	41.991	36.806	28.091	1.00	28.16	O
ATOM	2335	CB	SER	A	300	42.288	39.477	30.011	1.00	30.68	C
ATOM	2336	OG	SER	A	300	43.035	38.401	30.554	1.00	37.72	O
ATOM	2337	N	LEU	A	301	42.914	38.616	27.118	1.00	29.27	N
ATOM	2338	CA	LEU	A	301	43.660	37.830	26.147	1.00	28.41	C
ATOM	2339	C	LEU	A	301	44.555	36.755	26.765	1.00	29.72	C
ATOM	2340	O	LEU	A	301	44.427	35.578	26.430	1.00	26.84	O
ATOM	2341	CB	LEU	A	301	44.477	38.737	25.226	1.00	26.68	C
ATOM	2342	CG	LEU	A	301	45.114	37.992	24.043	1.00	31.59	C
ATOM	2343	CD1	LEU	A	301	44.048	37.488	23.059	1.00	23.42	C
ATOM	2344	CD2	LEU	A	301	46.108	38.889	23.342	1.00	31.43	C
ATOM	2345	N	GLU	A	302	45.419	37.149	27.699	1.00	32.41	N
ATOM	2346	CA	GLU	A	302	46.342	36.207	28.333	1.00	34.56	C
ATOM	2347	C	GLU	A	302	45.588	35.062	28.992	1.00	30.36	C
ATOM	2348	O	GLU	A	302	45.946	33.894	28.819	1.00	30.83	O
ATOM	2349	CB	GLU	A	302	47.230	36.904	29.374	1.00	40.81	C
ATOM	2350	CG	GLU	A	302	47.716	38.304	28.999	1.00	53.90	C
ATOM	2351	CD	GLU	A	302	46.658	39.396	29.233	1.00	61.33	C
ATOM	2352	OE1	GLU	A	302	46.114	39.478	30.364	1.00	69.14	O
ATOM	2353	OE2	GLU	A	302	46.378	40.176	28.292	1.00	59.33	O
ATOM	2354	N	ALA	A	303	44.528	35.400	29.724	1.00	25.74	N
ATOM	2355	CA	ALA	A	303	43.721	34.403	30.417	1.00	26.04	C
ATOM	2356	C	ALA	A	303	43.018	33.467	29.441	1.00	27.06	C
ATOM	2357	O	ALA	A	303	43.020	32.245	29.629	1.00	29.26	O
ATOM	2358	CB	ALA	A	303	42.705	35.085	31.316	1.00	28.61	C
ATOM	2359	N	GLY	A	304	42.427	34.043	28.395	1.00	25.61	N
ATOM	2360	CA	GLY	A	304	41.734	33.239	27.404	1.00	23.96	C
ATOM	2361	C	GLY	A	304	42.670	32.337	26.618	1.00	24.21	C

ATOM	2362	O	GLY A 304	42.295	31.222	26.256	1.00	26.25	O
ATOM	2363	N	LEU A 305	43.869	32.826	26.313	1.00	21.49	N
ATOM	2364	CA	LEU A 305	44.838	32.028	25.575	1.00	23.50	C
ATOM	2365	C	LEU A 305	45.334	30.869	26.437	1.00	25.40	C
ATOM	2366	O	LEU A 305	45.514	29.749	25.951	1.00	25.77	O
ATOM	2367	CB	LEU A 305	46.013	32.890	25.108	1.00	20.66	C
ATOM	2368	CG	LEU A 305	45.767	33.845	23.932	1.00	21.57	C
ATOM	2369	CD1	LEU A 305	47.020	34.674	23.696	1.00	21.15	C
ATOM	2370	CD2	LEU A 305	45.395	33.060	22.671	1.00	18.05	C
ATOM	2371	N	ALA A 306	45.499	31.125	27.730	1.00	24.54	N
ATOM	2372	CA	ALA A 306	45.960	30.097	28.644	1.00	23.79	C
ATOM	2373	C	ALA A 306	44.933	28.971	28.757	1.00	25.59	C
ATOM	2374	O	ALA A 306	45.272	27.797	28.577	1.00	25.94	O
ATOM	2375	CB	ALA A 306	46.253	30.706	30.003	1.00	23.60	C
ATOM	2376	N	SER A 307	43.670	29.317	28.997	1.00	24.96	N
ATOM	2377	CA	SER A 307	42.639	28.287	29.114	1.00	27.12	C
ATOM	2378	C	SER A 307	42.399	27.528	27.812	1.00	26.46	C
ATOM	2379	O	SER A 307	42.161	26.321	27.826	1.00	29.90	O
ATOM	2380	CB	SER A 307	41.323	28.877	29.630	1.00	28.44	C
ATOM	2381	OG	SER A 307	40.778	29.784	28.698	1.00	36.72	O
ATOM	2382	N	THR A 308	42.445	28.235	26.686	1.00	24.13	N
ATOM	2383	CA	THR A 308	42.248	27.611	25.377	1.00	22.38	C
ATOM	2384	C	THR A 308	43.374	26.616	25.101	1.00	24.13	C
ATOM	2385	O	THR A 308	43.148	25.560	24.497	1.00	24.33	O
ATOM	2386	CB	THR A 308	42.266	28.665	24.250	1.00	22.43	C
ATOM	2387	OG1	THR A 308	41.265	29.649	24.503	1.00	22.70	O
ATOM	2388	CG2	THR A 308	42.010	28.027	22.906	1.00	18.35	C
ATOM	2389	N	TYR A 309	44.597	26.980	25.495	1.00	23.34	N
ATOM	2390	CA	TYR A 309	45.747	26.106	25.289	1.00	24.73	C
ATOM	2391	C	TYR A 309	45.553	24.841	26.108	1.00	25.93	C
ATOM	2392	O	TYR A 309	45.863	23.735	25.661	1.00	24.21	O
ATOM	2393	CB	TYR A 309	47.051	26.787	25.708	1.00	23.65	C
ATOM	2394	CG	TYR A 309	48.265	25.944	25.369	1.00	23.63	C
ATOM	2395	CD1	TYR A 309	48.440	25.435	24.082	1.00	17.42	C
ATOM	2396	CD2	TYR A 309	49.219	25.631	26.343	1.00	23.50	C
ATOM	2397	CE1	TYR A 309	49.523	24.636	23.770	1.00	20.00	C
ATOM	2398	CE2	TYR A 309	50.317	24.832	26.039	1.00	20.93	C
ATOM	2399	CZ	TYR A 309	50.464	24.339	24.753	1.00	22.40	C
ATOM	2400	OH	TYR A 309	51.563	23.565	24.449	1.00	22.20	O
ATOM	2401	N	GLN A 310	45.022	25.032	27.308	1.00	28.53	N
ATOM	2402	CA	GLN A 310	44.734	23.946	28.226	1.00	33.36	C
ATOM	2403	C	GLN A 310	43.758	22.995	27.557	1.00	32.66	C
ATOM	2404	O	GLN A 310	43.948	21.785	27.582	1.00	33.85	O
ATOM	2405	CB	GLN A 310	44.127	24.511	29.512	1.00	37.18	C
ATOM	2406	CG	GLN A 310	44.298	23.620	30.707	1.00	50.41	C
ATOM	2407	CD	GLN A 310	45.710	23.086	30.805	1.00	58.52	C
ATOM	2408	OE1	GLN A 310	45.917	21.874	30.906	1.00	63.71	O
ATOM	2409	NE2	GLN A 310	46.698	23.985	30.725	1.00	57.85	N
ATOM	2410	N	TRP A 311	42.729	23.553	26.924	1.00	31.37	N
ATOM	2411	CA	TRP A 311	41.740	22.736	26.232	1.00	31.73	C
ATOM	2412	C	TRP A 311	42.400	21.992	25.075	1.00	32.46	C
ATOM	2413	O	TRP A 311	42.123	20.813	24.849	1.00	31.54	O
ATOM	2414	CB	TRP A 311	40.587	23.601	25.703	1.00	30.57	C
ATOM	2415	CG	TRP A 311	39.517	22.801	25.001	1.00	29.79	C
ATOM	2416	CD1	TRP A 311	38.413	22.237	25.573	1.00	27.34	C
ATOM	2417	CD2	TRP A 311	39.480	22.432	23.612	1.00	28.75	C

ATOM	2418	NE1	TRP	A	311	37.700	21.534	24.634	1.00	30.55	N
ATOM	2419	CE2	TRP	A	311	38.332	21.635	23.423	1.00	28.31	C
ATOM	2420	CE3	TRP	A	311	40.309	22.692	22.513	1.00	28.78	C
ATOM	2421	CZ2	TRP	A	311	37.990	21.094	22.182	1.00	27.50	C
ATOM	2422	CZ3	TRP	A	311	39.969	22.153	21.277	1.00	28.41	C
ATOM	2423	CH2	TRP	A	311	38.818	21.361	21.124	1.00	28.72	C
ATOM	2424	N	PHE	A	312	43.236	22.700	24.314	1.00	34.36	N
ATOM	2425	CA	PHE	A	312	43.937	22.099	23.183	1.00	31.18	C
ATOM	2426	C	PHE	A	312	44.772	20.900	23.632	1.00	31.72	C
ATOM	2427	O	PHE	A	312	44.818	19.889	22.935	1.00	31.35	O
ATOM	2428	CB	PHE	A	312	44.828	23.128	22.476	1.00	30.31	C
ATOM	2429	CG	PHE	A	312	45.718	22.525	21.429	1.00	32.10	C
ATOM	2430	CD1	PHE	A	312	45.199	22.123	20.202	1.00	31.83	C
ATOM	2431	CD2	PHE	A	312	47.065	22.294	21.695	1.00	31.95	C
ATOM	2432	CE1	PHE	A	312	46.004	21.496	19.257	1.00	32.03	C
ATOM	2433	CE2	PHE	A	312	47.881	21.666	20.755	1.00	32.49	C
ATOM	2434	CZ	PHE	A	312	47.348	21.267	19.536	1.00	30.56	C
ATOM	2435	N	LEU	A	313	45.423	21.018	24.792	1.00	32.90	N
ATOM	2436	CA	LEU	A	313	46.251	19.941	25.348	1.00	35.33	C
ATOM	2437	C	LEU	A	313	45.438	18.686	25.654	1.00	39.37	C
ATOM	2438	O	LEU	A	313	45.838	17.589	25.277	1.00	43.86	O
ATOM	2439	CB	LEU	A	313	46.985	20.402	26.614	1.00	29.47	C
ATOM	2440	CG	LEU	A	313	48.115	21.404	26.367	1.00	31.09	C
ATOM	2441	CD1	LEU	A	313	48.681	21.951	27.681	1.00	30.88	C
ATOM	2442	CD2	LEU	A	313	49.199	20.734	25.549	1.00	25.52	C
ATOM	2443	N	GLU	A	314	44.287	18.844	26.301	1.00	40.93	N
ATOM	2444	CA	GLU	A	314	43.435	17.699	26.629	1.00	45.11	C
ATOM	2445	C	GLU	A	314	42.701	17.094	25.425	1.00	45.39	C
ATOM	2446	O	GLU	A	314	42.173	15.986	25.515	1.00	47.44	O
ATOM	2447	CB	GLU	A	314	42.415	18.097	27.692	1.00	47.07	C
ATOM	2448	CG	GLU	A	314	43.040	18.467	29.026	1.00	57.79	C
ATOM	2449	CD	GLU	A	314	42.120	19.304	29.912	1.00	65.44	C
ATOM	2450	OE1	GLU	A	314	40.970	19.592	29.496	1.00	68.79	O
ATOM	2451	OE2	GLU	A	314	42.560	19.687	31.023	1.00	66.78	O
ATOM	2452	N	ASN	A	315	42.703	17.803	24.297	1.00	45.89	N
ATOM	2453	CA	ASN	A	315	42.005	17.357	23.090	1.00	45.86	C
ATOM	2454	C	ASN	A	315	42.854	17.296	21.844	1.00	48.77	C
ATOM	2455	O	ASN	A	315	42.306	17.281	20.746	1.00	48.12	O
ATOM	2456	CB	ASN	A	315	40.854	18.313	22.779	1.00	42.56	C
ATOM	2457	CG	ASN	A	315	39.694	18.154	23.722	1.00	44.51	C
ATOM	2458	OD1	ASN	A	315	38.801	17.341	23.480	1.00	47.00	O
ATOM	2459	ND2	ASN	A	315	39.691	18.929	24.805	1.00	41.62	N
ATOM	2460	N	GLN	A	316	44.174	17.260	21.981	1.00	54.60	N
ATOM	2461	CA	GLN	A	316	45.001	17.262	20.783	1.00	60.89	C
ATOM	2462	C	GLN	A	316	44.868	16.057	19.876	1.00	65.27	C
ATOM	2463	O	GLN	A	316	45.147	16.154	18.679	1.00	64.36	O
ATOM	2464	CB	GLN	A	316	46.462	17.574	21.098	1.00	61.05	C
ATOM	2465	CG	GLN	A	316	47.113	16.679	22.107	1.00	64.04	C
ATOM	2466	CD	GLN	A	316	48.530	17.120	22.405	1.00	65.48	C
ATOM	2467	OE1	GLN	A	316	48.908	17.270	23.566	1.00	68.59	O
ATOM	2468	NE2	GLN	A	316	49.318	17.348	21.357	1.00	64.15	N
ATOM	2469	N	ASP	A	317	44.434	14.927	20.429	1.00	72.08	N
ATOM	2470	CA	ASP	A	317	44.246	13.735	19.609	1.00	78.25	C
ATOM	2471	C	ASP	A	317	42.868	13.786	18.958	1.00	78.45	C
ATOM	2472	O	ASP	A	317	41.992	12.963	19.218	1.00	80.17	O
ATOM	2473	CB	ASP	A	317	44.465	12.449	20.414	1.00	83.68	C

ATOM	2474	CG	ASP	A	317	45.946	12.063	20.507	1.00	90.68	C
ATOM	2475	OD1	ASP	A	317	46.638	12.059	19.458	1.00	92.54	O
ATOM	2476	OD2	ASP	A	317	46.421	11.768	21.627	1.00	93.21	O
ATOM	2477	N	ARG	A	318	42.705	14.820	18.137	1.00	77.70	N
ATOM	2478	CA	ARG	A	318	41.497	15.112	17.382	1.00	75.61	C
ATOM	2479	C	ARG	A	318	41.939	15.927	16.175	1.00	75.20	C
ATOM	2480	O	ARG	A	318	41.203	16.055	15.201	1.00	75.42	O
ATOM	2481	CB	ARG	A	318	40.536	15.959	18.221	1.00	75.26	C
ATOM	2482	CG	ARG	A	318	39.842	15.205	19.343	1.00	77.60	C
ATOM	2483	CD	ARG	A	318	39.106	16.144	20.277	1.00	78.29	C
ATOM	2484	NE	ARG	A	318	38.238	17.068	19.555	1.00	79.00	N
ATOM	2485	CZ	ARG	A	318	37.060	17.493	20.002	1.00	81.81	C
ATOM	2486	NH1	ARG	A	318	36.598	17.071	21.174	1.00	80.59	N
ATOM	2487	NH2	ARG	A	318	36.349	18.358	19.284	1.00	83.39	N
ATOM	2488	N	PHE	A	319	43.164	16.449	16.242	1.00	75.08	N
ATOM	2489	CA	PHE	A	319	43.725	17.283	15.180	1.00	75.74	C
ATOM	2490	C	PHE	A	319	44.998	16.697	14.568	1.00	76.51	C
ATOM	2491	O	PHE	A	319	45.786	16.036	15.249	1.00	78.34	O
ATOM	2492	CB	PHE	A	319	44.002	18.689	15.729	1.00	71.11	C
ATOM	2493	CG	PHE	A	319	42.868	19.253	16.545	1.00	64.16	C
ATOM	2494	CD1	PHE	A	319	41.722	19.748	15.926	1.00	63.29	C
ATOM	2495	CD2	PHE	A	319	42.931	19.257	17.932	1.00	62.48	C
ATOM	2496	CE1	PHE	A	319	40.655	20.235	16.677	1.00	58.54	C
ATOM	2497	CE2	PHE	A	319	41.870	19.742	18.691	1.00	59.47	C
ATOM	2498	CZ	PHE	A	319	40.731	20.230	18.060	1.00	59.31	C
TER	2499	PHE	A	319							
HETATM	2500	PA	NDP		350	31.378	25.685	13.295	1.00	39.92	P
HETATM	2501	O1A	NDP		350	31.601	25.112	11.921	1.00	40.37	O
HETATM	2502	O2A	NDP		350	32.127	25.087	14.439	1.00	43.08	O
HETATM	2503	O5B	NDP		350	29.740	25.667	13.540	1.00	45.66	O
HETATM	2504	C5B	NDP		350	28.803	25.387	12.475	1.00	45.22	C
HETATM	2505	C4B	NDP		350	27.915	24.283	12.982	1.00	44.58	C
HETATM	2506	O4B	NDP		350	26.758	24.238	12.121	1.00	45.73	O
HETATM	2507	C3B	NDP		350	28.570	22.930	12.915	1.00	46.90	C
HETATM	2508	O3B	NDP		350	28.379	22.200	14.150	1.00	44.41	O
HETATM	2509	C2B	NDP		350	27.873	22.251	11.797	1.00	50.09	C
HETATM	2510	O2B	NDP		350	27.749	20.846	12.037	1.00	57.56	O
HETATM	2511	C1B	NDP		350	26.505	22.869	11.776	1.00	46.31	C
HETATM	2512	N9A	NDP		350	25.904	22.762	10.410	1.00	43.32	N
HETATM	2513	C8A	NDP		350	26.370	23.307	9.205	1.00	41.14	C
HETATM	2514	N7A	NDP		350	25.604	22.998	8.183	1.00	39.98	N
HETATM	2515	C5A	NDP		350	24.577	22.209	8.729	1.00	41.32	C
HETATM	2516	C6A	NDP		350	23.458	21.570	8.143	1.00	39.28	C
HETATM	2517	N6A	NDP		350	23.220	21.652	6.839	1.00	38.37	N
HETATM	2518	N1A	NDP		350	22.619	20.854	8.960	1.00	37.10	N
HETATM	2519	C2A	NDP		350	22.878	20.771	10.285	1.00	35.41	C
HETATM	2520	N3A	NDP		350	23.906	21.334	10.921	1.00	39.29	N
HETATM	2521	C4A	NDP		350	24.736	22.052	10.071	1.00	42.99	C
HETATM	2522	O3	NDP		350	31.556	27.288	13.242	1.00	44.66	O
HETATM	2523	PN	NDP		350	31.582	28.531	14.298	1.00	43.69	P
HETATM	2524	O1N	NDP		350	33.062	28.877	14.499	1.00	49.09	O
HETATM	2525	O2N	NDP		350	30.824	28.053	15.546	1.00	44.22	O
HETATM	2526	O5D	NDP		350	30.825	29.778	13.588	1.00	49.81	O
HETATM	2527	C5D	NDP		350	29.393	30.023	13.765	1.00	49.70	C
HETATM	2528	C4D	NDP		350	29.117	31.490	13.397	1.00	52.69	C
HETATM	2529	O4D	NDP		350	29.878	32.322	14.321	1.00	51.50	O

HETATM	2530	C3D	NDP	350	29.670	31.869	12.017	1.00	53.64	C
HETATM	2531	O3D	NDP	350	28.765	31.573	10.919	1.00	51.66	O
HETATM	2532	C2D	NDP	350	29.951	33.358	12.131	1.00	54.32	C
HETATM	2533	O2D	NDP	350	28.803	34.072	11.689	1.00	58.59	O
HETATM	2534	C1D	NDP	350	30.257	33.550	13.670	1.00	53.87	C
HETATM	2535	N1N	NDP	350	31.701	33.821	13.853	1.00	53.91	N
HETATM	2536	C2N	NDP	350	32.548	32.699	13.879	1.00	55.72	C
HETATM	2537	C3N	NDP	350	33.904	32.883	14.335	1.00	57.36	C
HETATM	2538	C7N	NDP	350	34.932	31.902	13.841	1.00	57.68	C
HETATM	2539	O7N	NDP	350	36.173	32.209	13.678	1.00	58.57	O
HETATM	2540	N7N	NDP	350	34.582	30.620	13.539	1.00	56.32	N
HETATM	2541	C4N	NDP	350	34.388	34.223	14.153	1.00	57.26	C
HETATM	2542	C5N	NDP	350	33.577	35.299	14.101	1.00	55.62	C
HETATM	2543	C6N	NDP	350	32.217	35.102	13.986	1.00	56.29	C
HETATM	2544	P2B	NDP	350	28.778	19.751	11.391	1.00	61.04	P
HETATM	2545	O1X	NDP	350	30.173	20.260	11.720	1.00	63.55	O
HETATM	2546	O2X	NDP	350	28.332	18.492	12.112	1.00	66.12	O
HETATM	2547	O3X	NDP	350	28.490	19.771	9.895	1.00	62.71	O
HETATM	2548	O	HOH	403	16.364	46.066	6.360	1.00	16.76	O
HETATM	2549	O	HOH	404	61.658	40.109	15.137	1.00	25.68	O
HETATM	2550	O	HOH	405	37.036	37.869	25.560	1.00	23.88	O
HETATM	2551	O	HOH	406	29.274	45.590	4.227	1.00	23.86	O
HETATM	2552	O	HOH	407	21.659	46.241	9.524	1.00	18.71	O
HETATM	2553	O	HOH	408	11.646	48.055	2.386	1.00	22.28	O
HETATM	2554	O	HOH	409	29.268	46.086	1.340	1.00	23.26	O
HETATM	2555	O	HOH	410	40.720	27.171	4.788	1.00	30.74	O
HETATM	2556	O	HOH	411	40.024	37.346	25.219	1.00	28.20	O
HETATM	2557	O	HOH	412	13.789	45.247	5.947	1.00	17.51	O
HETATM	2558	O	HOH	413	8.740	48.583	12.146	1.00	44.45	O
HETATM	2559	O	HOH	414	55.988	44.603	15.223	1.00	28.70	O
HETATM	2560	O	HOH	415	17.945	32.383	25.916	1.00	35.81	O
HETATM	2561	O	HOH	416	40.988	42.346	21.737	1.00	34.12	O
HETATM	2562	O	HOH	417	33.297	44.433	25.856	1.00	27.77	O
HETATM	2563	O	HOH	418	40.288	42.308	14.121	1.00	27.88	O
HETATM	2564	O	HOH	419	14.468	45.184	12.733	1.00	28.94	O
HETATM	2565	O	HOH	420	21.811	49.737	2.572	1.00	23.93	O
HETATM	2566	O	HOH	421	28.028	47.151	19.950	1.00	27.75	O
HETATM	2567	O	HOH	422	55.299	38.921	30.122	1.00	29.39	O
HETATM	2568	O	HOH	423	20.340	42.878	17.338	1.00	21.51	O
HETATM	2569	O	HOH	424	18.265	41.950	13.529	1.00	23.62	O
HETATM	2570	O	HOH	425	60.926	36.251	20.554	1.00	25.83	O
HETATM	2571	O	HOH	426	61.735	26.288	23.079	1.00	26.19	O
HETATM	2572	O	HOH	427	9.903	49.531	16.011	1.00	35.06	O
HETATM	2573	O	HOH	428	4.961	38.941	16.431	1.00	72.15	O
HETATM	2574	O	HOH	429	25.390	31.475	12.011	1.00	42.29	O
HETATM	2575	O	HOH	430	24.616	36.303	29.371	1.00	39.49	O
HETATM	2576	O	HOH	431	52.396	40.887	10.716	1.00	28.82	O
HETATM	2577	O	HOH	432	28.532	50.476	18.635	1.00	26.51	O
HETATM	2578	O	HOH	433	24.605	31.137	8.299	1.00	37.60	O
HETATM	2579	O	HOH	434	53.396	32.965	9.078	1.00	31.80	O
HETATM	2580	O	HOH	435	8.764	28.089	0.894	1.00	66.40	O
HETATM	2581	O	HOH	436	50.045	45.833	20.737	1.00	51.41	O
HETATM	2582	O	HOH	437	28.349	27.038	16.112	1.00	28.33	O
HETATM	2583	O	HOH	438	48.580	49.249	12.510	1.00	49.01	O
HETATM	2584	O	HOH	439	27.644	51.002	30.138	1.00	83.71	O
HETATM	2585	O	HOH	440	14.915	37.706	20.160	1.00	31.14	O

HETATM	2586	O	HOH	441	58.871	26.341	28.966	1.00	27.42	O
HETATM	2587	O	HOH	442	30.055	29.232	27.254	1.00	30.49	O
HETATM	2588	O	HOH	443	59.252	29.056	11.253	1.00	37.17	O
HETATM	2589	O	HOH	444	41.062	29.095	19.502	1.00	22.79	O
HETATM	2590	O	HOH	446	27.525	20.951	22.129	1.00	30.42	O
HETATM	2591	O	HOH	447	34.990	42.374	4.139	1.00	34.41	O
HETATM	2592	O	HOH	448	39.767	54.716	10.592	1.00	67.76	O
HETATM	2593	O	HOH	449	6.617	46.118	12.631	1.00	39.16	O
HETATM	2594	O	HOH	450	47.753	26.797	29.529	1.00	39.09	O
HETATM	2595	O	HOH	451	53.355	49.057	15.729	1.00	65.17	O
HETATM	2596	O	HOH	452	57.253	36.231	24.352	1.00	29.82	O
HETATM	2597	O	HOH	453	63.541	27.548	33.259	1.00	49.37	O
HETATM	2598	O	HOH	454	60.669	39.031	18.870	1.00	37.60	O
HETATM	2599	O	HOH	455	14.756	48.579	16.040	1.00	39.67	O
HETATM	2600	O	HOH	456	32.995	53.473	11.966	1.00	32.90	O
HETATM	2601	O	HOH	457	13.273	46.305	15.112	1.00	40.63	O
HETATM	2602	O	HOH	458	1.875	40.301	5.309	1.00	70.50	O
HETATM	2603	O	HOH	459	53.220	19.321	26.913	1.00	56.37	O
HETATM	2604	O	HOH	460	49.920	28.952	30.026	1.00	30.71	O
HETATM	2605	O	HOH	461	33.278	33.241	0.845	1.00	26.77	O
HETATM	2606	O	HOH	462	20.158	49.720	6.382	1.00	47.64	O
HETATM	2607	O	HOH	464	31.011	22.374	24.615	1.00	67.95	O
HETATM	2608	O	HOH	466	9.539	39.483	21.846	1.00	44.82	O
HETATM	2609	O	HOH	467	13.095	16.160	15.545	1.00	68.91	O
HETATM	2610	O	HOH	468	42.058	33.585	15.357	1.00	38.91	O
HETATM	2611	O	HOH	469	55.397	43.765	6.085	1.00	41.18	O
HETATM	2612	O	HOH	470	39.929	31.499	15.426	1.00	36.87	O
HETATM	2613	O	HOH	471	44.997	38.774	11.125	1.00	86.77	O
HETATM	2614	O	HOH	472	63.543	26.568	21.038	1.00	37.23	O
HETATM	2615	O	HOH	473	42.546	49.571	8.745	1.00	52.97	O
HETATM	2616	O	HOH	474	21.212	22.331	14.333	1.00	32.02	O
HETATM	2617	O	HOH	475	63.713	36.784	22.124	1.00	40.38	O
HETATM	2618	O	HOH	476	50.517	20.177	31.519	1.00	45.57	O
HETATM	2619	O	HOH	477	55.053	22.111	23.811	1.00	33.79	O
HETATM	2620	O	HOH	478	25.984	21.019	15.400	1.00	42.73	O
HETATM	2621	O	HOH	479	8.324	32.438	20.518	1.00	45.08	O
HETATM	2622	O	HOH	480	10.617	41.969	25.986	1.00	65.97	O
HETATM	2623	O	HOH	481	33.575	31.406	6.991	1.00	49.37	O
HETATM	2624	O	HOH	482	37.161	42.218	13.370	1.00	49.73	O
HETATM	2625	O	HOH	483	32.721	33.623	10.991	1.00	45.67	O
HETATM	2626	O	HOH	484	31.049	25.089	9.313	1.00	34.65	O
HETATM	2627	O	HOH	485	23.886	20.648	13.709	1.00	38.09	O
HETATM	2628	O	HOH	486	20.562	19.884	12.878	1.00	38.07	O
HETATM	2629	O	HOH	487	20.762	21.629	17.045	1.00	41.39	O
HETATM	2630	O	HOH	488	25.825	18.437	13.712	1.00	48.25	O
HETATM	2631	O	HOH	489	34.918	37.720	12.567	1.00	37.51	O
CONNECT	2500	2501	2502	2503	2522					
CONNECT	2501	2500								
CONNECT	2502	2500								
CONNECT	2503	2500	2504							
CONNECT	2504	2503	2505							
CONNECT	2505	2504	2506	2507						
CONNECT	2506	2505	2511							
CONNECT	2507	2505	2508	2509						
CONNECT	2508	2507								
CONNECT	2509	2507	2510	2511						

CONNECT 2510 2509 2544
CONNECT 2511 2506 2509 2512
CONNECT 2512 2511 2513 2521
CONNECT 2513 2512 2514
CONNECT 2514 2513 2515
CONNECT 2515 2514 2516 2521
CONNECT 2516 2515 2517 2518
CONNECT 2517 2516
CONNECT 2518 2516 2519
CONNECT 2519 2518 2520
CONNECT 2520 2519 2521
CONNECT 2521 2512 2515 2520
CONNECT 2522 2500 2523
CONNECT 2523 2522 2524 2525 2526
CONNECT 2524 2523
CONNECT 2525 2523
CONNECT 2526 2523 2527
CONNECT 2527 2526 2528
CONNECT 2528 2527 2529 2530
CONNECT 2529 2528 2534
CONNECT 2530 2528 2531 2532
CONNECT 2531 2530
CONNECT 2532 2530 2533 2534
CONNECT 2533 2532
CONNECT 2534 2529 2532 2535
CONNECT 2535 2534 2536 2543
CONNECT 2536 2535 2537
CONNECT 2537 2536 2538 2541
CONNECT 2538 2537 2539 2540
CONNECT 2539 2538
CONNECT 2540 2538
CONNECT 2541 2537 2542
CONNECT 2542 2541 2543
CONNECT 2543 2535 2542
CONNECT 2544 2510 2545 2546 2547
CONNECT 2545 2544
CONNECT 2546 2544
CONNECT 2547 2544
MASTER 285 0 1 13 10 0 0 6 2630 1 48 25
END